FOR THE CASE OF Board of Boiler Rules

TRANSCRIPT OF **None**

December 16, 2015

Stone & George COURT REPORTING

2020 Fieldstone Pkwy

Suite 900 - PMB 234

Franklin, TN 37069

(615) 268-1244

This transcript is intended for your law firm's own use. If you wish to share this transcript with an outside law firm, log back in to your CasePlanner account and click the **Share** button.

For questions, call (615) 268-1244 or send an email to nangeorge@stoneandgeorge.com

	Page 1			Page 3
1.	STATE OF TENNESSEE	1. 2.	APPEARANCES	
2.	DEPARTMENT OF LABOR AND WORKFORCE DEVELOPMENT	3.	Commissioner Brian Morelock, Chairman	
3.	BOILER UNIT DIVISION	4.	Commissioner Eugene Robinson, Insurance Representative	
4.		5.		
5. 6.		6.	Commissioner David Baughman, Owner/User Representative	
7.		7.	Commissioner Dr. Glen E. Johnson, Ph.D., P.E.,	
8.		8.	Mechanical Engineer Representative	
9.	TRANSCRIPT OF PROCEEDINGS	9.	Sam Chapman, Assistant Chief Boiler Inspector	
10.	OF		Kim Y. Jefferson, Esq., Administrator	
11.	BOARD OF BOILER RULES	10.	Mark Finks, Assistant Administrator - WRC	
12.	December 16, 2015	11.	Dan Bailey, Esq., Legal Counsel	
13.	BEFORE: Brian Morelock, Commissioner	12.		
14.		13.	Carlene T. Bennett, Board Secretary	
15.		14.	Deborah Rhone, State of Tennessee	
16.			Neil Jackson, State of Tennessee	
17.		15.	Richard Eng, Wacker Mechanical Integrity	
18.		16.	James Neville, Neville Engineering	
19.		17.		
20.		18.	William Gram, Wacker Polysilicon	
21. 22.		19.	Blair Vanstone, Clover Bottom Developmental	
۷۷.	DOMINIQUE A. DUBOIS, LCR# 686		Jeremy Gross, Valero Memphis Refinery	
23.	STONE & GEORGE COURT REPORTING	20.	Keith Butler, Industrial Boiler & Mechanical Co.	
	2020 Fieldstone Parkway	21.	Inc.	
24.	Suite 900 - PMB 234	22. 23.	Prasad Joshi, Wacker Polysilicon James Golden, TriStar Stonecrest Medical Center	
25.	Franklin, Tennessee 37069	24.	Tim Holt, State of Tennessee	
23.	(615) 221-1089	25.	Del Hupf, State of Tennessee	
	Page 2			Page 4
1.	The above-styled cause came on for	1.	Leanne Durm, Tennessee Department of Labor &	1 age 4
2.	hearing on this the 16th day of December, 2015,	1.	Workforce Development	
3.	before Brian Morelock, Commissioner of Tennessee	2.	•	
<i>3</i> . 4.	Department of Labor and Workforce Development, at		David L. Moss, State of Tennessee	
5.	220 French Landing Drive, TOSHA Hearing Room, 1st	3.	I a Danie Tanana Danie danie de I dan 8	
	Floor, Nashville, Tennessee, when and where the	4.	Jann Dower, Tennessee Department of Labor & Workforce Development	
6. 7		5.	Workforce Bevelopment	
7.	following proceedings were had, to wit:	6.		
8.		7.		
9.		8.		
10.		9.		
11.		10.		
12.		11.		
13.		12.		
14.		13.		
15.		14.		
16.		15.		
17.		16.		
18.		17.		
19.		18.		
20.		19. 20.		
21.		20.		
22.		22.		
23.		23.		
24.		23. 24.		
25.		25.		
		1		

Page 5		Page 7
-	1.	Extensions? Not voting? Okay. We have an agenda.
	2.	Okay. Now that we have an agenda, I'd like to go
	3.	around the room and let everybody introduce
	4.	themselves and we'll start with our Court Reporter.
	5.	THE REPORTER: Dominique Dubois,
	6.	Stone & George Court Reporting.
•	7.	MS. BENNETT: Carlene Bennett, Board
So I do want to call the Tennessee	8.	Secretary.
Board of Boiler Rules meeting to order. And we do	9.	MR. CHAPMAN: Sam Chapman, Chief
	10.	Boiler Inspector.
	11.	MR. ROBINSON: Eugene Robinson, Board
•	12.	Member
	13.	CHAIRMAN MORELOCK: Brian Morelock,
_	14.	Board Member.
•	15.	MR. BAUGHMAN: Dave Baughman, Board
	16.	Member.
• • •	17.	DR. JOHNSON: Glen Johnson, Board
building on the Rosa Parks side. So just want to	18.	Member.
make you aware of that.	19.	MS. JEFFERSON: Kim Jefferson,
	20.	Administrator.
	21.	MR. FINKS: Mark Finks, Assistant
interrupt any of the discussions that are about to	22.	Administrator.
occur. So please be courteous with that. And	23.	MR. BAILEY: Dan Bailey, Legal
with that, I will also note that there is an	24.	Counsel.
attendance sheet going around. So please sign in	25.	MR. HOLT: Tim Holt, state inspector.
Page 6	_	Page 8
	1.	MS. RHONE: Deborah Rhone, boiler
•	2.	office supervisor.
annual conflict of interest policy that needs to	3.	MR. JACKSON: Neil Jackson,
be completed and given back to Carlene today. And	4.	Consultant to the Board.
so that will take us to adoption of the agenda.	5.	MR. HUPF: Del Hupf, boiler
And you should have the agenda before you. So	6.	inspector.
does anyone have	7.	MR. GROSS: Jeremy Gross, chief
MR. ROBINSON: Motion made to adopt	8.	inspector for the Valero Memphis Refinery.
the agenda.	9.	MR. NEVILLE: James Neville, Neville
CHAIRMAN MORELOCK: Okay. Motion	10.	Engineering.
made to adopt the agenda. Is there any additions to	11.	MR. GRAM: I'm Billy Gram. I'm the
the agenda, any changes that need to be made? Time	12.	production manager of infrastructure at Wacker.
permitting, I do want to include a discussion item	13.	MR. VANSTONE: Blair Vanstone, boiler
that Neil Jackson brought to my attention. And if	14.	operator supervisor.
we have time, we'll try to cover that today. And it	15.	MR. MOSS: David Moss, facility
is concerning the boiler attendant variance with	16.	supervisor. Codes advisor.
questions about boiler blowdown, possible	17.	CHAIRMAN MORELOCK: All right. Yes?
exceptions. And we'll add that to the agenda under	18.	MS. DURM: And Leanne Durm,
"Discussion Items". Okay. Anything else? Okay.	19.	Legislative Liaison for the Department.
Hearing none, all in favor of adoption of the	20.	CHAIRMAN MORELOCK: Okay. Again, did
agenda?	21.	I leave anybody out?
DR. JOHNSON: Aye.	22.	MR. ENG: Richard Eng.
MR. BAUGHMAN: Aye.	23.	CHAIRMAN MORELOCK: Sorry.
MR. ROBINSON: Aye.	24.	MR. ENG: WPNA Mechanical Integrity.
CHAIRMAN MORELOCK: Opposed?	25.	MR. JOSHI: Prasad Joshi, Wacker
CHARMAN MORELOCK. Opposed:	1	,
•	Board of Boiler Rules meeting to order. And we do have agendas on the back table for our visitors, if you would like one. There are refreshments in the back room, as well. Just a couple of items before we do some announcements. From a safety item: In the event of an emergency or natural disaster, we do have security personnel in the building that will guide us to a safe place or direct us to exit the building on the Rosa Parks side. So just want to make you aware of that. As a courtesy item, I would ask that any cell phones be silenced so that it wouldn't interrupt any of the discussions that are about to occur. So please be courteous with that. And with that, I will also note that there is an attendance sheet going around. So please sign in Page 6 and we can record your attendance. We also the Board members have the annual conflict of interest policy that needs to be completed and given back to Carlene today. And so that will take us to adoption of the agenda. And you should have the agenda before you. So does anyone have MR. ROBINSON: Motion made to adopt the agenda. CHAIRMAN MORELOCK: Okay. Motion made to adopt the agenda. Is there any additions to the agenda, any changes that need to be made? Time permitting, I do want to include a discussion item that Neil Jackson brought to my attention. And if we have time, we'll try to cover that today. And it is concerning the boiler attendant variance with questions about boiler blowdown, possible exceptions. And we'll add that to the agenda under "Discussion Items". Okay. Anything else? Okay. Hearing none, all in favor of adoption of the agenda? DR. JOHNSON: Aye. MR. BAUGHMAN: Aye.	PROCEEDINGS CHAIRMAN MORELOCK: I want to welcome everybody this morning and hope everybody's got their Christmas shopping almost completed and getting ready to enjoy a time of maybe a little bit of vacation, relaxation with your families and friends and just kind of reflect on the year. So I do want to call the Tennessee 8.8 Board of Boiler Rules meeting to order. And we do have agendas on the back table for our visitors, if you would like one. There are refreshments in the back room, as well. Just a couple of items before we do some announcements. From a safety item: In the event of an emergency or natural disaster, we do have security personnel in the building that will guide us to a safe place or direct us to exit the building on the Rosa Parks side. So just want to make you aware of that. As a courtesy item, I would ask that any cell phones be silenced so that it wouldn't interrupt any of the discussions that are about to occur. So please be courteous with that. And with that, I will also note that there is an attendance sheet going around. So please sign in Page 6 and we can record your attendance. We also — the Board members have the annual conflict of interest policy that needs to be completed and given back to Carlene today. And so that will take us to adoption of the agenda. And you should have the agenda before you. So does anyone have — MR. ROBINSON: Motion made to adopt the agenda. CHAIRMAN MORELOCK: Okay. Motion made to adopt the agenda. Is there any additions to the agenda, any changes that need to be made? Time permitting, I do want to include a discussion item that Neil Jackson brought to my attention. And if we have time, we'll try to cover that today. And it is concerning the boiler attendant variance with questions about boiler blowdown, possible exceptions. And we'll add that to the agenda under "Discussion Items". Okay. Anything else? Okay. Hearing none, all in favor of adoption of the agenda? DR. JOHNSON: Aye. MR. BAUGHMAN: Aye.

	Page	$\overline{}$		Page 11
1.	Mechanical Integrity.	1.	pressure vessels with the State of Tennessee, we	1 480 11
2.	CHAIRMAN MORELOCK: All right.	2.	have been doing these for a couple months already,	
3.	MR. GOLDEN: All right.	3.	predominantly with Thomas Spangler. He is	
4.	James Golden, TriStar StoneCrest Medical Center,	4.	visiting us every week, twice a week for many	
5.	facility's assistant manager.	5.	months now. Okay?	
6.	CHAIRMAN MORELOCK: Very good. I	6.	We have approximately 450 vessels	
7.	want to again welcome everyone.	7.	registered with the State of Tennessee with a T	
8.	Okay. Our first item on the next	8.	Number. We just registered another 15 to 20	
9.	on the agenda is the Chief Boiler Inspector's	9.	yesterday and 15 to 20 last week. So our	
10.	report. So okay.	10.	composite as I know it today, once we update the	
11.	MR. CHAPMAN: How are you doing this	11.	database, is something pretty close to 500	
12.	morning? Thank you. Now, number of inspections	12.	pressure vessels. We have many more to go. We	
13.	from the State was 2,810. Insurance agent was	13.	will extend this program going out into January	
14.	6,301, giving us a total of 9,111. Total number of	14.	and February and perhaps into March as the plant	
15.	delinquent from the State Inspector is 729.	15.	continues to ramp up. So that's a quick overview	
16.	Insurance agent is 562, giving us a total of 1,291	16.	of where the plant is at today.	
17.	delinquent records. Number of code violations found	17.	On the RBI program, we submitted an	
18.	was 35. Uncorrected was 10. QC review form was	18.	RBI proposal to the Board for voting last year and	
19.	four and the Boiler of Variance Inspector was two	19.	the Board accepted our methodology and our tools	
20.	Inspection was two.	20.	and our approach on how we intend to conduct	
21.	The information update with we	21.	ourselves on the inspection side. The timeline	
22.	have Delton Hupf is in training for Davidson	22.	was that we will complete our RBI pressure vessel	
23.	County and the surrounding area. We have one	23.	equipment by the end of this year. We are not	
24.	vacancy on the inspection for Knox County due to a	24.	quite there at the moment. We are approximately	
25.	retirement. And that's the Chief Report.	25.	70 percent complete.	
	Page 10			Page 12
1.	Page 10 CHAIRMAN MORELOCK: Okay. Anybody	1.	We will likely slipped a little	Page 12
1. 2.	_		We will likely slipped a little bit in terms of our year-end commitment, but we	Page 12
	CHAIRMAN MORELOCK: Okay. Anybody	1.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our	Page 12
2.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old	1. 2.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides	Page 12
2. 3.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker	1. 2. 3.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has	Page 12
2. 3. 4.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come	1. 2. 3. 4.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the	Page 12
2. 3. 4. 5.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker	1. 2. 3. 4. 5.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a	Page 12
2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning.	1. 2. 3. 4. 5. 6.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are,	Page 12
2. 3. 4. 5. 6. 7.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning.	1. 2. 3. 4. 5. 6. 7.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the	Page 12
2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back	1. 2. 3. 4. 5. 6. 7. 8. 9.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant.	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive.	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee. We have been for several months, already. We plan	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the Board was to have two readings within a two-year	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee. We have been for several months, already. We plan on having production very soon, perhaps by	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the Board was to have two readings within a two-year period; one at startup and one within the two-year	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee. We have been for several months, already. We plan on having production very soon, perhaps by Christmas, and if not by Christmas, soon after.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the Board was to have two readings within a two-year period; one at startup and one within the two-year window for startup.	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee. We have been for several months, already. We plan on having production very soon, perhaps by Christmas, and if not by Christmas, soon after. We have multiple startup activities going on, but	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the Board was to have two readings within a two-year period; one at startup and one within the two-year window for startup. Phase one is the tank forming	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee. We have been for several months, already. We plan on having production very soon, perhaps by Christmas, and if not by Christmas, soon after. We have multiple startup activities going on, but I don't know all the details. But that's	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the Board was to have two readings within a two-year period; one at startup and one within the two-year window for startup. Phase one is the tank forming distillation. We have completed our baseline	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee. We have been for several months, already. We plan on having production very soon, perhaps by Christmas, and if not by Christmas, soon after. We have multiple startup activities going on, but I don't know all the details. But that's basically an overview of where the plant is today.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the Board was to have two readings within a two-year period; one at startup and one within the two-year window for startup. Phase one is the tank forming distillation. We have completed our baseline readings on those areas and select equipment	Page 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: Okay. Anybody have any questions for Mr. Chapman? All right. Thank you. Moving on to Item 6, which is Old Business. We have Item 15-02, which is Wacker Polysilicon North America. They're going to come forward and discuss their RBI program. MR. GRAM: Good morning. CHAIRMAN MORELOCK: Good morning. MR. GRAM: It's good to be back again. This year, we have a bit more news than just an RBI proposal. I'd like to talk a bit about where we are today as to where the plant is, where we are today with the State of Tennessee on pressure vessel registration, and of course, where we are today with our RBI program. Just a quick overview: We are on startup status in Wacker in Charleston, Tennessee. We have been for several months, already. We plan on having production very soon, perhaps by Christmas, and if not by Christmas, soon after. We have multiple startup activities going on, but I don't know all the details. But that's	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	bit in terms of our year-end commitment, but we certainly have no problems completing all of our vessels by the end of January. This coincides with our startup schedule, because our startup has slipped a little bit. We are right behind the startup schedule. Okay? I think everyone has a copy of our most recent document on where we are, our approach, and our timeline to complete the plant. The other item I want to bring to the Board's attention is our baseline readings for the site. We have always claimed that our process is noncorrosive and we want to technically demonstrate that our process is noncorrosive. Thus, one of the programs that we initiated was to obtain baseline readings on select areas in select portions of the plant. Our commitment to the Board was to have two readings within a two-year period; one at startup and one within the two-year window for startup. Phase one is the tank forming distillation. We have completed our baseline	Page 12

	Page 13		Page 15
1	next area is HCL generation, CS reaction, HCL	1.	CHAIRMAN MORELOCK: That's a process
1. 2.	recovery, and scrubber. That would constitute	2.	-
3.	· ·	3.	safety management OSHA requirements, the MOC MR. ENG: That's correct.
1	phase two of baseline readings.	l	
4.	And then, of course, we're going to	4.	CHAIRMAN MORELOCK: process.
5.	phase three to finish the balance of the plant.	5.	Okay. So
6.	So we would have two data points in which we can	6.	MR. ENG: We apply that plant-wide.
7.	calculate an annual corrosion rate. And we would	7.	CHAIRMAN MORELOCK: Yes, yes.
8.	submit those at the appropriate time next year.	8.	MR. ROBINSON: Okay. Okay.
9.	What I'd like to do is maybe just to	9.	MR. BAUGHMAN: You mentioned,
10.	open to the Board to talk about anything that may	10.	Richard, you said "almost always".
11.	come up on this manual rather than going into	11. 12.	MR. ENG: Okay.
12.	details of all of the drawings that we submitted,		MR. BAUGHMAN: That you need to
13.	how we get our baseline readings, the methodology,	13.	clarify that a bit more.
14.	the coverage, and the NDT that we used to get our	14.	MR. ENG: "Almost always" means that
15.	readings. So I'm more open to what the Board may	15.	anything PSM required, we will always do that. In a
16.	have questions on on this particular package.	16.	non-PSM situation, we may choose to do so but that's
17.	CHAIRMAN MORELOCK: Okay. Mr. Eng,	17.	not required.
18. 19.	just for clarification, so your item today you're	18. 19.	MR. BAUGHMAN: Okay.
1	seeking a voted action; is that correct?	1	DR. JOHNSON: And as a practice for
20.	MR. ENG: It's a	20.	us, everything is MOC independent of PSM or not.
21. 22.	MR. ROBINSON: Or	21.	And I think that's a common practice for many facilities.
23.	MR. ENG: confirmation of our	22. 23.	
24.	method CHAIRMAN MORELOCK: Okay.	24.	MR. BAUGHMAN: Thank you. Just want to make
25.	MR. ENG: and where we are today.	25.	CHAIRMAN MORELOCK: So
25.	MR. ENG and where we are today.	25.	CHAIRMAN MORELOCK. 30
	Page 14		Page 16
1.	CHAIRMAN MORELOCK: Okay.	1.	DR. JOHNSON: So yes, in your side,
2.	MR. ENG: Exactly.	2.	it's always.
3.	CHAIRMAN MORELOCK: Okay. All right.	3.	MR. BAUGHMAN: Thank you for that.
4.	So with that said, we do have your item.	4.	CHAIRMAN MORELOCK: I just have a
5.	MR. ENG: Okay.	5.	couple of comments. In looking through your
6.	CHAIRMAN MORELOCK: And so I will	6.	manual in looking through the example you gave in
7.	open the floor for a motion and then discussion.	7.	attachment two, your statement that your process is
8.	MR. ROBINSON: Sir, regarding one of	8.	noncorrosive lines up very well with the inspection
9.	your attachments, attachment four. You've got a	9.	intervals that you're listing. Because in the
10.	template of a check list of inspection report.	10.	attachment two, your inspection intervals for
11.	MR. ENG: Uh-huh.	11.	corrosion under insulation, external visual,
12.	MR. ROBINSON: Basically, this	12.	internal visual, those are all 10-year intervals.
13.	report I see where you had the recommendation or	13.	So that would coincide with a vessel in
14.	the ID asset number and then the mechanism of the	14.	non-corrosive service.
15.	type of damage in inspection summary. If in the	15.	And I guess I had a question, is
16.	event you do any type of rework to the specific	16.	you do have temperature limits for taking online
17.	area, are you going to document it on an adjacent	17.	UT thickness measurements while the process is
18.	report or are you going to try to expand this report	18.	operating even at fairly high temperatures, so
19.	to cover?	19.	just make sure that your program does really
20.	MR. ENG: That would cover under	20.	clearly address
21.	another, I would say, requirement for us. Any	21.	MR. ENG: Okay.
22.	repairs that we do, almost always R-type repair, we	22.	CHAIRMAN MORELOCK: that need.
23.	will document that on an MOC, our internal program	23.	Because a lot of the UT equipment, you know, it's
24.	to manage and document all changes to the site. Not	24.	typically at 350 F or below. So if you're going to
25.	just repairs but changes in general.	25.	go above that, just document that in your manual
	Provided by Stone & George C	ີ ໃດເມ	rt Reporting (615) 268-1244
	1 To Flad a by Stolle a Geolge	Jul	Tropoling (010/ 200 1277

	Page 17	1	Page 19
1.	MR. ENG: Okay.	1.	for an external CUI.
2.	CHAIRMAN MORELOCK: very well.	2.	CHAIRMAN MORELOCK: Yes.
3.	And then based on your report that you just	3.	MR. ENG: That is a software tool
4.	provided so you're going to take base lines which	4.	that we have the option to modify, which we did.
5.	you're about to complete at the end of 2016, then	5.	CHAIRMAN MORELOCK: Okay.
6.	you're going to run for two years and take another	6.	MR. ENG: To decrease that from 10
7.	set of UT thicknesses to confirm your noncorrosive	7.	years into five years.
8.	service.	8.	CHAIRMAN MORELOCK: Okay.
9.	MR. ENG: That's correct.	9.	MR. ENG: Okay. And that would be
10.	CHAIRMAN MORELOCK: Is that correct?	10.	throughout our facility.
11.	MR. ENG: Uh-huh.	11.	CHAIRMAN MORELOCK: Okay.
12.	CHAIRMAN MORELOCK: And that will	12.	MR. ENG: So when we do feel like the
13.	coincide with the certificate inspection	13.	interval that's been recommended based on the tool
14.	MR. ENG: Most likely, yeah.	14.	is less stringent than what we feel, we will modify
15.	CHAIRMAN MORELOCK: for continued	15.	the software to do so.
16.	operation, correct?	16.	CHAIRMAN MORELOCK: Okay. Very good.
17.	MR. ENG: Because many of our	17.	Very, very good. Another thing is in being
18.	certificates are issued already several months ago.	18.	having an RBI program at East Mechanical Company, we
19.	CHAIRMAN MORELOCK: Okay.	19.	are facing the same constraints that you are, as
20.	MR. ENG: So we need to make sure we	20.	well. The program that you're using defaults to API
21.	are within that window.	21.	510 for pressure vessels.
22.	CHAIRMAN MORELOCK: Okay. And I had	22.	MR. ENG: Correct.
23.	to do a little thinking, but if you'll notice, this	23.	CHAIRMAN MORELOCK: And when you look
24.	package does not include the methodology for	24.	at Tennessee rule and law, it's going to push you
25.	consequence of failure or likelihood of failure.	25.	for post-construction activities to the NBIC. So I
	Page 18	+	Page 20
1.	The reason being is in December of last year,	1.	would just note in your program tie in the NBIC.
2.	Richard came before the Board with Item 14-17 that	2.	MR. ENG: Uh-huh.
3.	included all the API 580 methodology for his	3.	CHAIRMAN MORELOCK: It's going to
4.	program, so I wanted to clarify that on record.	4.	have the same requirements as API 510, but API 510
5.	MR. ENG: Okay.	5.	is not mentioned in Tennessee rule and law. So you
6.	CHAIRMAN MORELOCK: Because if you	6.	want to
7.	look at the package, it's not in there. And the	7.	MR. ENG: It's always NBIC.
8.	reason it's not in there is that we voted that a	8.	CHAIRMAN MORELOCK: close that
9.	year ago. Okay? So that was more for the Board.	9.	loop. Yes, sir. You do. You want to close that
10.	Let me see. So once the two-year	10.	loop. So make sure that you tie all that to
11.	readings are taken, then will UT thicknesses fall	11.	MR. ENG: Uh-huh.
12.	into your program of I think it's 10 years for	12.	CHAIRMAN MORELOCK: To the National
13.	taking the well, you were going to take	13.	Board Inspection Code and the risk-based inspection
14.	continuous readings, but then that will confirm	14.	methods they offer there.
15.	your inspection intervals for your damage	15.	MR. ENG: Okay.
16.	mechanisms of 10 years or seven and a half years	16.	CHAIRMAN MORELOCK: And that's the
1	depending on the	17.	extent of my comments. Thank you. Any other
17.	· -	18.	comments? Okay. Hearing none, what's the pleasure
17. 18.	MR. ENG: Depending on the	1.0	of the Board? I need a motion.
l	recommendations.	19.	
18.		19. 20.	DR. JOHNSON: How do we word the
18. 19.	recommendations.		DR. JOHNSON: How do we word the motion? Motion to motion to saying to that we
18. 19. 20.	recommendations. CHAIRMAN MORELOCK: Okay. Very good.	20.	
18. 19. 20. 21.	recommendations. CHAIRMAN MORELOCK: Okay. Very good. MR. ENG: Correct. Just another	20. 21.	motion? Motion to motion to saying to that we
18. 19. 20. 21. 22.	recommendations. CHAIRMAN MORELOCK: Okay. Very good. MR. ENG: Correct. Just another comment, Mr. Chairman. I'm glad you picked up on	20. 21. 22.	motion? Motion to motion to saying to that we approve their

Page 21 1. DR. JOHNSON: I move that we approve 2. their request. 3. CHAIRMAN MORELOCK: Okay, So we have 4. a motion to approve, really the balance now, the RBI 5. program. This is the actual work part of it, how to 6. implement the inspection processes, the inspection 7. frequencies, the damage mechanisms, assessments, and 8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay, Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is - 19. MR. JOSHI: Good morning. 20. MR. ENG: - Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good moming. 22. MR. ENG: - Mr. Prasad Joshi. 22. MR. ENG: - Mr. Prasad Joshi. 23. disposal 100 percent. Okay? 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to 27. Page 22 28. CHAIRMAN MORELOCK: Okay. Thank you 29. for that. 20. MR. CHAPAMAN: All right. 30. disposal 100 percent. Okay? 41. MR. CHAPAMAN: All right. 42. MR. CHAPAMAN: All right. 43. MR. CHAPAMAN: All right. 54. MR. CHAPAMAN: All right. 55. Interviewed to the search withing. 56. implement the inspection of the end that we have to do, we need to expand our staff to oac momodate some of these activities. 58. CHAIRMAN MORELOCK: Okay. Thank you 59. for that. 69. MR. ENG: Okay. 60. MR. ENG: Okay. 61. Item, if you've got things you need to do, you can exclusively devoted to that is mine, if you've gor things you need to do, you can exclusively melocated and provided to the specific of the spoil of the pressure vessel rules variance request to do, op or their request for their request in the Macker. And this is going to be New Business. And we will start with length of the request exclusivers and present you're time. 61. Item, if you've got things you need to stay. 62. Okay. Our next ite
2. their request. 3. CHAIRMAN MORELOCK: Okay. So we have 4. a motion to approve, really the balance now, the RBI 5. program. This is the actual work part of it, how to 6. implement the inspection processes, the inspection 7. frequencies, the damage mechanisms, assessments, and 8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: Jijust want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: 21. CHAIRMAN MORELOCK: Good morning. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to 10. CHAIRMAN MORELOCK: Okay. Thank you 11. The production manager of infrastructure at 12. Wacker. 13. Welcome to stay. 14. Okay. Our next item on the agenda is 15. going to be New Business. And we will start with 16. Item 15-16, which again is Wacker. And this is 16. Item 15-16, which again is Wacker and unfired 18. pressure vessel rules variance request to Rule 22. 9. So gentlemen, introduce yourselves and present 11. MR. NEVILLE: Good morning. 12. James Neville with pardon me Neville 13. MR. GRAM: And my name is Billy Gram. 14. Mar. CHAIRMAN MORELOCK: Good morning. 15. Im the production manager of infrastructure at 16. Mar. ENG: Here bade of the board. 17. The production manager of infrastructure at 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: Mr. Prasad Joshi. 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to 18. control and the
3. CHAIRMAN MORELOCK: Okay. So we have 4. a motion to approve, really the balance now, the RBI 5. program. This is the actual work part of it, how to 6. implement the inspection processes, the inspection 7. frequencies, the damage mechanisms, assessments, and 8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is — 19. MR. JOSHI: Good morning. 20. MR. ENG: — Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to 27. dealing with State of Tennessee pressure vessel 28. dealing with State of Tennessee pressure vessel 29. for that. 29. welcome to stay. 29. Okay. Our next item on the agenda is 29. going to be New Business. And we will start with 11em 15-16, which again is Wacker. And this is 29. for their request for a boiler and unfired 29. pressure vessel rules variance request to Rule 22. 39. So gentlemen, introduce yourselves and present 39. Walker. So I have a motion; do I have a second? 31. MR. ENG: Thank you. 31. MR. ENG: Thank you. 32. MR. ENG: Hy and the second morning. 33. MR. ENG: Hy and the second morning. 34. MR. ENG: Hy and the second morning. 35. MR. ENG: And he is doing many of 36. Wacker. 37. The production manager of infrastructure at 38. CHAIRMAN MORELOCK: Good morning. 39. MR. ENG: Hy and the second morning. 30. MR. ENG: Hy and the second morning. 31. MR. ENG: Hy and the second morning. 32. MR. ENG: And he is doing many of 33. MR. ENG: Hy and the second morning. 34. MR. ENG: Hy and the second morning. 35. MR. ENG: Hy and the second morning. 36. MR. ENG: H
4. a motion to approve, really the balance now, the RBI 5. program. This is the actual work part of it, how to 6. implement the inspection processes, the inspection 7. frequencies, the damage mechanisms, assessments, and 8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have as a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: Tjust want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. DSHI: Good morning. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: Mr. Prasad Joshi. 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 15. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 4. Okay. Our next item on the agenda is 5. going to be New Business. And we will start with 1. Item 15-16, which again is Wacker. And this is 7. for their request for a boiler and unfired 8. pressure vessel rules variance request to Rule 22. 9. So gentlemen, introduce yourselves and present 10. your item. 11. MR. NEVILLE: Good morning. I'm 12. James Neville with pardon me Neville 13. Engineering. 14. MR. CRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. biolers. They're operated 24 hours a day, seven 21. days a week, and these boilers are furnishing 22. in the production manager of infrastructure at 23. days a week, and these boilers are furnishing 24. assessments for the Wacker facility. As a result of 25. his pre
5. program. This is the actual work part of it, how to 6. implement the inspection processes, the inspection 7. frequencies, the damage mechanisms, assessments, and 8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is — 19. MR. JOSHI: Good morning. 20. MR. ENG: — Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2 inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 5. going to be New Business. And we will start with 6. Item 15-16, which again is Wacker. And this is 7. for their request for a boiler and unfired 8. pressure vessel rules variance request to Rule 22. 9. So gentlemen, introduce yourselves and present 10. your item. 11. MR. NEVILLE: Good morning. In 12. James Neville with pardon me Neville 13. Engineering. 14. MR. GRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 20. days a week, and these boilers are furnishing 21. injep-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24.
6. implement the inspection processes, the inspection 7. frequencies, the damage mechanisms, assessments, and 8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: - Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: God morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to 16. Item 15-16, which again is Wacker. And this is 7. for their request for a boiler and unfired 8. pressure vessel rules variance request to Rule 22. 9. So gentlemen, introduce yourselves and present 10. your item. 11. MR. NEVILLE: Good morning. I'm 12. James Neville with pardon me Neville 13. Engineering. 14. MR. GRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. In the production manager of infrastructure at 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 20. days a week, and these boilers are furnishing 19. boilers. They're operated 24 hours a day, seven 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 26. work that we have to do, we need to expand our staff 27. to accommodate some of these activities. 28. CHAIRMAN MORELOCK: Okay. Thank you 29. for that.
7. frequencies, the damage mechanisms, assessments, and 8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: And he is doing many of 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 7. for their request for a boiler and unfired 8. pressure vessel rules variance request to Rule 22. 9. So gentlemen, introduce yourselves and present your item. 10. your item. 11. MR. NEVILLE: Good morning. I'm 12. James Neville with – pardon me Neville 13. Engineering. 14. MR. GRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 19. days a week, and these boilers are furnishing 19. high-pressure steam for heating and process. Wacker 20. Polysilicon has presented other things before the 21. board pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 26. approximately 2,000 feet away from t
8. all that. So this will complete the RBI program for 9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: - Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2 inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 8. pressure vessel rules variance request to Rule 22. 9. So gentlemen, introduce yourselves and present 10. mR. NEVILLE: Good morning. I'm 11. MR. NEVILLE: Good morning. I'm 12. James Neville with pardon me Neville 13. Mg. R.
9. Wacker. So I have a motion; do I have a second? 10. MR. ROBINSON; Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: - Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 9. So gentlemen, introduce yourselves and present your tem. 11. MR. NEVILLE: Good morning. I'm 12. James Neville with pardon me Neville 13. Engineering. 14. MR. GRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. I'm kProduction manager of infrastructure at 18. engineering. 19. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 19. days a week, and these boilers are furmishing 19. high-pressure steam for heating and process. Wacker 19. Polysilicon has presented other things before the 20. Board, but they are in the photovoltaic and solar 21. energy industry. 22. The control system that will be put 23. three boilers is the Fireye Nexus system. All 24. three boilers will have this system on it. The 25. control and the remote station will be located 26. approximately 2,000 feet away from the I'll 27. to accommodate some of these activities. 28. CHAIRMAN MORELOCK: Okay. Thank you 29. for that.
10. MR. ROBINSON: Second. 11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 19. MR. ENG: Mr. Prasad Joshi. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: Mr. Prasad Joshi. 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 10. your item. 11. MR. NEVILLE: Good morning. 12. James Neville 13. Engineering. 14. MR. ORAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 19. days a week, and these boilers are furnishing 19. bigh-pressure steam for heating and process. Wacker 19. Polysilicon has presented other things before the 21. on these boilers is the Fireye Nexus system. All 22. three boilers will have this system on it. The 23. control and the remote station will be located 24. approximately 2,000 feet away from the I'll 25. reference the site plan on Figure 1. It's 26. approximately 2,000 feet from the boiler area. 27. There's not a defined boiler room, but it's a 28. boiler area, and that's approximately 2,000 feet 29. away in what's called the Control Center, and it's
11. CHAIRMAN MORELOCK: Okay. Any 12. further discussion? 13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hirred a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: - Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 11. MR. NEVILLE: Good morning. 12. James Neville with pardon me Neville 12. James Neville with pardon me Neville 13. Engineering. 14. MR. GRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 19. days a week, and these boilers are furnishing 19. high-pressure steam for heating and process. Wacker 20. days a week, and these boilers are furnishing 21. high-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 26. on these boilers is the Fireye Nexus system. All 27. three boilers will have this system on it. The 28. control and the remote station will be located 29. approximately 2,000 feet away from the I'll 29. reference the site plan on Figure 1. It's 29. approximately 2,000 feet from the boiler area. 29. There's not a defined boiler room, bu
12. further discussion? 13. MR. ENG: Thank you. 14. CHARMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: - Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: - Mr. Prasad Joshi. 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2 inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff' 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 12. James Neville with pardon me Neville 13. MR. GRAM: And my name is Billy Gram. 14. MR. GRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 19. days a week, and these boilers are furnishing 11. high-pressure steam for heating and process. Wacker 19. Polysilicon has presented other things before the 22. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 26. on these boilers is the Fireye Nexus system. All 27. three boilers will have this system on it. The 28. control and the remote station will be located 29. approximately 2,000 feet away from the I'll 29. ferference the site plan on Figure 1. It's 29. approximately 2,000 feet from the boiler area. 29. There's not a defined boiler room, but it's a 29. boiler area, and that's approximately 2,000 feet 29. away in what's called the Control Center, and it's
13. MR. ENG: Thank you. 14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 19. MR. ENG: 19. boilers. They're operated 24 hours a day, seven 20. days a week, and these boilers a furnishing 21. boilers. They're operated 24 hours a day, seven 22. boilers. They're operated 24 hours a day, seven 23. boilers. They're operated 24 hours a day, seven 24. boiler variance for three high-pressure 25. boilers. They're operated 24 hours a day, seven 26. days a week, and these boilers are furnishing 21. these technical evaluations, analyses, RBI 22. board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 26. The control system that will be put 27. The control and the remote station will be located 28. approximately 2,000 feet away from the I'll 29. three boilers is the Fireye Nexus system. All 20. three boilers is the Fireye Nexus system on it. The 21. to accommodat
14. CHAIRMAN MORELOCK: Thank you. 15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 19. MR. ENG: Mr. Prasad Joshi. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2 inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 14. MR. GRAM: And my name is Billy Gram. 15. I'm the production manager of infrastructure at 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 20. days a week, and these boilers are furnishing 21. high-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 26. on these boilers is the Fireye Nexus system. All 27. three boilers will have this system on it. The 28. control and the remote station will be located 29. days a week, and these boilers are furnishing 29. high-pressure team for heating and process. 29. days a week, and these boilers are furnishing 29. high-pressure team for heating and process. 29. The control system that will be put 29. three boilers will have this system on it. The 29. control and the remote station will be located 29. approximately 2,000 feet away from the I'll 29. freference the site plan on Figure 1. It's 29. freference the site plan on Figure 1. It's
15. MR. ENG: I just want to have one 16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2 inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 15. I'm the production manager of infrastructure at 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 19. days a week, and these boilers are furnishing 19. high-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 26. on these boilers is the Fireye Nexus system. All 27. three boilers will have this system on it. The 28. control and the remote station will be located 29. approximately 2,000 feet away from the I'll 29. reference the site plan on Figure 1. It's 29. approximately 2,000 feet from the boiler area. 29. There's not a defined boiler room, but it's a 29. boiler area, and that's approximately 2,000 feet 29. away in what's called the Control Center, and it's
16. piece of information forwarded to the Board. 17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR, JOSHI: Good morning. 20. MR, ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR, ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR, CHAPMAN: All right. 5. MR, ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 16. Wacker. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure boilers, They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. boilers. They're operated 24 hours a day, seven 19. days a week, and these boilers are furnishing 19. boilers. They're operated 24 hours a day, seven 19. days a week, and th
17. Recently, we have hired a senior manager, mechanical 18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2 . inspection program. So I am at Mr. Sam Chapman's 3 . disposal 100 percent. Okay? 4 . MR. CHAPMAN: All right. 5 . MR. ENG: Because of the scope of 6 . work that we have to do, we need to expand our staff 7 . to accommodate some of these activities. 8 . CHAIRMAN MORELOCK: Okay. Thank you 9 . for that. 17. MR. NEVILLE: We would like to 18. request a boiler variance for three high-pressure 19. boilers. They're operated 24 hours a day, seven 20. days a week, and these boilers are furnishing 21. bigh-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put Page 24 1. on these boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. request a boiler variance for three high-pressure 20. days a week, and these boilers are furnishing 21. bigh-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 1 on these boilers will have this system on it. The 3 control and the remote station will be located 4 approximately 2,000 feet away from the I'll 5 approximately 2,000 feet from the boiler area. 7 There's not a defined boiler room, but it's a 8 boiler area, and that's approximately 2,000 feet 9 away in what's called the Control Center, and it's
18. engineer. His name is 19. MR. JOSHI: Good morning. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 18. request a boiler variance for three high-pressure boilers. They're operated 24 hours a day, seven 20. days a week, and these boilers are furnishing 21. high-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar energy industry. 25. The control system that will be put Page 22 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
19. MR. JOSHI: Good morning. 20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 22. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 19. boilers. They're operated 24 hours a day, seven 20. days a week, and these boilers are furnishing 21. high-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put Page 24 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
20. MR. ENG: Mr. Prasad Joshi. 21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 20. days a week, and these boilers are furnishing high-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. bard, but they are in the photovoltaic and solar energy industry. 24. control system that will be put Page 24 1. on these boilers is the Fireye Nexus system. All 25. three boilers will have this system on it. The 36. approximately 2,000 feet away from the I'll 37. There's not a defined boiler room, but it's a 38. boiler area, and that's approximately 2,000 feet 38. boiler area, and that's approximately 2,000 feet 39. away in what's called the Control Center, and it's
21. CHAIRMAN MORELOCK: Good morning. 22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 21. high-pressure steam for heating and process. Wacker 22. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
22. MR. ENG: And he is doing many of 23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. Page 22 1. Polysilicon has presented other things before the 23. Board, but they are in the photovoltaic and solar 24. energy industry. 25. The control system that will be put Page 24 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
23. these technical evaluations, analyses, RBI 24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 23. Board, but they are in the photovoltaic and solar energy industry. 25. The control system that will be put Page 24 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
24. assessments for the Wacker facility. As a result of 25. his presence, I am more exclusively devoted to Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. Page 22 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. Page 22 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
Page 22 1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. Page 22 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
 dealing with State of Tennessee pressure vessel inspection program. So I am at Mr. Sam Chapman's disposal 100 percent. Okay? MR. CHAPMAN: All right. MR. ENG: Because of the scope of work that we have to do, we need to expand our staff to accommodate some of these activities. CHAIRMAN MORELOCK: Okay. Thank you dealing with State of Tennessee pressure vessel on these boilers is the Fireye Nexus system. All three boilers will have this system on it. The control and the remote station will be located approximately 2,000 feet away from the I'll reference the site plan on Figure 1. It's approximately 2,000 feet from the boiler area. There's not a defined boiler room, but it's a boiler area, and that's approximately 2,000 feet away in what's called the Control Center, and it's
1. dealing with State of Tennessee pressure vessel 2. inspection program. So I am at Mr. Sam Chapman's 3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 1. on these boilers is the Fireye Nexus system. All 2. three boilers will have this system on it. The 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
 inspection program. So I am at Mr. Sam Chapman's disposal 100 percent. Okay? MR. CHAPMAN: All right. MR. ENG: Because of the scope of work that we have to do, we need to expand our staff to accommodate some of these activities. CHAIRMAN MORELOCK: Okay. Thank you inspection program. So I am at Mr. Sam Chapman's control and the remote station will be located approximately 2,000 feet away from the I'll reference the site plan on Figure 1. It's approximately 2,000 feet from the boiler area. There's not a defined boiler room, but it's a boiler area, and that's approximately 2,000 feet away in what's called the Control Center, and it's
3. disposal 100 percent. Okay? 4. MR. CHAPMAN: All right. 5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 3. control and the remote station will be located 4. approximately 2,000 feet away from the I'll 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
 MR. CHAPMAN: All right. MR. ENG: Because of the scope of work that we have to do, we need to expand our staff to accommodate some of these activities. CHAIRMAN MORELOCK: Okay. Thank you for that. MR. CHAPMAN: All right. approximately 2,000 feet away from the I'll reference the site plan on Figure 1. It's approximately 2,000 feet from the boiler area. There's not a defined boiler room, but it's a boiler area, and that's approximately 2,000 feet away in what's called the Control Center, and it's
5. MR. ENG: Because of the scope of 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 5. reference the site plan on Figure 1. It's 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
 6. work that we have to do, we need to expand our staff 7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 6. approximately 2,000 feet from the boiler area. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
7. to accommodate some of these activities. 8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 7. There's not a defined boiler room, but it's a 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
8. CHAIRMAN MORELOCK: Okay. Thank you 9. for that. 8. boiler area, and that's approximately 2,000 feet 9. away in what's called the Control Center, and it's
9. for that. 9. away in what's called the Control Center, and it's
1
11. CHAIRMAN MORELOCK: And thank you, 11. labeling that space.
12. Carlene, for keeping me on point. I do need to ask 12. The individuals in the Control
13. if the Board any Board member has a conflict of 13. Center, the boiler monitors, are chemical
14. interest with this item before we vote on it? Okay. 14. operators and the chemical operator supervisor.
15. Seeing none, all in favor, say "aye". 15. They will be that will be staffed 24/7, and
16. DR. JOHNSON: Aye. 16. typically, there will be at least two individuals
17. MR. BAUGHMAN: Aye. 17. in the Control Room at any one time. At the
18. MR. ROBINSON: Aye. 18. those actually attending the boiler would be
19. CHAIRMAN MORELOCK: Opposed? 19. chemical operators, as well. And they will attend
20. Abstentions? Not voting? All right. You have an 20. the boilers at the beginning of the shift, and
21. approved RBI program. 21. every four hours, monitoring the boilers and their
22. MR. ENG: Thank you very much. 22. operation.
23. CHAIRMAN MORELOCK: Thank you. And 23. Now, as far as the facility
24. as a general note to anyone, you're welcome to stay 24. qualifying those boiler attendants, they have a
25. as long as you want to, but once you complete your 25. training program, and Mr. Gram can explain to you

	Page 25		Page 27
1.	as far as how they qualify those individuals and	1.	had discussions with previously. And it's not part
2.	give you some details on their	2.	of our variance
3.	MR. GRAM: Okay.	3.	MR. GRAM: Right.
4.	MR. NEVILLE: operators.	4.	MR. BAUGHMAN: but the DA's also
5.	MR. GRAM: The boiler operators that	5.	got a very high potential for destruction, and at
6.	we have, or really, the chemical operators, all of	6.	some point in time, looking at the application of
7.	them have at a minimum a two-year Associate's degree	7.	getting that into your logs and making sure that it
8.	as a chemical operator. Currently, all of mine have	8.	gets looked at would be
9.	attended Chattanooga State's Wacker Institute, and	9.	MR. GRAM: Uh-huh.
10.	they all have a GPA at or above 3.0. And on top of	10.	MR. BAUGHMAN: a recommendation.
11.	that, we have had every operator attend a training	111.	MR. GRAM: Okay.
12.	class given by Ware Boiler Company. This was a	12.	MR. NEVILLE: We can add that
13.	two-day class that started from A to Z on the	13.	information to the Appendix A as far as what the
14.	boilers. As part of that, we had our chemical	14.	DA
15.	treatment vendor, that is ChemTreat, they were in	15.	CHAIRMAN MORELOCK: Well, the DA's
16.	there showing what test we have to take on a daily	16.	MR. NEVILLE: equipment.
17.	basis, how do we get the samples, why do we have a	17.	CHAIRMAN MORELOCK: going to fall
18.	boiler blowdown, things of that nature.	18.	under the Tennessee law for pressure vessel
19.	After we started the boilers, we	19.	inspections, as well. So
20.	contracted with Industrial Boiler and Mechanical.	20.	MR. NEVILLE: Yes.
21.	Mr. Bill Ross, he is a professional engineer,	21.	CHAIRMAN MORELOCK: it's
22.	spent three weeks with hands-on training on our	22.	covered
23.	equipment; how do you properly blow it down; how	23.	MR. NEVILLE: And
24.	do you collect your samples; how do you run the DA	24.	CHAIRMAN MORELOCK: under State
25.	tank; number of pumps, things like that. So every	25.	law.
1		1	
	Page 26		Page 28
1.	Page 26 one of our operators has had that background. So	1.	Page 28 MR. NEVILLE: And we do show it in
1. 2.	one of our operators has had that background. So	1. 2.	
1	-		MR. NEVILLE: And we do show it in
2.	one of our operators has had that background. So some of our operators had previous boiler	2.	MR. NEVILLE: And we do show it in the feed water diagrams
2. 3.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not.	2. 3.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it
2. 3. 4.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training.	2. 3. 4.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so
2. 3. 4. 5.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the	2. 3. 4. 5.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing
2. 3. 4. 5. 6.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting	2. 3. 4. 5. 6.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's
2. 3. 4. 5. 6. 7.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So	2. 3. 4. 5. 6. 7.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add
2. 3. 4. 5. 6. 7. 8.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good.	2. 3. 4. 5. 6. 7. 8.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh.
2. 3. 4. 5. 6. 7. 8. 9.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were	2. 3. 4. 5. 6. 7. 8. 9.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to
2. 3. 4. 5. 6. 7. 8. 9.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where	2. 3. 4. 5. 6. 7. 8. 9.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it
2. 3. 4. 5. 6. 7. 8. 9. 10.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at?	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job training. I would say 75, 80 percent was in the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally? MR. NEVILLE: Yeah, I think it is
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job training. I would say 75, 80 percent was in the classroom and then they did take trips out to our	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally? MR. NEVILLE: Yeah, I think it is installed.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job training. I would say 75, 80 percent was in the classroom and then they did take trips out to our equipment to show them, this is a low-water cutoff,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally? MR. NEVILLE: Yeah, I think it is installed. MR. GRAM: Yes, sir. The Nexus
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job training. I would say 75, 80 percent was in the classroom and then they did take trips out to our equipment to show them, this is a low-water cutoff, things of that nature.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally? MR. NEVILLE: Yeah, I think it is installed. MR. GRAM: Yes, sir. The Nexus MR. BAUGHMAN: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job training. I would say 75, 80 percent was in the classroom and then they did take trips out to our equipment to show them, this is a low-water cutoff, things of that nature. CHAIRMAN MORELOCK: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally? MR. NEVILLE: Yeah, I think it is installed. MR. GRAM: Yes, sir. The Nexus MR. BAUGHMAN: Okay. MR. GRAM: I think the NX6100
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job training. I would say 75, 80 percent was in the classroom and then they did take trips out to our equipment to show them, this is a low-water cutoff, things of that nature. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I notice in the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally? MR. NEVILLE: Yeah, I think it is installed. MR. GRAM: Yes, sir. The Nexus MR. BAUGHMAN: Okay. MR. GRAM: I think the NX6100 MR. BAUGHMAN: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	one of our operators has had that background. So some of our operators had previous boiler experience, some did not. So right now, we are cross-training. The ones with the most experience are teaching the ones with the least experience. So we are getting a good mix out there. So CHAIRMAN MORELOCK: Very good. MR. BAUGHMAN: You say they were trained by Ware on a two-day training program; where was that held at? MR. GRAM: That was held at our facility in Charleston. MR. BAUGHMAN: Super. So it was on-the-job training. MR. GRAM: It was on-the-job training. I would say 75, 80 percent was in the classroom and then they did take trips out to our equipment to show them, this is a low-water cutoff, things of that nature. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I notice in the program, again, we've got a high-pressure DA that's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. NEVILLE: And we do show it in the feed water diagrams MR. BAUGHMAN: Right. I saw it MR. NEVILLE: as well, so MR. BAUGHMAN: in the drawing there. That's MR. NEVILLE: But we can add MR. BAUGHMAN: Uh-huh. MR. NEVILLE: more information to it CHAIRMAN MORELOCK: Okay. MR. NEVILLE: in the appendix. MR. BAUGHMAN: The other question I had was you made the statement that the Nexus system will be added. Is it not part of this system originally? MR. NEVILLE: Yeah, I think it is installed. MR. GRAM: Yes, sir. The Nexus MR. BAUGHMAN: Okay. MR. GRAM: I think the NX6100 MR. BAUGHMAN: Okay. MR. GRAM: is on all three

	Page 29		Page 31
1.	presently.	1.	MR. ROBINSON: Could you
2.	MR. GRAM: Yes, sir.	2.	MR. GRAM: But as far as the official
3.	MR. BAUGHMAN: Okay. Very good.	3.	training, it it is performed by the by a
4.	CHAIRMAN MORELOCK: Okay.	4.	technical specialist.
5.	MR. NEVILLE: So at the time we wrote	5.	MR. ROBINSON: Could you clean that
6.	the variance, I believe it was being installed. So	6.	up on you see the you see
7.	that's yeah.	7.	MR. NEVILLE: Yes. I
8.	MR. BAUGHMAN: One wording was under	8.	MR. ROBINSON: page seven
9.	Restart Procedures, Item Number 2: If the boiler is	9.	MR. NEVILLE: Yes, sir.
10.	restarted before the cause of the alarm is	10.	MR. ROBINSON: and five?
11.	diagnosed if the boiler is restarted	11.	CHAIRMAN MORELOCK: Yeah.
12.	CHAIRMAN MORELOCK: What page is that	12.	MR. NEVILLE: I yes, sir.
13.	on?	13.	MR. ROBINSON: It's
14.	MR. BAUGHMAN: No, this is correct.	14.	MR. NEVILLE: I will clarify that.
15.	MR. GRAM: That's page nine.	15.	CHAIRMAN MORELOCK: Yeah.
16.	MR. BAUGHMAN: I made a notation on	16.	MR. ROBINSON: Thanks. Okay.
17.	there before and that's correct, isn't it? I'm	17.	Appendix D on your Org chart.
18.	sorry.	18.	MR. NEVILLE: Yes.
19.	CHAIRMAN MORELOCK: Okay.	19.	MR. ROBINSON: You don't show the
20.	MR. GRAM: Right. It's just the	20.	boiler attendant anywhere.
21.	boiler attendant has to be at the boiler until it's	21.	MR. GRAM: Trying to find that.
22.	been corrected.	22.	CHAIRMAN MORELOCK: Well, I mean, you
23.	MR. BAUGHMAN: Uh-huh.	23.	show the chemical
24.	CHAIRMAN MORELOCK: Okay.	24.	MR. NEVILLE: Well, this the
25.	MR. ROBINSON: Just a couple	25.	supervisor
\vdash	Page 30	+	Page 32
1.	Page 30 questions, sir. I applaud you for getting outside	1.	Page 32 CHAIRMAN MORELOCK: You show the
1. 2.	questions, sir. I applaud you for getting outside	1. 2.	CHAIRMAN MORELOCK: You show the
2.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you.	2.	CHAIRMAN MORELOCK: You show the chemical operators
2. 3.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh.	1	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical
2. 3. 4.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five,	2. 3. 4.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator.
2. 3. 4. 5.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is	2. 3. 4. 5.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are
2. 3. 4. 5. 6.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven,	2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also.
2. 3. 4. 5. 6. 7.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are	2. 3. 4. 5. 6. 7.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want
2. 3. 4. 5. 6. 7. 8.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same?	2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler
2. 3. 4. 5. 6. 7. 8. 9.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system	2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants.
2. 3. 4. 5. 6. 7. 8. 9.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist	2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is	2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist will, yes, sir. That position will.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what brought that about.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist will, yes, sir. That position will. MR. ROBINSON: Okay. And the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what brought that about. CHAIRMAN MORELOCK: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist will, yes, sir. That position will. MR. ROBINSON: Okay. And the chemical operator?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what brought that about. CHAIRMAN MORELOCK: Yeah. MR. NEVILLE: Okay. Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist will, yes, sir. That position will. MR. ROBINSON: Okay. And the chemical operator? MR. GRAM: The chemical operator is	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what brought that about. CHAIRMAN MORELOCK: Yeah. MR. NEVILLE: Okay. Okay. MR. ROBINSON: Just a question for
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist will, yes, sir. That position will. MR. ROBINSON: Okay. And the chemical operator? MR. GRAM: The chemical operator is the people out in the field, so they are	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what brought that about. CHAIRMAN MORELOCK: Yeah. MR. NEVILLE: Okay. Okay. MR. ROBINSON: Just a question for clarity: Is the emergency stop button for the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist will, yes, sir. That position will. MR. ROBINSON: Okay. And the chemical operator? MR. GRAM: The chemical operator is the people out in the field, so they are cross-training each other. You know, the more	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what brought that about. CHAIRMAN MORELOCK: Yeah. MR. NEVILLE: Okay. Okay. MR. ROBINSON: Just a question for clarity: Is the emergency stop button for the boiler on the computer or on the wall?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	questions, sir. I applaud you for getting outside training for your boiler operators. Thank you. MR. GRAM: Uh-huh. MR. ROBINSON: On page five, paragraph 2, you mentioned a technical specialist is responsible for training. But then on page seven, paragraph 2, you also said a chemical operator. Are they one and the same? MR. GRAM: On page seven. The system that we have right now, the technical specialist that we have on staff, a full-time employee, he is responsible for our training program for all of infrastructure. MR. ROBINSON: So he's going to sign off annually for retrained and new hires, things like that? MR. GRAM: The technical specialist will, yes, sir. That position will. MR. ROBINSON: Okay. And the chemical operator? MR. GRAM: The chemical operator is the people out in the field, so they are	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: You show the chemical operators MR. NEVILLE: and the chemical operator. MR. GRAM: The chemical operators are the boiler operators also. CHAIRMAN MORELOCK: You may just want to note that they are boiler they serve as boiler attendants. MR. ROBINSON: Yeah. MR. GRAM: Correct. MR. NEVILLE: I can clarify that with a CHAIRMAN MORELOCK: Yeah. Right. Same for the remote monitor, as well, which includes shift supervisors and chemical operators, so MR. ROBINSON: And that's what brought that about. CHAIRMAN MORELOCK: Yeah. MR. NEVILLE: Okay. Okay. MR. ROBINSON: Just a question for clarity: Is the emergency stop button for the

		Page 33			Page 35
1.	MR. ROBINSON: Is there anything		1.	a station and they've got a protocol; they're going	C
2.	separate of the computer that has an emergency stop?		2.	to look at the emergency procedures.	
3.	MR. GRAM: We do at the boilers, but		3.	MR. GRAM: Correct.	
4.	as far as our control room, if we lose power, the		4.	MR. BAUGHMAN: And it says, call the	
5.	control room has an uninterruptible power supply		5.	people on this list. And I just want to make sure	
6.	system		6.	that if there's additional people	
7.	MR. ROBINSON: A computer		7.	MR. GRAM: Yeah.	
8.	MR. GRAM: that will keep power to		8.	MR. BAUGHMAN: that need to be on	
9.	our control room until the emergency diesel		9.	this list, that they be on there so that	
10.	generators are online.		10.	MR. GRAM: Okay.	
11.	MR. ROBINSON: It'll keep the boiler		11.	MR. BAUGHMAN: they know exactly	
12.	operational, as well?		12.	what they	
13.	MR. GRAM: The boilers will shut		13.	MR. GRAM: Now	
14.	down.		14.	MR. BAUGHMAN: and who they need	
15.	MR. ROBINSON: Good. Very well.		15.	to be calling.	
16.	Thank you.		16.	MR. GRAM: One option we could put on	
17.	CHAIRMAN MORELOCK: Okay.		17.	there is other chemical operators, because there are	
18.	MR. ROBINSON: That's all. Thank		18.	more than one chemical operator per shift. So you	
19.	you.		19.	have multiple individuals that could be that	
20.	CHAIRMAN MORELOCK: Is that all you		20.	respond to a boiler alarm.	
21.	got? All right. Any other questions or comments?		21.	MR. BAUGHMAN: Sure. Well, just	
22.	MR. BAUGHMAN: Boiler emergency call		22.	putting yourself in a in the person's shoes that	
23.	list is three people.		23.	are is going to be looking at a placard and	
24.	MR. GRAM: Yes, sir.		24.	looking over it and they've got three people, I know	
25.	MR. BAUGHMAN: We ever have the		25.	that they probably use common sense and go further	
		Page 34			Page 36
1.	chance to where any multiples could be out sick,		1.	than that, but	
2.	vacation, what have you, because our emergency		2.	MR. GRAM: Okay.	
3.	procedures say to call those that are on the		3.	MR. BAUGHMAN: you'd like to take	
4.	emergency call list and there's just three.		4.	as much out of the question as possible and	
5.	MR. GRAM: Okay. What we can add to		5.	MR. GRAM: Okay.	
6.	that is the on-call manager, because if these people		6.	MR. BAUGHMAN: have those	
7.	cannot be located well, number one, the shift		7.	identified.	
8.	supervisor we will always have a shift supervisor		8.	CHAIRMAN MORELOCK: Any other	
9.	24 hours a day, seven days a week.		9.	questions or comments? I only just have a couple to	
10.	MR. BAUGHMAN: Okay.		10.	add to that.	
11.	MR. GRAM: So they should be there		11.	MR. GRAM: Okay.	
12.	unless they get sick during the shift.		12.	CHAIRMAN MORELOCK: And this is	
	MR. CHAPMAN: Uh-huh.		13.	nitpicky, but in Appendix K, the variance request	
13.			14.	letter lists Mr. Gram as responsible for the	
	MR. GRAM: And if that is the case,	I		variance, and then on page one, you're listing	
13.			15.	variance, and men on page one, you're noting	
13. 14.	MR. GRAM: And if that is the case,		15. 16.	Mr. Ward as the person responsible for the variance.	
13. 14. 15.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell				
13. 14. 15. 16.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for		16.	Mr. Ward as the person responsible for the variance.	
13.14.15.16.17.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for infrastructure seven days a week. We rotate on a		16. 17.	Mr. Ward as the person responsible for the variance. So just close that loop; make sure it's consistent	
13. 14. 15. 16. 17.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for infrastructure seven days a week. We rotate on a weekly basis, and we have to be available by		16. 17. 18.	Mr. Ward as the person responsible for the variance. So just close that loop; make sure it's consistent so you don't have two people two different people	
13. 14. 15. 16. 17. 18.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for infrastructure seven days a week. We rotate on a weekly basis, and we have to be available by telephone during that time.		16. 17. 18. 19.	Mr. Ward as the person responsible for the variance. So just close that loop; make sure it's consistent so you don't have two people two different people listed.	
13. 14. 15. 16. 17. 18. 19.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for infrastructure seven days a week. We rotate on a weekly basis, and we have to be available by telephone during that time. MR. CHAPMAN: Uh-huh.		16. 17. 18. 19. 20.	Mr. Ward as the person responsible for the variance. So just close that loop; make sure it's consistent so you don't have two people two different people listed. In Appendix G, page G-4, Item 20 is	
13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for infrastructure seven days a week. We rotate on a weekly basis, and we have to be available by telephone during that time. MR. CHAPMAN: Uh-huh. MR. GRAM: And also, we have to be,		16. 17. 18. 19. 20. 21.	Mr. Ward as the person responsible for the variance. So just close that loop; make sure it's consistent so you don't have two people two different people listed. In Appendix G, page G-4, Item 20 is for the requirements and remote under duties, but	
13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for infrastructure seven days a week. We rotate on a weekly basis, and we have to be available by telephone during that time. MR. CHAPMAN: Uh-huh. MR. GRAM: And also, we have to be, at least, at the most, one hour away from the		16. 17. 18. 19. 20. 21. 22.	Mr. Ward as the person responsible for the variance. So just close that loop; make sure it's consistent so you don't have two people two different people listed. In Appendix G, page G-4, Item 20 is for the requirements and remote under duties, but there's not a similar item listed for the boiler	
13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. GRAM: And if that is the case, the area manager all of them have Wacker cell phones and we also have an on-call list for infrastructure seven days a week. We rotate on a weekly basis, and we have to be available by telephone during that time. MR. CHAPMAN: Uh-huh. MR. GRAM: And also, we have to be, at least, at the most, one hour away from the facility during that time.		16. 17. 18. 19. 20. 21. 22. 23.	Mr. Ward as the person responsible for the variance. So just close that loop; make sure it's consistent so you don't have two people two different people listed. In Appendix G, page G-4, Item 20 is for the requirements and remote under duties, but there's not a similar item listed for the boiler attendant, so you may want to list the duties of	

	Page 37		1	Page 39
1.	want to call those out.	1.	conflict on this one. Okay. All right. So	ruge 37
2.	MR. GRAM: Okay.	2.	MR. NEVILLE: Again, I'm	
3.	CHAIRMAN MORELOCK: And that's all I	3.	James Neville with Neville Engineering presenting.	
4.	have. Any other questions or comments?	4.	This is a modification to a variance. The original	
5.	MR. BAUGHMAN: Is the DA sized to	5.	variance was in December of 2007 and it was there	
6.	operate all three boilers at the same time?	6.	was a revision in April of 2009. The and I'll	
7.	MR. GRAM: We can operate two and a	7.	let	
8.	half of them at a time. Our environmental permit	8.	MR. VANSTONE: I'm Blair Vanstone.	
9.	will not allow us to operate all three boilers at	9.	I'm the boiler operator supervisor at the Clover	
10.	100 percent firing rate.	10.	Bottom campus.	
11.	MR. BAUGHMAN: How is that monitored	11.	CHAIRMAN MORELOCK: Okay.	
12.	so that you don't get into that position?	12.	MR. NEVILLE: The changes to this	
13.	MR. GRAM: We do have the natural gas	13.	variance mainly include the relocation of the remote	
14.	usage in our boiler room and it will alarm.	14.	stations. The remote station Clover Bottom has	
15.	MR. BAUGHMAN: Very good.	15.	had some changes to the to their campus as far as	
16.	CHAIRMAN MORELOCK: Anything else?	16.	how they're going to be servicing. They've closed	
17.	Okay. Do I have a motion?	17.	down parts of their facility and will be re I	
18.	MR. ROBINSON: Motion to accept	18.	guess, reassigning some responsibilities to other	
19.	contingent on incorporating the Board comments.	19.	departments. So that's in the works right now. I	
20.	CHAIRMAN MORELOCK: Okay. And we'd	20.	believe that was announced in November, some of the	
21.	also make that contingent it's based on a site	21.	changes on that campus.	
22.	inspection by Deputy Inspector Neil Jackson, as	22.	But they do have two high-pressure	
23.	well. So do I have a second?	23.	boilers that we're requesting a variance on.	
24.	DR. JOHNSON: Second.	24.	Those are operated on demand 24 hours a day, seven	
25.	CHAIRMAN MORELOCK: Okay. Any other	25.	days a week, and they furnish high-pressure steam	
	Page 38]	Page 40
1.	Page 38 comments, questions? Okay. All in favor, say	1.		Page 40
1. 2.	comments, questions? Okay. All in favor, say	1. 2.	for space heating pot of hot water and humidification.	Page 40
1	_	1	for space heating pot of hot water and	Page 40
2.	comments, questions? Okay. All in favor, say "aye".	2.	for space heating pot of hot water and humidification.	Page 40
2. 3.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye.	2. 3.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show	Page 40
2. 3. 4.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye.	2. 3. 4.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will	Page 40
2. 3. 4. 5.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye.	2. 3. 4. 5.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be	Page 40
2. 3. 4. 5. 6.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed?	2. 3. 4. 5. 6.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And	Page 40
2. 3. 4. 5. 6. 7.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen,	2. 3. 4. 5. 6. 7.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and	Page 40
2. 3. 4. 5. 6. 7. 8.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a	2. 3. 4. 5. 6. 7. 8.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job	Page 40
2. 3. 4. 5. 6. 7. 8. 9.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you.	2. 3. 4. 5. 6. 7. 8. 9.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G.	Page 40
2. 3. 4. 5. 6. 7. 8. 9.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved	2. 3. 4. 5. 6. 7. 8. 9.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the	2. 3. 4. 5. 6. 7. 8. 9. 10.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. MR. NEVILLE: Thank you. CHAIRMAN MORELOCK: All right. Our	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: Thank you. MR. NEVILLE: Thank you.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals.	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. MR. NEVILLE: Thank you. CHAIRMAN MORELOCK: All right. Our	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. MR. NEVILLE: Thank you. CHAIRMAN MORELOCK: All right. Our next item on the agenda is 15-17. This is the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals.	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. MR. NEVILLE: Thank you. CHAIRMAN MORELOCK: All right. Our next item on the agenda is 15-17. This is the Clover Bottom Developmental Center who is also requesting a variance to the Boiler and Unfired Pressure Vessel Rules and Regulations for Rule 22.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals. MR. VANSTONE: The staff the Building Maintenance Workers 2, the Building Maintenance Carpenters 2,	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. MR. NEVILLE: Thank you. CHAIRMAN MORELOCK: All right. Our next item on the agenda is 15-17. This is the Clover Bottom Developmental Center who is also requesting a variance to the Boiler and Unfired	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals. MR. VANSTONE: The staff the Building Maintenance Workers 2, the Building	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	"aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: All right. Our next item on the agenda is 15-17. This is the Clover Bottom Developmental Center who is also requesting a variance to the Boiler and Unfired Pressure Vessel Rules and Regulations for Rule 22. So if y'all would come forward and introduce yourselves and present your item. And	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals. MR. VANSTONE: The staff the Building Maintenance Workers 2, the Building Maintenance Carpenters 2, Facilities Manager 3 were trained on site. They've been there for eight, ten years, every one of them.	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	"aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: All right. Our next item on the agenda is 15-17. This is the Clover Bottom Developmental Center who is also requesting a variance to the Boiler and Unfired Pressure Vessel Rules and Regulations for Rule 22. So if y'all would come forward and introduce yourselves and present your item. And MR. BAUGHMAN: I would express a	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals. MR. VANSTONE: The staff the Building Maintenance Workers 2, the Building Maintenance Carpenters 2, Facilities Manager 3 were trained on site. They've been there for eight, ten years, every one of them. The security personnel, Security	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	comments, questions? Okay. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: All right. Our next item on the agenda is 15-17. This is the Clover Bottom Developmental Center who is also requesting a variance to the Boiler and Unfired Pressure Vessel Rules and Regulations for Rule 22. So if y'all would come forward and introduce yourselves and present your item. And MR. BAUGHMAN: I would express a conflict.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals. MR. VANSTONE: The staff the Building Maintenance Workers 2, the Building Maintenance Carpenters 2, Facilities Manager 3 were trained on site. They've been there for eight, ten years, every one of them. The security personnel, Security Guard 1, Security Guard 2, we sent to Allied	Page 40
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	"aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. Gentlemen, you have a MR. GRAM: Thank you. CHAIRMAN MORELOCK: an approved variance contingent on the site inspection and the State of Tennessee rules. MR. GRAM: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: Thank you. CHAIRMAN MORELOCK: All right. Our next item on the agenda is 15-17. This is the Clover Bottom Developmental Center who is also requesting a variance to the Boiler and Unfired Pressure Vessel Rules and Regulations for Rule 22. So if y'all would come forward and introduce yourselves and present your item. And MR. BAUGHMAN: I would express a	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	for space heating pot of hot water and humidification. In the site plan on Figure 1, we show the location of the new remote station, which will be in the Harold Jordan Center. That will be manned by security guards at that location. And their job descriptions are Security Guard 1 and Security Guard 2. And we detail their job descriptions in Appendix G. The as far as the boiler attendants, on page seven, we list the those that would be boiler attendants. There are seven different positions there. Each one of those positions have had additional training, and I'll let Blair talk briefly about the training that they received off site and then the how they qualify those individuals. MR. VANSTONE: The staff the Building Maintenance Workers 2, the Building Maintenance Carpenters 2, Facilities Manager 3 were trained on site. They've been there for eight, ten years, every one of them. The security personnel, Security	Page 40

1	Page 41		Page 43
1.	trained there, and then we'll train them in house	1.	okay. I'm going to open the floor for first of
2.	on our particular equipment that we have.	2.	all, we do we I'm going to make it official.
3.	MR. ROBINSON: So each of one and two	3.	Are there a conflict of interest?
4.	have been to Allied?	4.	MR. BAUGHMAN: Yes.
5.	MR. VANSTONE: Yes, sir.	5.	CHAIRMAN MORELOCK: Okay. So we do
6.	MR. NEVILLE: So right. And	6.	have one. All right. So what comments, questions
7.	that's how they qualified those individuals to	7.	do you have for these gentlemen?
8.	monitor the boilers, you know, during their shift.	8.	MR. ROBINSON: So Blair, first of
9.	So they wanted to make sure they have been, you	9.	all, good morning. Welcome.
10.	know, fully trained. So that was part of their	10.	MR. VANSTONE: Good morning.
11.	process for that.	11.	MR. ROBINSON: A question to you.
12.	The controls on the boiler have not	12.	You said that the security guards were trained. Let
13.	changed. There is a program later on that will	13.	me ask you, I consider the security guard to be
14.	change those boilers. But that's probably two	14.	sometimes replaceable.
15.	years out before those will be updated, so	15.	MR. VANSTONE: Yes. If they are
16.	One question we do have is Clover	16.	replaced, the new ones will go through the same
17.	Bottom may change their name as far as it may	17.	training. They will be sent out to get an overview
18.	be Clover Bottom, you know	18.	of boilers that probably highlight; that seems
19.	MR. VANSTONE: Middle Tennessee	19.	what the State likes, and then they'll be trained in
20.	Regional	20.	house.
21.	MR. NEVILLE: Middle Tennessee	21.	MR. ROBINSON: Okay. So what if this
22.	Regional.	22.	is an emergency situation and you can't get
23.	MR. VANSTONE: Office Campus.	23.	somebody? Are you going to resend the
24.	MR. NEVILLE: And I guess, as that	24.	MR. VANSTONE: Then they call us.
25.	changes, how does do we need to come back before	25.	MR. ROBINSON: So you
	Page 42		Page 44
1 1		1	E
1.	the Board, or how can we address that change, I	1.	MR. VANSTONE: They call the on-call
2.	the Board, or how can we address that change, I guess?	1. 2.	-
1	guess? CHAIRMAN MORELOCK: The Board only	1	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of
2.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual.	2.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10
2. 3.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay.	2. 3.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's
2. 3. 4.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual.	2. 3. 4. 5. 6.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so
2. 3. 4. 5.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay.	2. 3. 4. 5. 6. 7.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be
2. 3. 4. 5. 6. 7. 8.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes.	2. 3. 4. 5. 6. 7. 8.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put
2. 3. 4. 5. 6. 7. 8. 9.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay.	2. 3. 4. 5. 6. 7. 8. 9.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if
2. 3. 4. 5. 6. 7. 8. 9.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be	2. 3. 4. 5. 6. 7. 8. 9.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in
2. 3. 4. 5. 6. 7. 8. 9. 10.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision. CHAIRMAN MORELOCK: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them MR. ROBINSON: Especially if it
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	guess? CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision. CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: It goes cycles	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them MR. ROBINSON: Especially if it wasn't working correctly. And I saw that, and I
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision. CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: It goes cycles through.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them MR. ROBINSON: Especially if it wasn't working correctly. And I saw that, and I said, wow. And
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision. CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: It goes cycles through. MR. NEVILLE: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them MR. ROBINSON: Especially if it wasn't working correctly. And I saw that, and I said, wow. And MR. VANSTONE: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision. CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: It goes cycles through. MR. NEVILLE: Right. CHAIRMAN MORELOCK: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them MR. ROBINSON: Especially if it wasn't working correctly. And I saw that, and I said, wow. And MR. VANSTONE: Yeah. MR. ROBINSON: But with the training,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision. CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: It goes cycles through. MR. NEVILLE: Right. CHAIRMAN MORELOCK: Yeah. MR. NEVILLE: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them MR. ROBINSON: Especially if it wasn't working correctly. And I saw that, and I said, wow. And MR. VANSTONE: Yeah. MR. ROBINSON: But with the training, it gives me a little bit of comfort, you know. So
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	CHAIRMAN MORELOCK: The Board only needs to vote on technical changes to the manual. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Editorial changes, which that would be an editorial as far as a name change goes. MR. NEVILLE: Okay. CHAIRMAN MORELOCK: That can be handled by the boiler units and the Chief MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Inspector for State of Tennessee, so MR. NEVILLE: Okay. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Whereas you just submit a revision. CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: It goes cycles through. MR. NEVILLE: Right. CHAIRMAN MORELOCK: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. VANSTONE: They call the on-call list and we've, like I said, been there for 10 years; any of us can go in there and correct any of the problems. The boiler will be shut down, so it's MR. ROBINSON: Could you MR. VANSTONE: It'll be MR. ROBINSON: Could you just put that in your manual and make it just clear that if an event that, you know, you cannot have a in this sense because I had a problem with a security guard turning the boiler on. MR. VANSTONE: Uh-huh. MR. ROBINSON: Period. MR. VANSTONE: Yeah. MR. ROBINSON: And if it wasn't MR. VANSTONE: Well, we could have them MR. ROBINSON: Especially if it wasn't working correctly. And I saw that, and I said, wow. And MR. VANSTONE: Yeah. MR. ROBINSON: But with the training,

	Page 45	1		Page 47
1.	MR. VANSTONE: Okay.	1.	MR. VANSTONE: Correct.	Tage 17
2.	MR. ROBINSON: to give it some	2.	MR. BAUGHMAN: The DA's only rated at	
3.	consideration.	3.	30.	
4.	MR. BAUGHMAN: I'd just comment on	4.	MR. VANSTONE: The it runs about	
5.	that training, too.	5.	10 pounds. It's a low pressure. It's got a tag on	
6.	MR. VANSTONE: Uh-huh.	6.	it.	
7.	MR. BAUGHMAN: For sending the	7.	MR. BAUGHMAN: Sure.	
8.	guards, which I'm thankful that they did. We've had	8.	MR. VANSTONE: And we inspect it	
9.	a number of companies send their security personnel	9.	semiannual it's biannual. I guess, every two	
10.	in for training, and what it does is it really opens	10.	years.	
11.	their eyes to the piece of equipment that they're	11.	MR. BAUGHMAN: But it does not have a	
12.	being charged with taking care of. And when they	12.	sufficient quantity	
13.	get exposed to the information as far as being a	13.	MR. VANSTONE: To run both boilers.	
14.	caretaker of this potential for causing death,	14.	MR. BAUGHMAN: to even supply the	
15.	injury, or destruction, it gives them a whole	15.	other boiler at its rated 41,500.	
16.	different appreciation for what it is they're	16.	MR. VANSTONE: We rarely run it that	
17.	overseeing. So I'm thankful for that, and that's	17.	high.	
18.	being missed in so many of our installations.	18.	MR. BAUGHMAN: Okay.	
19.	From a technical standpoint, which	19.	MR. VANSTONE: For example, right	
20.	boilers do you typically operate? Because we've	20.	now, it's online and it's cycling.	
21.	got the two; one being an older boiler than the	21.	MR. BAUGHMAN: Okay.	
22.	other. And I'm noting that on one, the model	22.	MR. VANSTONE: We don't envision	
23.	number and the serial number are not available on	23.	running both of them at the same time.	
24.	Boiler Number 1.	24.	MR. BAUGHMAN: Sure.	
25.	MR. VANSTONE: Correct.	25.	MR. VANSTONE: We have if need be,	
	Page 46	+		Page 48
1.	Page 46 MR. BAUGHMAN: And serial number, by	1.	we have an auxilliary pump that we could pump soft	Page 48
1. 2.	-	1. 2.	we have an auxilliary pump that we could pump soft water into the boilers.	Page 48
1	MR. BAUGHMAN: And serial number, by	1		Page 48
2.	MR. BAUGHMAN: And serial number, by all means, should be.	2.	water into the boilers.	Page 48
2. 3.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on	2. 3.	water into the boilers. MR. BAUGHMAN: Uh-huh.	Page 48
2. 3. 4.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we	2. 3. 4.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be	Page 48
2. 3. 4. 5.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number.	2. 3. 4. 5.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the	Page 48
2. 3. 4. 5. 6.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay.	2. 3. 4. 5. 6.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded.	Page 48
2. 3. 4. 5. 6. 7.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers?	2. 3. 4. 5. 6. 7.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi	Page 48
2. 3. 4. 5. 6. 7. 8.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number	2. 3. 4. 5. 6. 7. 8.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want	Page 48
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We	2. 3. 4. 5. 6. 7. 8. 9.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed	Page 48
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated	2. 3. 4. 5. 6. 7. 8. 9.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water.	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in	2. 3. 4. 5. 6. 7. 8. 9. 10.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it.	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water.	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it.	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, it's got an	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it. MR. VANSTONE: Uh-huh.	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, it's got an asterisk. Calculated at 80 percent	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it. MR. VANSTONE: Uh-huh. MR. BAUGHMAN: Thank you.	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, it's got an asterisk. Calculated at 80 percent MR. NEVILLE: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it. MR. VANSTONE: Uh-huh. MR. BAUGHMAN: Thank you. MR. ROBINSON: What's the highest	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, it's got an asterisk. Calculated at 80 percent MR. NEVILLE: Yeah. MR. BAUGHMAN: 80 percent.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it. MR. VANSTONE: Uh-huh. MR. BAUGHMAN: Thank you. MR. ROBINSON: What's the highest safety valve on the	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, it's got an asterisk. Calculated at 80 percent MR. NEVILLE: Yeah. MR. BAUGHMAN: 80 percent. CHAIRMAN MORELOCK: boiler	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it. MR. VANSTONE: Uh-huh. MR. BAUGHMAN: Thank you. MR. ROBINSON: What's the highest safety valve on the MR. VANSTONE: The highest safety	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, it's got an asterisk. Calculated at 80 percent MR. NEVILLE: Yeah. MR. BAUGHMAN: 80 percent. CHAIRMAN MORELOCK: boiler efficiency. MR. NEVILLE: I will MR. BAUGHMAN: Okay. The DA feeds	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it. MR. VANSTONE: Uh-huh. MR. BAUGHMAN: Thank you. MR. ROBINSON: What's the highest safety valve on the MR. VANSTONE: The highest safety value on the boiler is 150 pounds. MR. ROBINSON: That's MR. VANSTONE: No, 155 pounds, and	Page 48
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: And serial number, by all means, should be. MR. VANSTONE: We've looked on that on the steam header and we've looked and we cannot identify a number. MR. BAUGHMAN: Interesting. Okay. Do we alternate the use of the boilers? MR. VANSTONE: We have one Number 1 Boiler is rated at 25,000 pounds per hour. We generally run that in the summer. Number 2 is rated at 50,000 pounds per hour. We generally run that in the winter. MR. BAUGHMAN: Okay. I'm showing the rating at 41,500 for Number 2. It's actually 50? MR. VANSTONE: It's actually 50. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, it's got an asterisk. Calculated at 80 percent MR. NEVILLE: Yeah. MR. BAUGHMAN: 80 percent. CHAIRMAN MORELOCK: boiler efficiency. MR. NEVILLE: I will	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	water into the boilers. MR. BAUGHMAN: Uh-huh. MR. VANSTONE: It's not going to be heated, but in emergency situations, we keep the boilers flooded. MR. BAUGHMAN: Well, being a 260 psi boiler operating at 100 psi, we sure wouldn't want to feed MR. VANSTONE: Cold water. MR. BAUGHMAN: cold water to it. And that was my expression with the DA being undersized was the possibility of not having sufficient heated water, let alone, deaerated water. But the cold water factor was what I was thinking of with it. MR. VANSTONE: Uh-huh. MR. BAUGHMAN: Thank you. MR. ROBINSON: What's the highest safety valve on the MR. VANSTONE: The highest safety value on the boiler is 150 pounds. MR. ROBINSON: That's	Page 48

	Page 49	T	Page 51
1.	MR. ROBINSON: And what's Number 1,	1.	requesting, a renewal or a new one?
2.	just out of curiosity?	2.	MR. NEVILLE: This
3.	MR. VANSTONE: 125.	3.	CHAIRMAN MORELOCK: This is renewal.
4.	MR. ROBINSON: Okay. Thank you.	4.	MR. NEVILLE: A modification.
5.	MR. BAUGHMAN: How have the boilers	5.	CHAIRMAN MORELOCK: And modification.
6.	been operated since well, the last variance	6.	MR. JACKSON: How long do we go on an
7.	approval was 2009. So it went out	7.	expired variance before it becomes they have to
8.	MR. NEVILLE: There was a revision in	8.	issue a new one?
9.	2009 in April. I don't have any I'm not sure if	9.	CHAIRMAN MORELOCK: There's not been
10.	that was just an organizational chart change. So	10.	any wording stated on that. The plan that was put
11.	MR. BAUGHMAN: But we've had no	11.	into place several years ago was to get them caught
12.	MR. NEVILLE: I don't have the	12.	up.
13.	details.	13.	MR. JACKSON: Theoretically, then,
14.	MR. BAUGHMAN: reapproval or	14.	they're operating outside the law.
15.	anything since 2009?	15.	CHAIRMAN MORELOCK: Theoretically,
16.	MR. NEVILLE: That's my	16.	that's true.
17.	understanding.	17.	MR. JACKSON: They should be
18.	MR. VANSTONE: Correct.	18.	operating under the 20-minute rule.
19.	MR. BAUGHMAN: And how long is the	19.	CHAIRMAN MORELOCK: That's correct.
20.	variance good for?	20.	But it wasn't until the revision nine of the
21.	MR. NEVILLE: Three years now.	21.	checklist that the renewal and the modification
22.	CHAIRMAN MORELOCK: Yeah.	22.	check boxes were added. So
23.	MR. BAUGHMAN: Three years.	23.	MR. NEVILLE: Right.
24.	MR. NEVILLE: In 2009. I'm not	24.	CHAIRMAN MORELOCK: So in the state,
25.	you know.	25.	it's the Boiler Unit's work to get all those caught
			-
	Page 50	1	Page 52
1.	Page 50 MR. VANSTONE: We weren't notified	1.	Page 52 up. And I'm sure there's still a few more that need
1. 2.	_	Ι.	_
1	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay.	1.	up. And I'm sure there's still a few more that need
2.	MR. VANSTONE: We weren't notified that we needed to reapply.	1. 2.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own
2. 3.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple	1. 2. 3.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in
2. 3. 4.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's	1. 2. 3. 4.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even
2. 3. 4. 5.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple	1. 2. 3. 4. 5.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler
2. 3. 4. 5. 6.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to	1. 2. 3. 4. 5. 6.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct?
2. 3. 4. 5. 6. 7.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date.	1. 2. 3. 4. 5. 6. 7.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed	1. 2. 3. 4. 5. 6. 7. 8.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome. Any other questions or comments? Mr. Chapman?	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay. MR. JACKSON: If you don't if it
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome. Any other questions or comments? Mr. Chapman? MR. JACKSON: Mr. Chairman?	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay. MR. JACKSON: If you don't if it ain't broke, don't fix it.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome. Any other questions or comments? Mr. Chapman?	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay. MR. JACKSON: If you don't if it ain't broke, don't fix it. CHAIRMAN MORELOCK: Right. But as of
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome. Any other questions or comments? Mr. Chapman? MR. JACKSON: Mr. Chairman?	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay. MR. JACKSON: If you don't if it ain't broke, don't fix it. CHAIRMAN MORELOCK: Right. But as of today, yes, variances are renewed every three years
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome. Any other questions or comments? Mr. Chapman? MR. JACKSON: Mr. Chairman? CHAIRMAN MORELOCK: Yes? MR. JACKSON: Are they operating the boiler now with a variance?	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay. MR. JACKSON: If you don't if it ain't broke, don't fix it. CHAIRMAN MORELOCK: Right. But as of today, yes, variances are renewed every three years and that is enforced. So or as of a few years
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome. Any other questions or comments? Mr. Chapman? MR. JACKSON: Mr. Chairman? CHAIRMAN MORELOCK: Yes? MR. JACKSON: Are they operating the boiler now with a variance? MR. NEVILLE: Yes.	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay. MR. JACKSON: If you don't if it ain't broke, don't fix it. CHAIRMAN MORELOCK: Right. But as of today, yes, variances are renewed every three years and that is enforced. So or as of a few years ago. So that's correct.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. VANSTONE: We weren't notified that we needed to reapply. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Well, and that's been the program here of within the last couple years is Neil's worked with Sam Chapman and to try to get all those variances caught up to date. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Because there's a lot there were several that had been lapsed MR. BAUGHMAN: Gotcha. CHAIRMAN MORELOCK: as far as out of date, so MR. BAUGHMAN: Okay. Thank you. CHAIRMAN MORELOCK: That's not on them. That's on us. MR. BAUGHMAN: Gotcha. Thank you. CHAIRMAN MORELOCK: You're welcome. Any other questions or comments? Mr. Chapman? MR. JACKSON: Mr. Chairman? CHAIRMAN MORELOCK: Yes? MR. JACKSON: Are they operating the boiler now with a variance?	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	up. And I'm sure there's still a few more that need to be caught up. But as you well know from your own site inspections, you walked on some plant sites in the past three or four years where they didn't even know they didn't even know they had a boiler variance; is that correct? MR. JACKSON: That is correct, but they're not operating under a variance. CHAIRMAN MORELOCK: Okay. MR. JACKSON: They go to the 20-minute rule, because like to say personnel change and the one that was in charge is gone and so on and so forth. CHAIRMAN MORELOCK: Right. MR. JACKSON: And they really don't know what they have, so they don't want to mess with it. CHAIRMAN MORELOCK: Okay. MR. JACKSON: If you don't if it ain't broke, don't fix it. CHAIRMAN MORELOCK: Right. But as of today, yes, variances are renewed every three years and that is enforced. So or as of a few years

	Page 53		Page 55
1.	comments that I have is one based on the checklist	1.	CHAIRMAN MORELOCK: That's right.
2.	that we just talked about, on line item nine,	2.	MR. VANSTONE: Yeah.
3.	since this is a modification and a renewal, I did	3.	CHAIRMAN MORELOCK: Yeah.
4.	not see the a revision page for the revision.	4.	MR. NEVILLE: you know.
5.	So that needs to be added to the system operating	5.	CHAIRMAN MORELOCK: I'm not going to
	manual.		tell you how to do it, but just you can do it
6. 7.		6. 7.	later.
1	MR. NEVILLE: Okay.	8.	
8.	CHAIRMAN MORELOCK: And so please add	9.	MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And then on page
	that	1	1 0
10.	MR. NEVILLE: I will add that.	10.	seven, which Eugene kind of eluded to that a little
11.	CHAIRMAN MORELOCK: with a summary	11.	bit.
12.	of changes. On page G-4 under "Job Duties", it	12.	MR. NEVILLE: In
13.	states four, it states that under R1, that you	13.	CHAIRMAN MORELOCK: You're saying
14.	walk through the boiler room and record readings	14.	that under the the boiler attendant must be on
15.	hourly. But then we go on to say where under the	15.	site at all times. However, on page seven, you're
16.	variance, you're checking the boiler every four	16.	saying the security guards check the boiler every
17.	hours. So are boiler readings being taken hourly?	17.	four hours on weekends and holidays.
18.	MR. VANSTONE: Depending on the	18.	MR. VANSTONE: Yes, we're classifying
19.	weather conditions. If we have a really cold	19.	them as attendants.
20.	weather event, then we have the operator or security	20.	CHAIRMAN MORELOCK: Okay.
21.	guard on site. And if they're on site, they take	21.	MR. NEVILLE: Right. So we list
22.	hourly readings.	22.	those as, you know, boiler attendants
23.	CHAIRMAN MORELOCK: Okay.	23.	CHAIRMAN MORELOCK: Okay.
24.	MR. VANSTONE: If everything's	24.	MR. NEVILLE: in on page seven.
25.	running normal, mild temperatures, things like that,	25.	CHAIRMAN MORELOCK: Okay.
1		1	
	5 51	-	D #4
1	Page 54	1	Page 56
1.	we check it every four hours and	1.	MR. NEVILLE: And then we kind of
2.	we check it every four hours and CHAIRMAN MORELOCK: Okay.	2.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security
2. 3.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings.	2. 3.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So
2. 3. 4.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the	2. 3. 4.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right.
2. 3. 4. 5.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by	2. 3. 4. 5.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's
2. 3. 4. 5. 6.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says	2. 3. 4. 5. 6.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they
2. 3. 4. 5. 6. 7.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well,	2. 3. 4. 5. 6. 7.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So	2. 3. 4. 5. 6. 7. 8.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their
2. 3. 4. 5. 6. 7. 8. 9.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you	2. 3. 4. 5. 6. 7. 8. 9.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some
2. 3. 4. 5. 6. 7. 8. 9.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read,	2. 3. 4. 5. 6. 7. 8. 9.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but
2. 3. 4. 5. 6. 7. 8. 9. 10.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly"	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh? MR. NEVILLE: If we took out	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh? MR. NEVILLE: If we took out CHAIRMAN MORELOCK: Yeah, you	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist, your emergency procedures should be highlighted
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh? MR. NEVILLE: If we took out CHAIRMAN MORELOCK: Yeah, you MR. NEVILLE: the "hourly"	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist, your emergency procedures should be highlighted and it is, but it's
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Yeah, you MR. NEVILLE: the "hourly" CHAIRMAN MORELOCK: You're right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist, your emergency procedures should be highlighted and it is, but it's MR. NEVILLE: Well
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh? MR. NEVILLE: If we took out CHAIRMAN MORELOCK: Yeah, you MR. NEVILLE: the "hourly" CHAIRMAN MORELOCK: You're right. MR. NEVILLE: on that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist, your emergency procedures should be highlighted and it is, but it's MR. NEVILLE: Well CHAIRMAN MORELOCK: not that
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh? MR. NEVILLE: If we took out CHAIRMAN MORELOCK: Yeah, you MR. NEVILLE: the "hourly" CHAIRMAN MORELOCK: You're right. MR. NEVILLE: on that CHAIRMAN MORELOCK: That's right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist, your emergency procedures should be highlighted and it is, but it's MR. NEVILLE: Well CHAIRMAN MORELOCK: not that great, so
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh? MR. NEVILLE: If we took out CHAIRMAN MORELOCK: Yeah, you MR. NEVILLE: the "hourly" CHAIRMAN MORELOCK: You're right. MR. NEVILLE: on that CHAIRMAN MORELOCK: That's right. MR. NEVILLE: I think that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist, your emergency procedures should be highlighted and it is, but it's MR. NEVILLE: Well CHAIRMAN MORELOCK: not that great, so MR. NEVILLE: Yeah. That was a
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	we check it every four hours and CHAIRMAN MORELOCK: Okay. MR. VANSTONE: record readings. CHAIRMAN MORELOCK: Well, I mean, the reason I'm asking is when you have a site visit by Mr. Jackson and you say there's it just says you're taking hourly readings, there's no well, only during cold weather or something like that. So he's going to hold you to that hourly check. So you may want to look at your manual, how it's read, because you want it to match exactly with the way you're actually operating. MR. VANSTONE: Okay. CHAIRMAN MORELOCK: And the other MR. NEVILLE: So if we took out the "hourly" CHAIRMAN MORELOCK: Huh? MR. NEVILLE: If we took out CHAIRMAN MORELOCK: Yeah, you MR. NEVILLE: the "hourly" CHAIRMAN MORELOCK: You're right. MR. NEVILLE: on that CHAIRMAN MORELOCK: That's right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. NEVILLE: And then we kind of clarify in Item 2 on page seven what the security guards perform. So CHAIRMAN MORELOCK: Right. MR. NEVILLE: And there's that's more of a monitoring task. If they CHAIRMAN MORELOCK: Okay. MR. NEVILLE: We understand their qualifications, and they have gone through some training, but CHAIRMAN MORELOCK: Okay. MR. NEVILLE: But they need to call the boiler operator supervisor if there is an issue and shut the boilers down, so CHAIRMAN MORELOCK: Okay. I just wanted to clarify that. Okay. And again, I've got one nitpicky comment. In Item 40 on the checklist, your emergency procedures should be highlighted and it is, but it's MR. NEVILLE: Well CHAIRMAN MORELOCK: not that great, so

	Page 57		Page 59
1.	CHAIRMAN MORELOCK: Okay. All right.	l _{1.}	MR. VANSTONE: We've had a boiler
2.	That's all of my comments. Yes, sir?	2.	supplier looking at that, too, and they said the
3.	MR. BAUGHMAN: More technical	3.	system would work.
4.	questions.	4.	MR. BAUGHMAN: Yeah. They would
5.	MR. NEVILLE: Sure.	5.	know. Good. Thank you.
6.	MR. VANSTONE: Okay.	6.	CHAIRMAN MORELOCK: Any other
7.	MR. BAUGHMAN: What type of burner	7.	questions or comments? Okay. Do I have a motion?
8.	controller is on here, because I notice under	8.	DR. JOHNSON: Move to approve.
9.	"Equipment Description", it says "Burner	9.	CHAIRMAN MORELOCK: Okay. I have a
10.	Controller", but it gives type. It gives 7800	10.	motion to approve. And as always, it's contingent
11.	7840L, Fireye E110, CBs what have we got?	11.	on the Board comments being addressed and a site
12.	MR. VANSTONE: It's the Hawk CB right	12.	inspection by the Deputy Inspector. Do I have a
13.	now. We're looking at the Hawk 7600. We've got it	13.	second?
14.	on capital projects list for two years from now.	14.	MR. ROBINSON: Second.
15.	MR. BAUGHMAN: Okay. And what's the	15.	CHAIRMAN MORELOCK: Okay. Any other
16.	connection type between the controller and the	16.	questions or comments? All those in favor, say
17.	remote station?	17.	"aye".
18.	MR. VANSTONE: It's hardwired now.	18.	DR. JOHNSON: Aye.
19.	It will be hardwired before when we switch.	19.	MR. ROBINSON: Aye.
20.	We've already got the cables run from the boiler	20.	CHAIRMAN MORELOCK: Aye. Opposed?
21.	room to the Jordan Center. All it requires is to	21.	Abstentions? We have one abstention. Not voting?
22.	dismantle the remote kill switch at the switchboard	22.	Gentlemen, you have an approved variance.
23.	operator at one cannon where it is now and	23.	MR. NEVILLE: Thank you.
24.	reposition it there and test it and make sure it	24.	MR. VANSTONE: Thank you.
25.	works right.	25.	CHAIRMAN MORELOCK: That's contingent
			Ç
	Page 58		Page 60
1.	Page 58 MR. BAUGHMAN: Do you know by chance	1.	Page 60 on the corrections to the manual and the site visit.
1. 2.	MR. BAUGHMAN: Do you know by chance	1. 2.	on the corrections to the manual and the site visit.
	_	1	
2.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the	2.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job.
2. 3.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet?	2. 3.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next
2. 3. 4.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the	2. 3. 4.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our
2. 3. 4. 5.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the	2. 3. 4. 5.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board,
2. 3. 4. 5. 6.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it	2. 3. 4. 5. 6.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program.
2. 3. 4. 5. 6. 7.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have	2. 3. 4. 5. 6. 7.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery
2. 3. 4. 5. 6. 7. 8.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to	2. 3. 4. 5. 6. 7. 8.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would.	2. 3. 4. 5. 6. 7. 8. 9.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work	2. 3. 4. 5. 6. 7. 8. 9.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule.	2. 3. 4. 5. 6. 7. 8. 9. 10.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just double check	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI program current, adding any new commissioned
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just double check MR. VANSTONE: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI program current, adding any new commissioned equipment to the RBI program and improvements in
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just double check MR. VANSTONE: Okay. MR. BAUGHMAN: just for, you	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI program current, adding any new commissioned equipment to the RBI program and improvements in the software used to maintain the RBI program.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just double check MR. VANSTONE: Okay. MR. BAUGHMAN: just for, you know	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI program current, adding any new commissioned equipment to the RBI program and improvements in the software used to maintain the RBI program. Key activities related to the program
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just double check MR. VANSTONE: Okay. MR. BAUGHMAN: just for, you know MR. VANSTONE: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI program current, adding any new commissioned equipment to the RBI program and improvements in the software used to maintain the RBI program. Key activities related to the program in 2015 are as follows: The Valero Memphis
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just double check MR. VANSTONE: Okay. MR. BAUGHMAN: just for, you know MR. VANSTONE: Yeah. MR. BAUGHMAN: It's not so matter	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI program current, adding any new commissioned equipment to the RBI program and improvements in the software used to maintain the RBI program. Key activities related to the program in 2015 are as follows: The Valero Memphis Refinery continues to maintain an effective Risk Based Inspection program utilizing good engineering practices. Damage mechanism specific
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: Do you know by chance what the maximum distance is allowed by the controller manufacturer since we're at 3,000 feet? MR. VANSTONE: The electrician the electrical company that did the work, gauged the wire and transformers for that distance. And if it doesn't work, then we don't use it. We'll just have to MR. BAUGHMAN: I would. MR. VANSTONE: get them to work and we'll be on the 20-minute rule. MR. BAUGHMAN: Okay. I would go back and actually look at what that maximum distance is from the Hawk system just to see since it's hardwired. The equipment manufacturer dictates a maximum distance that's allowed, and I would just double check MR. VANSTONE: Okay. MR. BAUGHMAN: just for, you know MR. VANSTONE: Yeah. MR. BAUGHMAN: It's not so matter not a matter of so much if it works or not is it	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	on the corrections to the manual and the site visit. MR. BAUGHMAN: Good job. CHAIRMAN MORELOCK: Okay. Our next item is 15-18 which is Valero's annual report on our RBI program. MR. GROSS: Good morning, Board, guests. I'm Jeremy Gross. I'm the chief refinery inspector at the Valero Memphis Refinery. I'm here this morning to present our RBI program status review report that we give annually. I appreciate your time and attention. The summary for our 2015 review, the Risk Based Inspection program continues to be active at the Valero Memphis Refinery. This includes conducting inspections per the risk assessments, Evergreen activities to keep the RBI program current, adding any new commissioned equipment to the RBI program and improvements in the software used to maintain the RBI program. Key activities related to the program in 2015 are as follows: The Valero Memphis Refinery continues to maintain an effective Risk Based Inspection program utilizing good

		Page 61			Page 6
1.	routine maintenance or scheduled outages. Results	C	1.	inspections based off of any degradation that is	C
2.	are documented and graded per the inspection		2.	either documented or potential based on our fluid	
3.	effectiveness tables within the RBI software.		3.	properties and our operating parameters.	
4.	Maintenance and inspection activities		4.	There's a risk data and distribution	
5.	executed during 2015 are listed below. The site's		5.	listed below based on our risk level and our count	
6.	currently pursuing the Voluntary Protection		6.	of circuits. I won't read through that table as	
7.	Program certification. That assessment will take		7.	it's a pretty lengthy table.	
8.	place in the fall of 2016 with TOSHA, as well as		8.	We did have some key inspection	
9.	our corporate team. We do have turnaround		9.	results from our 2015 efforts. Overall, the 67	
).	planning efforts in progress and scheduled for		10.	internals were completed to our 89 externals and	
1.	outages of three process units in 2016. Bless		11.	the 77 CUIs inspections were performed this year	
2.	you.		12.	in accordance with the RBI program. The	
3.	MR. FINKS: Thank you.		13.	jurisdictional inspections are scheduled and	
1.	MR. GROSS: For 2015, our inspection		14.	current but are handled separately from the RBI	
5.	types from an internal inspection, external, CUI,		15.	program.	
5.	and jurisdiction are as follows: Internal		16.	All equipment has a detailed	
7.	inspections completed in 2015 were 67; external		17.	inspection plan with a risk ranking for each	
3.	inspections were 289; CUI inspections were 77; and		18.	damage mechanism. For each piece of equipment, a	
).).	our jurisdictional inspections completed were 250.		19.	unique inspection plan is built to address the	
).	Planned for 2016, we have 152		20.	proper corrosion and damage mechanisms	
1.	internal inspections scheduled, 165 external		21.	anticipated.	
2.	inspections scheduled, 11 CUI, and 92		22.	Risk Based Inspection activities	
2. 3.	jurisdictional inspections.		23.	completed this year reduced risk level on 39	
<i>3</i> .	Evergreen activities for the RBI		24.	circuits. And Valero is assembling the	
1 . 5.	program include: reviewing the assigned damage		25.	multidiscipline procedures and required	
٥.	program include, reviewing the assigned damage		23.	mundiscipine procedures and required	
		Page 62			Page (
1.	mechanism and the executing of proper inspection		1.	information to pursue a variance for extension on	
2.	techniques, recording the inspection results and		2.	the boiler internal inspections frequency. We are	
3.	grading per the respective effectiveness tables,		3.	working to get that manual built possibly to	
4.	scheduling the next inspection per the RBI		4.	present in the first quarter or the second quarter	
5.	methodology.		5.	of 2016. So more to come on that.	
6.	Nonintrusive inspection techniques		6.	CHAIRMAN MORELOCK: Okay.	
7.	are executed and captured during external		7.	MR. GROSS: Last page is our summary	
8.	inspections. Routine corrosion monitoring and		8.	of equipment and circuits that are in our RBI	
9.	specialty nondestructive testing is performed when		9.	program. This lists each piece fixed asset, as	
0.	required. Revalidation of our fluid properties		10.	well as the circuits that are associated with that	
1.	and operating conditions are ongoing and completed		11.	asset.	
2.	on a five-year interval. That is consistent with		12.	MR. ROBINSON: Can you give me a	
2. 3.	our PHA validations that we do on each one of our		13.	brief description of the Voluntary Protection	
3. 4.	refinery process units.		14.	Program?	
+. 5.	Our jurisdictional inspection		15.	MR. GROSS: Yes, sir. So the VPP	
			I		
6. 7.	activities on registered equipment are maintained		16.	program is a program that is basically a site or	
	with zero delinquencies. And our process		17.	facility; we'll team up with OSHA to come in and	
8.	equipment is circuitized and risk ranked in the		18.	make sure that we are following and going above and	
9.	RBI program.		19.	beyond all PSM and safety regulations. It is one	
0.	Our data management software		20.	that Valero as a company it has the most	
1.	integrates the design data, visual inspection		21.	refineries within the United States that are in that	
2.	history, thickness monitoring data, assigned		22.	program. We are looking to join our site into that	
3.	damage mechanism inspection results, and		23.	number within our company currently, with our sever	1
4.	inspection scheduling that is integrated within		24.	Valero sites that are VPP certified.	
5.	the RBI module. This helps us schedule our		25.	And we have a VPP corporate team	
			I		

		Page 65		Page 67
1.	alone that will come in and do assessments on our		1.	ready internally, so we also have an internal team
2.	safety and our PSM program to identify, are we		2.	that will come in the spring of '16 and do a trial
3.	ready; one, is our culture correct? Two, are our		3.	run on our program to assure that when TOSHA comes
4.	policy and procedures are we doing as we say		4.	in, we're ready.
5.	and saying as we do? And then three, then we		5.	CHAIRMAN MORELOCK: Very good.
6.	schedule a meeting with TOSHA or whatever		6.	MR. ROBINSON: What's your biggest
7.	organization from which state we have a facility		7.	challenge?
8.	in to come in and do a team assessment. And then		8.	MR. GROSS: Culture. That's our
9.	we will shoot for the star at that point and make		9.	biggest challenge. Culture of change, implementing
10.	sure that we are maintaining all of our safety and		10.	procedures, following procedures; the human factors
11.	commitments to process safety information.		11.	is probably the biggest issue that not just our
12.	MR. BAILEY: If they get VPP		12.	facility but any facility has. And we're working on
13.	certified, that takes them off of TOSHA's		13.	that. Instituting town hall meetings; we're
14.	comprehensive inspection list where they wouldn't		14.	gathering teams to participate to promote that
15.	TOSHA would not they would not have, like, a		15.	culture.
16.	random inspection anymore. Only if there is an		16.	MR. ROBINSON: Thank you.
17.	accident or a complaint would TOSHA come, do an		17.	MR. BAILEY: What kind of buy-in has
18.	inspection at that facility once they're VPP		18.	the union given you there?
19.	certified. Like, he's		19.	MR. GROSS: So that's been one of our
20.	CHAIRMAN MORELOCK: Yeah.		20.	struggles.
21.	MR. BAILEY: in the same		21.	MR. BAILEY: Yeah.
22.	situation.		22.	MR. GROSS: But we have now got the
23.	MR. GROSS: It's a three-year		23.	union representation that are basically taking over
24.	interval		24.	sections of the refinery. And they are responsible
25.	MR. BAILEY: Yeah.		25.	for those locations now at this point for buy-in, as
		Page 66		Page 68
1.	MR. GROSS: where you would have a	Page 66	1.	Page 68 well as participation. That is seem to be making
1. 2.	MR. GROSS: where you would have a reassessment	Page 66	1. 2.	-
	•	Page 66		well as participation. That is seem to be making
2.	reassessment	Page 66	2.	well as participation. That is seem to be making our culture shift improve
2. 3.	reassessment MR. BAILEY: Right.	Page 66	2. 3.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort.
2. 3. 4.	reassessment MR. BAILEY: Right. MR. GROSS: come in.	Page 66	2. 3. 4.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in
2. 3. 4. 5.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice	Page 66	2. 3. 4. 5.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort.
2. 3. 4. 5. 6.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program.	Page 66	2. 3. 4. 5. 6.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any
2. 3. 4. 5. 6. 7.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they	Page 66	2. 3. 4. 5. 6. 7.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have
2. 3. 4. 5. 6. 7. 8.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good.	Page 66	2. 3. 4. 5. 6. 7. 8.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and
2. 3. 4. 5. 6. 7. 8. 9.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired	Page 66	2. 3. 4. 5. 6. 7. 8. 9.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program?
2. 3. 4. 5. 6. 7. 8. 9.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office.	Page 66	2. 3. 4. 5. 6. 7. 8. 9.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept.
2. 3. 4. 5. 6. 7. 8. 9. 10.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office.	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct.	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So MR. GROSS: Absolutely.	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard time with that today? I'm hearing no conflicts of
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So MR. GROSS: Absolutely. MR. BAILEY: That should help you.	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard time with that today? I'm hearing no conflicts of interest, so all right. I'm going to call for
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So MR. GROSS: Absolutely. MR. BAILEY: That should help you. MR. GROSS: Yes, sir. And we're making good progress there. We have a biweekly meeting. We have also an assessment tool that's	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard time with that today? I'm hearing no conflicts of interest, so all right. I'm going to call for question. All in favor, say "aye".
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So MR. GROSS: Absolutely. MR. BAILEY: That should help you. MR. GROSS: Yes, sir. And we're making good progress there. We have a biweekly	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard time with that today? I'm hearing no conflicts of interest, so all right. I'm going to call for question. All in favor, say "aye". MR. ROBINSON: Aye.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So MR. GROSS: Absolutely. MR. BAILEY: That should help you. MR. GROSS: Yes, sir. And we're making good progress there. We have a biweekly meeting. We have also an assessment tool that's utilized and a gap closure plan for that. And currently, our plan shows us possibly being ready	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard time with that today? I'm hearing no conflicts of interest, so all right. I'm going to call for question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So MR. GROSS: Absolutely. MR. BAILEY: That should help you. MR. GROSS: Yes, sir. And we're making good progress there. We have a biweekly meeting. We have also an assessment tool that's utilized and a gap closure plan for that. And currently, our plan shows us possibly being ready the fall of 2016.	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard time with that today? I'm hearing no conflicts of interest, so all right. I'm going to call for question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	reassessment MR. BAILEY: Right. MR. GROSS: come in. CHAIRMAN MORELOCK: That's a nice program. MR. BAILEY: And they MR. ROBINSON: Every three years. MR. BAILEY: They've hired MR. ROBINSON: It sounds good. MR. BAILEY: They've hired away two of our better inspectors from the Memphis office. One safety inspector a few years ago and MR. GROSS: That's correct. MR. BAILEY: more recently, an industrial hygienist. So MR. GROSS: Absolutely. MR. BAILEY: That should help you. MR. GROSS: Yes, sir. And we're making good progress there. We have a biweekly meeting. We have also an assessment tool that's utilized and a gap closure plan for that. And currently, our plan shows us possibly being ready	Page 66	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	well as participation. That is seem to be making our culture shift improve MR. BAILEY: Yeah. MR. GROSS: and we'll continue in that effort. CHAIRMAN MORELOCK: Very good. Any other questions or comments? All right. Do I have a motion to accept this report for have Valero and their continuance of their program? MR. ROBINSON: Motion to accept. CHAIRMAN MORELOCK: Okay. DR. JOHNSON: Second. CHAIRMAN MORELOCK: Huh? MS. BENNETT: Conflict. CHAIRMAN MORELOCK: Yeah, thank you. Is there a conflict of interest? I'm having a hard time with that today? I'm hearing no conflicts of interest, so all right. I'm going to call for question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed?

	Page 69		Page 71
1.	MR. GROSS: Thank you very much.	l _{1.}	have continued to do so and will continue to do so
2.	CHAIRMAN MORELOCK: Okay. Our next	2.	until they get approval to go above 15 pounds.
3.	item is 15-19, Industrial Boiler & Mechanical	3.	This unit was built in 2006. Came under
1 .		4.	MR. BUTLER: 2005.
4.	Company on behalf of KordSa to designate one of	I	
5.	their vessels as a Tennessee Special.	5.	CHAIRMAN MORELOCK: a contract in
6.	MR. BUTLER: Hello. I'm	6.	'05 and it was not put into operation until 2009.
7.	CHAIRMAN MORELOCK: Good morning.	7.	So the other thing, too, Mr. Butler,
8.	MR. BUTLER: Keith Butler with	8.	is the package that we got this time did not
9.	Industrial Boiler & Mechanical, quality control	9.	include your calculations from the previous
10.	manager. Good to see you all again.	10.	meeting, so I did send that out to the Board
11.	In June of last year, I presented	11.	members so that
12.	this vessel that their insurance inspector	12.	MR. BUTLER: Okay.
13.	discovered did not have a use stamp or a national	13.	CHAIRMAN MORELOCK: So we could see
14.	board number on. I presented also this complete	14.	that you did provide those calculations. And I
15.	package that was supplied to us by the	15.	guess my comments are: It's a good package; it's a
16.	manufacturer showing the data report that was	16.	very complete package. I did go ahead I did pull
17.	signed off by authorized inspector, as well as all	17.	SA-662 and Section 2A, as well as the allowable
18.	the stampings where he had witnessed everything.	18.	stresses in Section 2 Part D. And just for
19.	The Board at that time asked that	19.	information, this would be 662 is the equivalent
20.	when the vessel shut down, that a thickness	20.	ASME material to what this vessel is built from with
21.	inspection be done on it to make sure that it was	21.	the European standards.
22.	still of good quality. We did that back in April	22.	The chemicals and the mechanicals do
23.	when they shut down for their five-year plant	23.	line up within the acceptable ranges. And I also
24.	run-through.	24.	did a quick calculation myself, and compress, and
25.	We found that the shell thicknesses	25.	the vessel does check. The vessel is above its
1			
	Page 70		Page 72
1	Page 70	1	Page 72
1.	ran between .105 inches and .415 inches and .419	1.	nominal thicknesses. So there's been, as far as
2.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of	2.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct?
2. 3.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34.	2. 3.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a
2. 3. 4.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses	2. 3. 4.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service.
2. 3. 4. 5.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the	2. 3. 4. 5.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So
2. 3. 4. 5. 6.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package,	2. 3. 4. 5. 6.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's
2. 3. 4. 5. 6. 7.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than	2. 3. 4. 5. 6. 7.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive.
2. 3. 4. 5. 6. 7. 8.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings.	2. 3. 4. 5. 6. 7. 8.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a
2. 3. 4. 5. 6. 7. 8. 9.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by	2. 3. 4. 5. 6. 7. 8. 9.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question
2. 3. 4. 5. 6. 7. 8. 9.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable	2. 3. 4. 5. 6. 7. 8. 9.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with
2. 3. 4. 5. 6. 7. 8. 9. 10.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for	2. 3. 4. 5. 6. 7. 8. 9. 10.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments. While you're kind of thinking about that, let me	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are they're on the manufacturer's nameplate. That's
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments. While you're kind of thinking about that, let me give you a little bit of history to catch you up.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are they're on the manufacturer's nameplate. That's MR. BUTLER: That
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments. While you're kind of thinking about that, let me give you a little bit of history to catch you up. We put Mr. Butler on the spot the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are they're on the manufacturer's nameplate. That's MR. BUTLER: That CHAIRMAN MORELOCK: what would be
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments. While you're kind of thinking about that, let me give you a little bit of history to catch you up. We put Mr. Butler on the spot the last time he was here, asking him questions about	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are they're on the manufacturer's nameplate. That's MR. BUTLER: That CHAIRMAN MORELOCK: what would be listed for the Tennessee Special, correct?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments. While you're kind of thinking about that, let me give you a little bit of history to catch you up. We put Mr. Butler on the spot the last time he was here, asking him questions about operation of the pressure vessel, and thankfully,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are they're on the manufacturer's nameplate. That's MR. BUTLER: That CHAIRMAN MORELOCK: what would be listed for the Tennessee Special, correct? MR. BUTLER: Yes, sir.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments. While you're kind of thinking about that, let me give you a little bit of history to catch you up. We put Mr. Butler on the spot the last time he was here, asking him questions about operation of the pressure vessel, and thankfully, we did find out it was operated at less than 15	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are they're on the manufacturer's nameplate. That's MR. BUTLER: That CHAIRMAN MORELOCK: what would be listed for the Tennessee Special, correct? MR. BUTLER: Yes, sir. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	ran between .105 inches and .415 inches and .419 inches, which is above the nominal thickness of the plate used at 10 millimeters, which is .34. The heads were also above the nominal thicknesses used. In their calculations, I reverified the calculations, which are included in the package, using the nominal thickness which were less than the actual UT readings. The UT readings were taken by IveyCooper Services, which is a very reputable team. They do a lot of inspection services for TVA and B&W Boilers and such. So KordSa has asked that in the event that they ever need to run this thing above 15 pounds, if they could get a State Special put on it. And that's what we're seeking today. CHAIRMAN MORELOCK: Okay. All right. I'm going to open the floor for questions, comments. While you're kind of thinking about that, let me give you a little bit of history to catch you up. We put Mr. Butler on the spot the last time he was here, asking him questions about operation of the pressure vessel, and thankfully,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	nominal thicknesses. So there's been, as far as we can tell, no corrosion, correct? MR. BUTLER: No, sir. It's a diatherm service. CHAIRMAN MORELOCK: Right. So it's MR. BUTLER: It's not corrosive. CHAIRMAN MORELOCK: It's a non-corrosive service. And I guess my only question would be, so if you want to go above 15 pounds with this Tennessee Special, are you going to maintain the nameplate ratings that the original manufacturer put on the vessel? Is that what you're seeking? MR. BUTLER: Yes, sir. That's what they're asking for. CHAIRMAN MORELOCK: Okay. So the maximum level working pressures, the maximum allowable temperatures and all of that are they're on the manufacturer's nameplate. That's MR. BUTLER: That CHAIRMAN MORELOCK: what would be listed for the Tennessee Special, correct? MR. BUTLER: Yes, sir.

	Page 73		Page 75
1.	you did your calc, did you do it on 10 millimeters	1.	CHAIRMAN MORELOCK: Okay. Do I have
2.	or 12?	2.	a motion to accept this vessel as a Tennessee
3.	CHAIRMAN MORELOCK: I did it on 10.	3.	Special?
4.	MR. ROBINSON: Perhaps I'm looking at	4.	DR. JOHNSON: So moved.
5.	this wrong. I don't know.	5.	CHAIRMAN MORELOCK: Okay. I have a
6.	CHAIRMAN MORELOCK: I did the heads	6.	motion. I guess, a question for Mr. Chapman is:
7.	on eight. Well, and if it's thicker, that's even	7.	The vessel is in operation at pressures under 15
8.	better, right?	8.	psig, so prior to KordSa putting the vessel into
9.	MR. ROBINSON: Well, you did it on	9.	service at a higher pressure, the State would need
10.	10.	10.	to you would you'd need to come to the State
11.	CHAIRMAN MORELOCK: Right.	11.	and comply with any inspections or anything before
12.	MR. ROBINSON: Okay.	12.	you would put that into higher pressure service, as
13.	CHAIRMAN MORELOCK: But it's a	13.	well as registration with the State of Tennessee, a
14.	cylinder, so	14.	certificate inspection for operation and all that
15.	MR. ROBINSON: Great, 394.	15.	and proper relief devices.
16.	CHAIRMAN MORELOCK: Yeah.	16.	MR. BUTLER: All right.
17.	MR. ROBINSON: Okay.	17.	CHAIRMAN MORELOCK: So just wanted to
18.	CHAIRMAN MORELOCK: Yeah.	18.	make that clear. Okay.
19.	MR. ROBINSON: Okay.	19.	MS. BENNETT: Did you ask about
20.	CHAIRMAN MORELOCK: Yeah.	20.	conflict?
21.	MR. ROBINSON: Okay.	21.	CHAIRMAN MORELOCK: Yes. And before
22.	CHAIRMAN MORELOCK: So I mean,	22.	we vote, is there a conflict of interest on this
23.	it's and even the internal coil, which is a	23.	item? All right. So I'm going to call for the
24.	five-inch coil, which by ASME rules would you	24.	question. All in favor, say "aye".
25.	could call exempt, because it's less than six inches	25.	DR. JOHNSON: Aye.
	•		·
	Page 74		Page 76
1.	Page 74 in diameter. But it was included in all the	1.	Page 76 MR. ROBINSON: Ave.
1. 2.	in diameter. But it was included in all the	1. 2.	MR. ROBINSON: Aye.
1. 2. 3.	-	1. 2. 3.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye.
2.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well.	2.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed?
2. 3.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs.	2. 3.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye.
2. 3. 4.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well.	2. 3. 4.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel
2. 3. 4. 5.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so	2. 3. 4. 5.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the
2. 3. 4. 5. 6.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's	2. 3. 4. 5. 6.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee.
2. 3. 4. 5. 6. 7.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good.	2. 3. 4. 5. 6. 7.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you.
2. 3. 4. 5. 6. 7. 8.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good.	2. 3. 4. 5. 6. 7. 8.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay.
2. 3. 4. 5. 6. 7. 8. 9.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay.	2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a
2. 3. 4. 5. 6. 7. 8. 9.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a	2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're
2. 3. 4. 5. 6. 7. 8. 9. 10.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure.	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.)
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have to go through the Boiler Unit Chief Inspector. Any	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want to begin by thanking so many people who you know,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have to go through the Boiler Unit Chief Inspector. Any	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want to begin by thanking so many people who you know, obviously, the Board, Carlene, Deborah, Sydne',
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have to go through the Boiler Unit Chief Inspector. Any alterations would have to come before the Board for approval prior to implementing MR. BUTLER: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want to begin by thanking so many people who you know, obviously, the Board, Carlene, Deborah, Sydne', Mr. Bailey
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have to go through the Boiler Unit Chief Inspector. Any alterations would have to come before the Board for approval prior to implementing	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want to begin by thanking so many people who you know, obviously, the Board, Carlene, Deborah, Sydne', Mr. Bailey MR. ROBINSON: And Mark. CHAIRMAN MORELOCK: There's Mark, Mr. Finks, all those that commented. This has been
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have to go through the Boiler Unit Chief Inspector. Any alterations would have to come before the Board for approval prior to implementing MR. BUTLER: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want to begin by thanking so many people who you know, obviously, the Board, Carlene, Deborah, Sydne', Mr. Bailey MR. ROBINSON: And Mark. CHAIRMAN MORELOCK: There's Mark, Mr. Finks, all those that commented. This has been a pretty big effort to take our rules and actually
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have to go through the Boiler Unit Chief Inspector. Any alterations would have to come before the Board for approval prior to implementing MR. BUTLER: Right. CHAIRMAN MORELOCK: those	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want to begin by thanking so many people who you know, obviously, the Board, Carlene, Deborah, Sydne', Mr. Bailey MR. ROBINSON: And Mark. CHAIRMAN MORELOCK: There's Mark, Mr. Finks, all those that commented. This has been a pretty big effort to take our rules and actually make them more user friendly and more informative.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	in diameter. But it was included in all the documentation. There are calculations for the coil, as well. MR. ROBINSON: I believe your calcs. CHAIRMAN MORELOCK: And 4500 psi, so it's MR. ROBINSON: It's good. CHAIRMAN MORELOCK: It's good. MR. ROBINSON: Okay. MR. BUTLER: Right. It's actually a pumped pressure. CHAIRMAN MORELOCK: Yeah. Yeah. And of course, you and KordSa both understand the you know, the requirements of a Tennessee Special as far as repairs and alterations. MR. BUTLER: Correct. CHAIRMAN MORELOCK: Okay. I'll have to go through the Boiler Unit Chief Inspector. Any alterations would have to come before the Board for approval prior to implementing MR. BUTLER: Right. CHAIRMAN MORELOCK: those alterations. Okay. Any other questions or	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? All right. This vessel will be classified as a Tennessee Special with the State of Tennessee. MR. BUTLER: Thank you. CHAIRMAN MORELOCK: Thank you. Okay. I have 10:14. So would everybody like just a 10-minute break to stretch your legs? Because we're getting ready to dive into Rule 800-03-03. So take about 10 minutes and we'll reconvene at 10:25. (Recess observed.) CHAIRMAN MORELOCK: Alrighty. Our next item is 15-20, and this item is for the reorganization of Rule 0800-03-03. And I just want to begin by thanking so many people who you know, obviously, the Board, Carlene, Deborah, Sydne', Mr. Bailey MR. ROBINSON: And Mark. CHAIRMAN MORELOCK: There's Mark, Mr. Finks, all those that commented. This has been a pretty big effort to take our rules and actually

	Page 77		Page 79
1.	product. And our action here today is just to look	1.	pressure of standard boilers shall in no case
2.	over this draft, provide two more comments, and seek	2.	exceed the pressure indicated by the
3.	the Board's approval	3.	manufacturer's identification and actually,
4.	MR. ROBINSON: Correct.	4.	believe it or not, "stamped" is the correct
5.	CHAIRMAN MORELOCK: to pursue the	5.	word or cast onto the boiler or a plate secured
6.	rulemaking process. So it's not you know, if we	6.	to it.
7.	vote for it today, it's not going to be on the	7.	So Section 1 and Section 4 will allow
8.	street tomorrow; it's still got to go through the	8.	you to actually emboss or stamp. Instead of
9.	rulemaking process. So this is just to further that	9.	having a plate, you can actually stamp it right
10.	on down the road.	10.	into the pressure boundary as long as it doesn't
11.	So you should have a copy of the	11.	create a stress riser or a problem with the
12.	October 27, 2015 draft of that. And on top of	12.	vessel. So the identification truly is "stamped"
13.	that, you've got some review comments from	13.	into that. So that word will stay.
14.	Mr. Bailey. And all the Board comments were	14.	MR. ROBINSON: Mr. Chairman.
15.	incorporated into this 10-27-2015 draft before it	15.	CHAIRMAN MORELOCK: Yes.
16.	was sent out. So we should have addressed all the	16.	MR. ROBINSON: Question for you.
17.	Board comments.	17.	That word there
18.	So to begin with Mr. Bailey's	18.	CHAIRMAN MORELOCK: Yes. When you
19.	comments from his October 29th e-mail, he had some	19.	get to "boiler," what you're seeing is is if you
20.	excellent comments, and I will just go through	20.	looked at it in color, that parentheses after
21.	those first. So Mr. Bailey's first comment on	21.	"boiler" was stricken out with a red strike-through,
22.	page five, he stated there's a missing quotation	22.	so that does need to be removed from the draft. So
23.	mark on "nonstandard boilers and pressure	23.	you're correct. So
24.	vessels." And if you look on page five, those	24.	MR. BAUGHMAN: What is that again?
25.	first set of italics are missing. So I do agree	25.	CHAIRMAN MORELOCK: So after "boiler"
	Page 78		Page 80
1.	Page 78 with that comment. And so we that's an	1.	Page 80 in the third line, that comma needs to be removed.
1. 2.	-	1. 2.	-
1	with that comment. And so we that's an	1	in the third line, that comma needs to be removed.
2.	with that comment. And so we that's an editorial change we can make.	2.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on
2. 3.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or	2. 3.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure?
2. 3. 4.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment	2. 3. 4.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six.
2. 3. 4. 5.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing"	2. 3. 4. 5.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26.
2. 3. 4. 5. 6.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly.	2. 3. 4. 5. 6.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six.
2. 3. 4. 5. 6. 7.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says,	2. 3. 4. 5. 6. 7.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma
2. 3. 4. 5. 6. 7. 8.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit	2. 3. 4. 5. 6. 7. 8.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line
2. 3. 4. 5. 6. 7. 8. 9.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a	2. 3. 4. 5. 6. 7. 8. 9.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be
2. 3. 4. 5. 6. 7. 8. 9.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other	2. 3. 4. 5. 6. 7. 8. 9.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So
2. 3. 4. 5. 6. 7. 8. 9. 10.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the	2. 3. 4. 5. 6. 7. 8. 9. 10.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: the fourth
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be removed and stricken from the draft. And so I do agree with that. On page 26, subparagraph 1,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: the fourth line after 160 psig
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be removed and stricken from the draft. And so I do agree with that.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: the fourth line after 160 psig MR. ROBINSON: Psig.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be removed and stricken from the draft. And so I do agree with that. On page 26, subparagraph 1,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: the fourth line after 160 psig MR. ROBINSON: Psig. CHAIRMAN MORELOCK: is the same way. So and in Item MR. ROBINSON: 4A.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be removed and stricken from the draft. And so I do agree with that. On page 26, subparagraph 1, Mr. Bailey's comment was, it looks to me like the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: the fourth line after 160 psig MR. ROBINSON: Psig. CHAIRMAN MORELOCK: is the same way. So and in Item
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be removed and stricken from the draft. And so I do agree with that. On page 26, subparagraph 1, Mr. Bailey's comment was, it looks to me like the word "stamped" should be "stamp" to read correctly. And when you read that, it says, for	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: the fourth line after 160 psig MR. ROBINSON: Psig. CHAIRMAN MORELOCK: is the same way. So and in Item MR. ROBINSON: 4A. CHAIRMAN MORELOCK: three after 15 psig, should be the same way. And so there and
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	with that comment. And so we that's an editorial change we can make. On page 14, you see on Item or paragraph subparagraph 8E, Mr. Bailey's comment was, it looks to me like the word "providing" should be "provided" to read correctly. So if you read that, 8E, it says, when the contents of the pressure vessel prohibit contamination by any other medium or when a pressure vessel test is not possible, other testing media may be used provided the precautionary requirements of the applicable section of the NBIC are followed. So I do agree with that editorial change. On page 20, subparagraph 11a is a typo and we just got too many S's in that sentence. So the two SS's that they need to be removed and stricken from the draft. And so I do agree with that. On page 26, subparagraph 1, Mr. Bailey's comment was, it looks to me like the word "stamped" should be "stamp" to read correctly.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	in the third line, that comma needs to be removed. MS. JEFFERSON: What page are you on just to be sure? MR. ROBINSON: Twenty-six. CHAIRMAN MORELOCK: Page 26. MR. BAILEY: Twenty-six. CHAIRMAN MORELOCK: So that comma between "boiler" and "or," that little black line should be a red line where it was should be stricken out. So that comma should be removed. So that's that is correct. And honestly, if you there's a lot of cleanup like that. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: In paragraph two MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: the fourth line after 160 psig MR. ROBINSON: Psig. CHAIRMAN MORELOCK: is the same way. So and in Item MR. ROBINSON: 4A. CHAIRMAN MORELOCK: three after 15

	Page 81			Page 83
1.	the periods have been removed. So in 4A, 4B, those	1.	see, let's go to 7 paragraph A7 first:	- 1.81 31
2.	need to be stricken, as well.	2.	Change of ownership including the date the	
3.	And so so to capture all that, it	3.	historic boiler changed hands and to whom.	
4.	would be the comma in one, the period in two after	4.	And Mr. Bailey's comment is to change	
5.	160 psi, and three, the period after 15 psi. In	5.	the word "hands" to "ownership". And just for	
6.	4A, a period after 15 psi and 30 psi.	6.	information, we have a form on the State on the	
7.	MR. ROBINSON: Yes.	7.	Boiler Unit web page for what is called a	
8.	CHAIRMAN MORELOCK: And 4B, the	8.	secondhand boiler or pressure vessel. So	
9.	period after 15 psi and 30 psi. So that would get	9.	"changing hands" is old words that have probably	
10.	all those.	10.	been in the in rule ever since it was	
11.	MR. BAUGHMAN: And at the top of the	11.	written. So I don't have a problem with changing	
12.	page also, starting from the top down.	12.	"hands" to "ownership". I think that's fine.	
13.	CHAIRMAN MORELOCK: Yes, at 100 psi.	13.	And then the same as in paragraph 7C;	
14.	MR. BAUGHMAN: 100 psi under C and	14.	the current wording is: In the event that the	
15.	the same under D.	15.	historic boiler changes hands, the new owner shall	
15. 16.		16.		
16. 17.	CHAIRMAN MORELOCK: And D. So yeah.	17.	receive all original operational logs, initial and supplemental, from the previous owner.	
17. 18.	Okay. So I think that's got those cleaned up. Mr. Bailey's next comment is on page	18.	• • • • • • • • • • • • • • • • • • • •	
18. 19.	29, subparagraph D looks misaligned.	19.	And Mr. Bailey's suggested revision is: In the event that ownership of the historic	
19. 20.	And it could be if you compare it to	20.	boiler changes, the new owner shall receive all	
		1		
21.22.	C above. So that's a formatting that's a	21. 22.	original operational logs, initial and	
	formatting comment that we need to look at.	1	supplemental, from the previous owner.	
23.	And on page 31, another misalignment	23.	And I accept that change, as well.	
24.	concern. However, on that one, for paragraph A,	24.	So does the Board accept those changes?	
25.	it is in a line with B, C, and D that you see at	25.	MR. ROBINSON: Yes.	
	Page 82	-		Page 84
1.	the top of the A, B, C, and D at the top of the	1.	CHAIRMAN MORELOCK: Okay.	C
2.	page, so I think A is should be in the right	2.	MR. ROBINSON: Yes.	
3.	place because it is indented from the numerical	3.	MR. BAUGHMAN: Yes.	
4.	paragraphs.	4.	CHAIRMAN MORELOCK: All right.	
5.	MR. FINKS: Could you repeat	5.	Now and that's the extent of Mr. Bailey's	
6.	MR. BAILEY: I'm talking about A at	6.	comments. So I think we've addressed those. Do you	l
7.	the top of the page.	7.	have any more, Mr. Bailey? Is that	
8.	CHAIRMAN MORELOCK: Oh, A at the top	8.	MR. BAILEY: No, sir.	
9.	of the page. Yeah, I agree with that one.	9.	CHAIRMAN MORELOCK: Okay. Good.	
10.	MR. BAILEY: Yeah.	10.	MR. FINKS: Is there one on page 29?	
11.	CHAIRMAN MORELOCK: Yes.	11.	Did you going back, did you have one on page 29	
12.	MR. FINKS: And could you	12.	that a misalignment?	
13.	CHAIRMAN MORELOCK: I do agree with	13.	MR. BAILEY: Yes.	
13. 14.	that.	14.	CHAIRMAN MORELOCK: Yes.	
14. 15.	MR. FINKS: repeat those, please?	15.	MR. FINKS: Which one?	
15. 16.	MR. ROBINSON: Sir?	16.	CHAIRMAN MORELOCK: At the bottom.	
16. 17.		1		
	MR. FINKS: Mr. Chairman, could you	17.	paragraph D.	
18.	repeat those, please?	18.	MR. FINKS: Okay.	
19.	CHAIRMAN MORELOCK: Yes. Okay. So	19.	MR. BAILEY: It's a formatting	
20.	on page 31, it is A at the top of the page that is	20.	MR. FINKS: Oh, okay. Paragraph D on	
21.	indented too far. It needs to be brought back in	21.	page 29.	
22.	line with B, C, and D. So yeah, you're correct.	22.	CHAIRMAN MORELOCK: Yes.	
23.	Okay. Then on page 33, Mr. Bailey	23.	MR. FINKS: Okay. Thank you.	
	has a suggested rewording of a sentence in 7C.	24.	CHAIRMAN MORELOCK: You're very	
24.		25.	welcome.	
	And the sentence currently reads well, let's	23.	welcome.	

	Page 85		Page 8	87
1.	Okay. Now, with that said, I'm going	1.	DR. JOHNSON: These are just	0,
2.	to open the floor for now that you've had a	2.	CHAIRMAN MORELOCK: Yeah.	
3.	chance to look at the draft, are there any other	3.	DR. JOHNSON: because of	
4.	comments before we vote to	4.	justification.	
5.	MR. ROBINSON: Page 32.	5.	MR. ROBINSON: From the printing?	
6.	CHAIRMAN MORELOCK: to send this	6.	CHAIRMAN MORELOCK: Yes.	
7.	on to the Boiler Unit really to finally to do	7.	MR. ROBINSON: Very good. Okay.	
8.	some final cleanup and then pursue the rulemaking	8.	DR. JOHNSON: Yeah. Yeah.	
9.	process. So Mr. Robinson, on page 32.	9.	CHAIRMAN MORELOCK: Because it	
10.	MR. ROBINSON: Chief just pointed out	10.	because Dr. Johnson's correct. You've got left and	
11.	to me, paragraph 3	11.	right justification to have nice, clean margins on	
12.	CHAIRMAN MORELOCK: Okay.	12.	both sides.	
13.	MR. ROBINSON: that he	13.	DR. JOHNSON: Yeah.	
14.	CHAIRMAN MORELOCK: Okay.	14.	MR. ROBINSON: Okay. That makes	
15.	MR. ROBINSON: Second sentence, "the	15.	sense.	
16.	calculations". Extra space.	16.	DR. JOHNSON: That's what they've	
17.	CHAIRMAN MORELOCK: Let's see.	17.	done.	
18.	Three	18.	CHAIRMAN MORELOCK: So we'll leave	
19.	MR. BAILEY: Thirty-two.	19.	that up to	
20.	CHAIRMAN MORELOCK: Page 32.	20.	DR. JOHNSON: The computer figures	
21.	MR. ROBINSON: Page 32, paragraph 3A.	21.	out where the	
22.	CHAIRMAN MORELOCK: 3A.	22.	CHAIRMAN MORELOCK: Right.	
23.	MR. ROBINSON: The second sentence.	23.	DR. JOHNSON: best place	
24.	The calculations and ultrasonic testing	24.	CHAIRMAN MORELOCK: That's right.	
25.	CHAIRMAN MORELOCK: Oh, okay.	25.	DR. JOHNSON: is to make the	
1				
	Page 86		Page 8	88
1.	Page 86 Between "operate" and well, there's a big space	1.	Page 8 adjustment.	88
1. 2.	_	1. 2.	-	88
1	Between "operate" and well, there's a big space	1	adjustment.	88
2.	Between "operate" and well, there's a big space between that might be for formatting, though.	2.	adjustment. CHAIRMAN MORELOCK: But still good	88
2. 3.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is.	2. 3.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else?	88
2. 3. 4.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an	2. 3. 4.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have.	88
2. 3. 4. 5.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right?	2. 3. 4. 5.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I	88
2. 3. 4. 5. 6.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir.	2. 3. 4. 5. 6.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler	88
2. 3. 4. 5. 6. 7.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right.	2. 3. 4. 5. 6. 7.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a	88
2. 3. 4. 5. 6. 7. 8.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one	2. 3. 4. 5. 6. 7. 8.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct?	88
2. 3. 4. 5. 6. 7. 8. 9.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second	2. 3. 4. 5. 6. 7. 8. 9.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so.	88
2. 3. 4. 5. 6. 7. 8. 9.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard"	2. 3. 4. 5. 6. 7. 8. 9.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf.	88
2. 3. 4. 5. 6. 7. 8. 9. 10.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be	2. 3. 4. 5. 6. 7. 8. 9. 10.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay.	88
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir.	88
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a	88
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit	88
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll	888
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then	888
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure. DR. JOHNSON: justified.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then I'll send it to the Boiler Unit.	888
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure. DR. JOHNSON: justified. CHAIRMAN MORELOCK: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then I'll send it to the Boiler Unit. MR. FINKS: Do	888
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure. DR. JOHNSON: justified. CHAIRMAN MORELOCK: Right. DR. JOHNSON: So these are going to be variable.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then I'll send it to the Boiler Unit. MR. FINKS: Do CHAIRMAN MORELOCK: And then yes?	88
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure. DR. JOHNSON: justified. CHAIRMAN MORELOCK: Right. DR. JOHNSON: So these are going to	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then I'll send it to the Boiler Unit. MR. FINKS: Do CHAIRMAN MORELOCK: And then yes? MR. FINKS: Do you also have a red	888
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure. DR. JOHNSON: justified. CHAIRMAN MORELOCK: Right. DR. JOHNSON: So these are going to be variable. CHAIRMAN MORELOCK: It may not be an	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then I'll send it to the Boiler Unit. MR. FINKS: Do CHAIRMAN MORELOCK: And then yes? MR. FINKS: Do you also have a red line draft with those? That would be helpful, too,	888
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure. DR. JOHNSON: justified. CHAIRMAN MORELOCK: Right. DR. JOHNSON: So these are going to be variable. CHAIRMAN MORELOCK: It may not be an extra space. It may just be	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then I'll send it to the Boiler Unit. MR. FINKS: Do CHAIRMAN MORELOCK: And then yes? MR. FINKS: Do you also have a red line draft with those? That would be helpful, too, if you do have	888
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	Between "operate" and well, there's a big space between that might be for formatting, though. MR. ROBINSON: It is. CHAIRMAN MORELOCK: So there's an extra space between "the calculations", right? MR. ROBINSON: Yes, sir. CHAIRMAN MORELOCK: Okay. All right. MR. ROBINSON: And there's also one at paragraph 5. I'm sorry, yeah, 5A, second sentence, "nontraditional nonstandard" CHAIRMAN MORELOCK: To be MR. ROBINSON: A CHAIRMAN MORELOCK: To be honest, I don't know, because you're DR. JOHNSON: Since left and right MR. ROBINSON: Sure. DR. JOHNSON: justified. CHAIRMAN MORELOCK: Right. DR. JOHNSON: So these are going to be variable. CHAIRMAN MORELOCK: It may not be an extra space. It may just be DR. JOHNSON: I don't think it is.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	adjustment. CHAIRMAN MORELOCK: But still good comments. What else? MR. ROBINSON: That's all I have. CHAIRMAN MORELOCK: So what I perceive doing is, I will supply this to the Boiler Unit, the draft, and I believe I sent that out as a pdf; is that correct? DR. JOHNSON: I think so. MR. FINKS: It was a pdf. CHAIRMAN MORELOCK: Okay. MR. FINKS: Yes, sir. CHAIRMAN MORELOCK: So I will send a Word native file that can that the Boiler Unit can have to clean it up; I'll send that. And I'll send the I'll make these corrections and then I'll send it to the Boiler Unit. MR. FINKS: Do CHAIRMAN MORELOCK: And then yes? MR. FINKS: Do you also have a red line draft with those? That would be helpful, too, if you do have CHAIRMAN MORELOCK: Okay. Now, I do,	888

	Page 89		Page 91
1.	MR. FINKS: Right.	1.	MR. BAUGHMAN: Another one.
2.	CHAIRMAN MORELOCK: And so yes.	2.	CHAIRMAN MORELOCK: Yes.
3.	We do have a red line draft. This shows all the	3.	MR. BAUGHMAN: On page eight at the
4.	reorganization and the addition of the code	4.	top, Section 5, Exemptions, it says "potable" and
5.	paragraphs. So yes, we do have that.	5.	then "hot water heaters." And it looks like "hot"
6.	MR. FINKS: Okay.	6.	has got a
7.	MR. BAILEY: I don't think it's a	7.	CHAIRMAN MORELOCK: Right. And
8.	clean draft.	8.	that's that would have been a red strikethrough.
9.	MR. FINKS: Right. Right.	9.	MR. BAUGHMAN: Okay.
10.	MR. BAILEY: It's got comment	10.	CHAIRMAN MORELOCK: So actually, I
11.	sections and stuff like that.	11.	could leave that for the draft.
12.	CHAIRMAN MORELOCK: It does. It	12.	MR. BAUGHMAN: Yeah.
13.	does.	13.	CHAIRMAN MORELOCK: For the red line
14.	MR. BAILEY: Yeah.	14.	draft.
15.	CHAIRMAN MORELOCK: So we can remove	15.	MR. BAUGHMAN: Okay.
16.	the comments, but	16.	CHAIRMAN MORELOCK: So I'll just need
17.	MR. BAILEY: If we could get a clean	17.	to print a color copy of that or send you a color
18.	red line draft, that would be very helpful.	18.	version of it. But that's true. Okay. Anything
19.	CHAIRMAN MORELOCK: Okay.	19.	else?
20.	MR. BAILEY: Yeah.	20.	MR. ROBINSON: Just one observation,
21.	CHAIRMAN MORELOCK: Okay. I will	21.	Mr. Chairman.
22.	I'm trying to think if I could if I've got time	22.	CHAIRMAN MORELOCK: Yes.
23.	to put that together.	23.	MR. ROBINSON: Deborah Rhone sent out
24.	MR. FINKS: Through the rule	24.	a memo regarding
25.	CHAIRMAN MORELOCK: I'll work on	25.	CHAIRMAN MORELOCK: But that doesn't
-		₩	
	Page 90		Page 92
1.	that.	1.	pertain to this draft at all. Because I Deborah
2.	that. MR. FINKS: Through the rulemaking	2.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is
2. 3.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all	2. 3.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all.
2. 3. 4.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes	2. 3. 4.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay.
2. 3. 4. 5.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay.	2. 3. 4. 5.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I
2. 3. 4. 5. 6.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the	2. 3. 4. 5. 6.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question.
2. 3. 4. 5. 6. 7.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track	2. 3. 4. 5. 6. 7.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good.
2. 3. 4. 5. 6. 7. 8.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes.	2. 3. 4. 5. 6. 7. 8.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses
2. 3. 4. 5. 6. 7. 8. 9.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes	2. 3. 4. 5. 6. 7. 8. 9.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office.
2. 3. 4. 5. 6. 7. 8. 9.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right.	2. 3. 4. 5. 6. 7. 8. 9.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use	2. 3. 4. 5. 6. 7. 8. 9. 10.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add Mr. Bailey's comments and take out the discussion	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any CHAIRMAN MORELOCK: What page?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add Mr. Bailey's comments and take out the discussion and that should be I'll send that to you.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add Mr. Bailey's comments and take out the discussion	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any CHAIRMAN MORELOCK: What page? MR. BAUGHMAN: I'm sorry, page 12.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add Mr. Bailey's comments and take out the discussion and that should be I'll send that to you. MR. FINKS: Okay. That'll be	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any CHAIRMAN MORELOCK: What page? MR. BAUGHMAN: I'm sorry, page 12. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add Mr. Bailey's comments and take out the discussion and that should be I'll send that to you. MR. FINKS: Okay. That'll be CHAIRMAN MORELOCK: Okay?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any CHAIRMAN MORELOCK: What page? MR. BAUGHMAN: I'm sorry, page 12. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: All right. Two,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add Mr. Bailey's comments and take out the discussion and that should be I'll send that to you. MR. FINKS: Okay. That'll be CHAIRMAN MORELOCK: Okay? MR. FINKS: very have helpful.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any CHAIRMAN MORELOCK: What page? MR. BAUGHMAN: I'm sorry, page 12. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: All right. Two, Frequency of Inspections. Do we need to make
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	that. MR. FINKS: Through the rulemaking process, we have to have a red line draft with all of the changes CHAIRMAN MORELOCK: Okay. MR. FINKS: that and all of the rules that we and they can't be the track CHAIRMAN MORELOCK: Changes. MR. FINKS: changes CHAIRMAN MORELOCK: Right. MR. FINKS: because they don't use the track changes function on the computer program. It's just got to be a red line through what's marked out in red and what's inserted in red. So anything that you could do to provide help us with that. CHAIRMAN MORELOCK: What I'll do is I'll take Sydney's last revision and then I'll add Mr. Bailey's comments and take out the discussion and that should be I'll send that to you. MR. FINKS: Okay. That'll be CHAIRMAN MORELOCK: Okay? MR. FINKS: very have helpful.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	pertain to this draft at all. Because I Deborah and I talked yesterday and that does not this is not comments for this draft at all. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: So because I had the same question. MR. ROBINSON: Very good. CHAIRMAN MORELOCK: That's responses that the Boiler Unit has made back to that office. MR. ROBINSON: Very good. Okay. CHAIRMAN MORELOCK: So we're good on that. MR. ROBINSON: Okay. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: On paragraph (sic) 12 under Section 2, Frequency of Inspections, we don't have to put any CHAIRMAN MORELOCK: What page? MR. BAUGHMAN: I'm sorry, page 12. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: All right. Two, Frequency of Inspections. Do we need to make notation of the possibility of a variance to that or

	Page 93		Page 95
1.	CHAIRMAN MORELOCK: Well	1.	Sydne' being a key, key player in putting that into
2.	MR. BAUGHMAN: Does there need to	2.	the correct format that Mr. Finks was talking about
3.	be	3.	for the rule making process. So she did every bit
4.	CHAIRMAN MORELOCK: If you read	4.	of that. So it was just a great effort.
5.	68-122-110, it discusses the variances.	5.	MR. BAUGHMAN: Good team effort.
6.	MR. BAUGHMAN: Okay. Very good.	6.	CHAIRMAN MORELOCK: Okay. All right.
7.	CHAIRMAN MORELOCK: And that way, you	7.	So moving along, that concludes all of our voted
8.	don't have that information in two different places.	8.	actions. So moving into Item 8 for open discussion
9.	MR. BAUGHMAN: Super.	9.	items.
10.	CHAIRMAN MORELOCK: Yeah. Because	10.	Our first item is we've got some
11.	that was just updated with a recent Act for the	11.	reappointments coming due in 2016, myself being
12.	extension of the boiler internal inspection	12.	included in that, and I have submitted
13.	variances.	13.	application, resume and the Department of Labor
14.	MR. BAUGHMAN: Okay.	14.	appointment application. I submitted that in June
15.	CHAIRMAN MORELOCK: And it's got a	15.	of this year to the Boiler Unit. So they have
16.	blanket statement in that new paragraph. I believe	16.	that. Dr. Canonico, I don't know what his status
17.	it's G, paragraph G.	17.	is on that right now. I need to follow up with
18.	MR. BAUGHMAN: Very good. Thank you.	18.	him.
19.	CHAIRMAN MORELOCK: Okay. Anything	19.	And Dr. Johnson is his expiration
20.	else? All right. Hearing none, do I have a motion	20.	date is also in 2016. So we will update the
21.	to accept this draft as noted with comments from the	21.	Boiler Unit and the Board as to how all that's
22.	Board and from Mr. Bailey to approve it for the	22.	coming together. Just remember, we need to get
23.	for us to issue a red line copy and a clean copy to	23.	that paperwork in as quickly as possible,
24.	the Boiler Unit so they can pursue the rulemaking	24.	preferably. Now is the ideal time to give the
25.	process?	25.	Governor's Office time to pull all that together.
	· ·		2
1			
	Page 94		Page 96
1.	Page 94 MR. BAUGHMAN: So moved.	1.	Page 96 But would a reasonable deadline be by the March
1. 2.	MR. BAUGHMAN: So moved.	1. 2.	But would a reasonable deadline be by the March
1. 2. 3.	_	1. 2. 3.	-
2.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second.	2.	But would a reasonable deadline be by the March meeting? Is that something we is that too late
2. 3.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other	2. 3.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that
2. 3. 4. 5.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance.	2. 3. 4.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or
2. 3. 4.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right?	2. 3. 4. 5.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah.
2. 3. 4. 5. 6.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time.	2. 3. 4. 5. 6.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about
2. 3. 4. 5. 6. 7.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right?	2. 3. 4. 5. 6. 7.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah.
2. 3. 4. 5. 6. 7. 8.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question.	2. 3. 4. 5. 6. 7. 8.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient,
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye".	2. 3. 4. 5. 6. 7. 8. 9.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye.	2. 3. 4. 5. 6. 7. 8. 9.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh.
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye.	2. 3. 4. 5. 6. 7. 8. 9. 10.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done the first quarter of next year.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens. MS. JEFFERSON: And what we'll do,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done the first quarter of next year. MR. BAUGHMAN: Good job, by the way.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens. MS. JEFFERSON: And what we'll do, Mr. Chairman, we'll send I know Carlene's been
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done the first quarter of next year. MR. BAUGHMAN: Good job, by the way. CHAIRMAN MORELOCK: Well, it's not	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens. MS. JEFFERSON: And what we'll do, Mr. Chairman, we'll send I know Carlene's been really good at this. She'll send information to the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done the first quarter of next year. MR. BAUGHMAN: Good job, by the way. CHAIRMAN MORELOCK: Well, it's not MR. BAUGHMAN: On your part.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens. MS. JEFFERSON: And what we'll do, Mr. Chairman, we'll send I know Carlene's been really good at this. She'll send information to the Board members letting them know what we need. So we
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done the first quarter of next year. MR. BAUGHMAN: Good job, by the way. CHAIRMAN MORELOCK: Well, it's not MR. BAUGHMAN: On your part. CHAIRMAN MORELOCK: There's a ton of	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens. MS. JEFFERSON: And what we'll do, Mr. Chairman, we'll send I know Carlene's been really good at this. She'll send information to the Board members letting them know what we need. So we probably want to go back after this meeting, just
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done the first quarter of next year. MR. BAUGHMAN: Good job, by the way. CHAIRMAN MORELOCK: Well, it's not MR. BAUGHMAN: On your part. CHAIRMAN MORELOCK: There's a ton of people that worked on this. MR. BAUGHMAN: Yeah. CHAIRMAN MORELOCK: A lot of people	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens. MS. JEFFERSON: And what we'll do, Mr. Chairman, we'll send I know Carlene's been really good at this. She'll send information to the Board members letting them know what we need. So we probably want to go back after this meeting, just take a look at what we have outstanding and then just follow up with everyone. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: So moved. CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Second. CHAIRMAN MORELOCK: Okay. Any other questions, comments? Last chance. DR. JOHNSON: Until next time, right? CHAIRMAN MORELOCK: Until next time. Okay. Hearing none, I'm going to call the question. All in favor, say "aye". MR. ROBINSON: Aye. MR. BAUGHMAN: Aye. DR. JOHNSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? And so Ms. Carlene won't get onto me, are there any conflicts of interest? Okay. Very good. I will shoot to have that done the first quarter of next year. MR. BAUGHMAN: Good job, by the way. CHAIRMAN MORELOCK: Well, it's not MR. BAUGHMAN: On your part. CHAIRMAN MORELOCK: There's a ton of people that worked on this. MR. BAUGHMAN: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	But would a reasonable deadline be by the March meeting? Is that something we is that too late or MS. JEFFERSON: Well, I know that they're going to be asking us periodically. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: They ask us about that on a monthly basis. That should be sufficient, but like you said, the earlier CHAIRMAN MORELOCK: Uh-huh. MS. JEFFERSON: we get it in, the better off we are. CHAIRMAN MORELOCK: Okay. All right. So we'll work together to see what all that looks like and we'll advise you as what we know when it happens. MS. JEFFERSON: And what we'll do, Mr. Chairman, we'll send I know Carlene's been really good at this. She'll send information to the Board members letting them know what we need. So we probably want to go back after this meeting, just take a look at what we have outstanding and then just follow up with everyone.

	Page 97	Ι	Page 99
1.	CHAIRMAN MORELOCK: Okay.	1.	CHAIRMAN MORELOCK: Right.
2.	MS. BENNETT: Yes, because actually,	2.	MS. JEFFERSON: Otherwise, they'll
3.	I think that they would like to have it the first	3.	have to provide. So I think that a reasonable time
4.	week of January.	4.	would probably be the end of this month.
5.	CHAIRMAN MORELOCK: Okay.	5.	CHAIRMAN MORELOCK: Okay.
6.	MS. BENNETT: And so I've sent out	6.	MS. JEFFERSON: And if we don't have
7.	some e-mails requesting it be returned no later than	7.	anyone, that's fine. Just let us know and we'll
8.	the end of December	8.	just let the Governor's Office know that we don't
9.	CHAIRMAN MORELOCK: Okay.	9.	we only have one
10.	MS. BENNETT: to me.	10.	CHAIRMAN MORELOCK: Yeah.
11.	CHAIRMAN MORELOCK: Okay.	11.	MS. JEFFERSON: candidate to
12.	MS. BENNETT: So and I did send	12.	submit.
13.	Dr. Canonico one	13.	CHAIRMAN MORELOCK: Well, and I know
14.	CHAIRMAN MORELOCK: Okay.	14.	amongst the Board members, we've been asking for at
15.	MS. BENNETT: for sure.	15.	least six months to come up with two more names, and
16.	CHAIRMAN MORELOCK: Very good.	16.	we just don't have those two names right now. So
17.	MS. BENNETT: And of course, we have	17.	we'll
18.	yours.	18.	MS. JEFFERSON: Okay.
19.	CHAIRMAN MORELOCK: Right.	19.	CHAIRMAN MORELOCK: We've got a
20.	MS. BENNETT: And Mr. Johnson's here,	20.	couple weeks, so we'll just see what happens. Okay?
21.	SO	21.	All right. Our next item is the Fall Conference
22.	MS. JEFFERSON: Can I	22.	Update.
23.	MS. BENNETT: we'll take care of	23.	MS. RHONE: Okay. Regarding the 2016
24.	it.	24.	Boiler Conference Update, with the demand of the
25.	CHAIRMAN MORELOCK: Okay. All right.	25.	safety conference, the boiler safety conference,
	Page 98		Page 100
1.	Page 98 Very good. Okay. So that's our report on that.	1.	Page 100 we're going to seek an events planner. We're in the
1. 2.	-	1. 2.	_
1	Very good. Okay. So that's our report on that.	1	we're going to seek an events planner. We're in the
2.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board.	2.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved
2. 3.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of	2. 3.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner.
2. 3. 4.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or	2. 3. 4.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to
2. 3. 4. 5.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers.	2. 3. 4. 5.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you
2. 3. 4. 5. 6.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been	2. 3. 4. 5. 6.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate
2. 3. 4. 5. 6. 7.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three	2. 3. 4. 5. 6. 7.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of
2. 3. 4. 5. 6. 7. 8.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still	2. 3. 4. 5. 6. 7. 8.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact
2. 3. 4. 5. 6. 7. 8. 9. 10.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position.	2. 3. 4. 5. 6. 7. 8. 9. 10.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide	2. 3. 4. 5. 6. 7. 8. 9.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date.
2. 3. 4. 5. 6. 7. 8. 9. 10.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler	2. 3. 4. 5. 6. 7. 8. 9. 10.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so MS. JEFFERSON: Right. And as	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations. And we are just waiting on the final
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so MS. JEFFERSON: Right. And as Carlene was saying, if we need that by January at	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations. And we are just waiting on the final approval as to whether or not the State has the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so MS. JEFFERSON: Right. And as Carlene was saying, if we need that by January at least, we need to be able to let the Governor's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations. And we are just waiting on the final approval as to whether or not the State has the event planner, and we'll proceed after that.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so MS. JEFFERSON: Right. And as Carlene was saying, if we need that by January at	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations. And we are just waiting on the final approval as to whether or not the State has the event planner, and we'll proceed after that. CHAIRMAN MORELOCK: Okay. Very good.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so MS. JEFFERSON: Right. And as Carlene was saying, if we need that by January at least, we need to be able to let the Governor's Office know whether or not we're going to be able to provide two	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations. And we are just waiting on the final approval as to whether or not the State has the event planner, and we'll proceed after that. CHAIRMAN MORELOCK: Okay. Very good. MS. RHONE: So
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so MS. JEFFERSON: Right. And as Carlene was saying, if we need that by January at least, we need to be able to let the Governor's Office know whether or not we're going to be able to provide two CHAIRMAN MORELOCK: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations. And we are just waiting on the final approval as to whether or not the State has the event planner, and we'll proceed after that. CHAIRMAN MORELOCK: Okay. Very good. MS. RHONE: So CHAIRMAN MORELOCK: So you have
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	Very good. Okay. So that's our report on that. Our next item is also pertaining to Board. Recommendations for the Vacant Position of Representative Boiler of the Boilermakers or Practical Steam Engineer Operating Engineers. Per Tennessee law, we need to have someone to fill that vacancy. Ed Vance had recommended Robert Lunsford, Jr., and so that has been submitted. But the Governor's Office wants three candidates to choose from. And so we are still lacking two candidates for that position. So if you have names, please provide them to me and I'll provide them to the Boiler Unit and to Ms. Jefferson so that we'll have some names. But once we get the names, then we got to ask them, well, do you really want to do this? And if they do, then they need to fill out all the paperwork, so MS. JEFFERSON: Right. And as Carlene was saying, if we need that by January at least, we need to be able to let the Governor's Office know whether or not we're going to be able to provide two	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	we're going to seek an events planner. We're in the process now to seeing if there is a State-approved event planner. However, we're also have been instructed if there is not one, we could, you know, go online or we could pursue trying to research and find an events planner. And of course, they'd have to submit all the appropriate paperwork to get approved by the State of Tennessee. We're going to make initial contact with some of the event planners. We've set a tentative date. Normally, what we do is we have that training for the entire week, so we tentatively set the 19th September 19th through the 23rd where the actual three-day conference would be September 20th through the 22nd. That's where we would have the full conference participations. And we are just waiting on the final approval as to whether or not the State has the event planner, and we'll proceed after that. CHAIRMAN MORELOCK: Okay. Very good. MS. RHONE: So

1	Page 101	T		Page 103
1.	up and stuff for sponsorship and how's that coming	1.	all the different programs that were out there	1 4 5 0 100
2.	along?	2.	within the various states so that we didn't	
3.	MS. RHONE: Well, we're going to find	3.	necessarily have to reinvent the whole wheel. But	
4.	out if that's services that the	4.	I wanted to get an overview of what these states	
5.	CHAIRMAN MORELOCK: Okay.	5.	look like and then also get responses back from	
6.	MS. RHONE: event planner	6.	the booths on the ground; in other words, the	
7.	CHAIRMAN MORELOCK: Okay.	7.	inspectors, different people within the industry,	
8.	MS. RHONE: will provide	8.	to get their feedback on what they think can be	
9.	CHAIRMAN MORELOCK: Okay.	9.	brought to the table so that we can put a program	
10.	MS. RHONE: and we'll go that	10.	together that, number one, will enhance safety	
11.	CHAIRMAN MORELOCK: Okay.	11.	within our boiler operations but will also make it	
12.	MS. RHONE: route.	12.	to where it's not a burden within the State of	
13.	CHAIRMAN MORELOCK: Very good. Any	13.	Tennessee or within the operators themselves and	
14.	other questions?	14.	so that we can present this and make it a viable	
15.	MR. BAUGHMAN: Do we have an idea on	15.	inclusion into our state's boiler operations.	
16.	the venue yet or is that still to be determined	16.	In talking to different industries,	
17.	MS. RHONE: That	17.	one of the concerns is, is this going to be a	
18.	MR. BAUGHMAN: where it will be	18.	hindrance to any industry? Are they going to view	
19.	at?	19.	this as being an added burden? And 100 percent of	
20.	MS. RHONE: In the Nashville area.	20.	the people that I've talked to in the industry	
21.	MR. BAUGHMAN: Okay.	21.	have felt that it would be an enhancement; that	
22.	MS. RHONE: Yeah. We're definitely	22.	they understand what the power of the boiler has	
23.	looking for Nashville.	23.	to it and because of that, they think it's great	
24.	CHAIRMAN MORELOCK: Okay. Anything	24.	that we would have a program that would enhance	
25.	else?	25.	the training of any personnel. And that in	
	Page 102	_		Page 104
	1.02			rage 104
1.	MS. RHONE: Anything else?	1.	itself's good to bring to the table and to be able	Page 104
1. 2.	-	1. 2.	itself's good to bring to the table and to be able to get that feedback. So that's kind of where I'm	rage 104
1	MS. RHONE: Anything else?	1		rage 104
2.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank	2.	to get that feedback. So that's kind of where I'm	rage 104
2. 3.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all	2. 3.	to get that feedback. So that's kind of where I'm presently with it.	rage 104
2. 3. 4.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right.	2. 3. 4.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner.	rage 104
2. 3. 4. 5.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard	2. 3. 4. 5.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that	rage 104
2. 3. 4. 5. 6. 7. 8.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next	2. 3. 4. 5. 6.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its	rage 104
2. 3. 4. 5. 6. 7. 8. 9.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification	2. 3. 4. 5. 6. 7. 8. 9.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for	rage 104
2. 3. 4. 5. 6. 7. 8. 9.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program.	2. 3. 4. 5. 6. 7. 8. 9. 10.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment.	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that	2. 3. 4. 5. 6. 7. 8. 9. 10.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report.	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September.	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the security personnel to training.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September. So our current proposed meeting dates	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the security personnel to training. But what I've been doing presently is	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September. So our current proposed meeting dates for 2016 are March the 9th, which is what we	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the security personnel to training. But what I've been doing presently is going to all the different states that have	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September. So our current proposed meeting dates for 2016 are March the 9th, which is what we originally planned.	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the security personnel to training. But what I've been doing presently is going to all the different states that have certification of boiler operators to one extent or	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September. So our current proposed meeting dates for 2016 are March the 9th, which is what we originally planned. MR. BAILEY: I have a conflict with	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the security personnel to training. But what I've been doing presently is going to all the different states that have certification of boiler operators to one extent or another. Some are to a higher degree; Class 1,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September. So our current proposed meeting dates for 2016 are March the 9th, which is what we originally planned. MR. BAILEY: I have a conflict with March the 9th.	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the security personnel to training. But what I've been doing presently is going to all the different states that have certification of boiler operators to one extent or another. Some are to a higher degree; Class 1, Class 2, Class 3 operators, some less so.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September. So our current proposed meeting dates for 2016 are March the 9th, which is what we originally planned. MR. BAILEY: I have a conflict with March the 9th. CHAIRMAN MORELOCK: Okay.	rage 104
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MS. RHONE: Anything else? CHAIRMAN MORELOCK: Deborah, thank you for all MS. RHONE: All right. CHAIRMAN MORELOCK: this hard work. MS. RHONE: Thank you. CHAIRMAN MORELOCK: Okay. Our next item is Boiler Operator Training and Certification Program. MR. BAUGHMAN: I'll just address that on what update I can bring to the table. And that was good to hear that through Clover Bottom's discussion, too, as far as just even attending to the training of security personnel, which they've got such responsibility and yet it's been lacking in this whole training process. So it's even neat that they've got discussing it and sending any of the security personnel to training. But what I've been doing presently is going to all the different states that have certification of boiler operators to one extent or another. Some are to a higher degree; Class 1,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	to get that feedback. So that's kind of where I'm presently with it. I don't think it's going to this whole process isn't going to be something that we're doing to present in a very quick manner. It's going to be well-thought of and have a lot of input into it by the time it makes its presentation to the Board and to others for comment. CHAIRMAN MORELOCK: Okay. Any questions? All right. Thank you for that progress report. Okay. The next item is 2016 Tennessee Board meetings. And we'd originally set some tentative dates. And working with Deborah Rhone, we're going to alter a couple of those dates in June and September. So our current proposed meeting dates for 2016 are March the 9th, which is what we originally planned. MR. BAILEY: I have a conflict with March the 9th.	rage 104

	Page 105		Page 107
1.	CHAIRMAN MORELOCK: What would you	1.	MS. JEFFERSON: Uh-huh.
2.	propose? Because what we're trying to do is not	2.	MS. BENNETT: Which we might could
3.	have all the boards meeting the same week.	3.	see if Elevators would be able to move.
4.	MR. BAILEY: I mean, the following	4.	MS. JEFFERSON: They've already
5.	week, the 16th, is wide open or the very next day,	5.	MS. BENNETT: They're
6.	the 10th, which would be the Thursday.	6.	MS. JEFFERSON: Their date's already
7.	CHAIRMAN MORELOCK: Well, one of the	7.	solidified.
8.	things I'm seeing, too, I don't know if you all are	8.	MS. BENNETT: Yeah. Okay.
9.	seeing it, but I'm getting calls from people saying,	9.	MS. JEFFERSON: Okay.
10.	I'm going to come to the Board meeting, and I'm	10.	MS. BENNETT: Yeah.
11.	like, well, it's not the first Wednesday. And so	111.	MS. JEFFERSON: Okay. Their date's
12.	there's a lot of people that are showing up on the	12.	already solidified. So what we're trying to do is
13.	wrong days. So we've got to be really consistent	13.	to move it to a different week? Is that what we
14.	about what we're going to do about our meeting.	14.	were originally trying to do?
15.	If we're changing it a lot which I	15.	MS. BENNETT: Uh-huh.
16.	know we do need to make some changes. We just	16.	MS. JEFFERSON: So instead of the
17.	need to be good stewards to the citizens of	17.	March the 9th week, what about the following week?
18.	Tennessee that when we say it's the second	18.	MS. BENNETT: He's saying that's in
19.	Wednesday of the quarter, we're going to own up to	19.	the C week?
20.	it, so	20.	MR. BAUGHMAN: ASME week.
21.	MS. BENNETT: And Brian, for the	21.	MS. BENNETT: ASME
22.	Elevator and Amusement Device Safety Board as well	22.	MR. CHAPMAN: Yeah.
23.	as the Boiler Board, I'm putting these tentative	23.	MS. BENNETT: ASME week.
24.	dates whenever you go onto our website	24.	CHAIRMAN MORELOCK: Now, what
25.	CHAIRMAN MORELOCK: Uh-huh.	25.	what's meeting that week?
			Ç
	Page 106	+	Page 108
1.	Page 106 MS. BENNETT: and you initially	1.	Page 108 MR. BAUGHMAN: I've just got wrote
1. 2.	MS. BENNETT: and you initially	1. 2.	MR. BAUGHMAN: I've just got wrote
1	-		-
2.	MS. BENNETT: and you initially log on, it's going to give those tentative dates.	2.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was
2. 3.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good.	2. 3.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I
2. 3. 4.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever	2. 3. 4.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since
2. 3. 4. 5.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good.	2. 3. 4. 5.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey
2. 3. 4. 5. 6.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have	2. 3. 4. 5. 6.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I
2. 3. 4. 5. 6. 7.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our	2. 3. 4. 5. 6. 7.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet
2. 3. 4. 5. 6. 7. 8.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those.	2. 3. 4. 5. 6. 7. 8.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well
2. 3. 4. 5. 6. 7. 8. 9.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay.	2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being
2. 3. 4. 5. 6. 7. 8. 9.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help.	2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here.
2. 3. 4. 5. 6. 7. 8. 9. 10.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I mean, we could. It's the week of the 14th.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the 2nd?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I mean, we could. It's the week of the 14th. CHAIRMAN MORELOCK: Right. So it	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the 2nd? CHAIRMAN MORELOCK: Now, I think
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I mean, we could. It's the week of the 14th. CHAIRMAN MORELOCK: Right. So it looks like our only available would we want to	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the 2nd? CHAIRMAN MORELOCK: Now, I think ASME the ASME Boiler and Pressure Vessel
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I mean, we could. It's the week of the 14th. CHAIRMAN MORELOCK: Right. So it looks like our only available would we want to move it out to Thursday, March the 10th?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the 2nd? CHAIRMAN MORELOCK: Now, I think ASME the ASME Boiler and Pressure Vessel Committee meeting is in February; it's not March,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I mean, we could. It's the week of the 14th. CHAIRMAN MORELOCK: Right. So it looks like our only available would we want to move it out to Thursday, March the 10th? MS. JEFFERSON: What is the 8th?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the 2nd? CHAIRMAN MORELOCK: Now, I think ASME the ASME Boiler and Pressure Vessel Committee meeting is in February; it's not March, so
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I mean, we could. It's the week of the 14th. CHAIRMAN MORELOCK: Right. So it looks like our only available would we want to move it out to Thursday, March the 10th? MS. JEFFERSON: What is the 8th? MS. BENNETT: The 8th, which is	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the 2nd? CHAIRMAN MORELOCK: Now, I think ASME the ASME Boiler and Pressure Vessel Committee meeting is in February; it's not March, so MR. FINKS: Carlene, are you sure
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MS. BENNETT: and you initially log on, it's going to give those tentative dates. CHAIRMAN MORELOCK: Okay. Good. MS. BENNETT: Whatever CHAIRMAN MORELOCK: Good. MS. BENNETT: So that way, we'll have it throughout the year and anybody who visits our site can see those. CHAIRMAN MORELOCK: Okay. MS. BENNETT: So that may help. CHAIRMAN MORELOCK: It will. Okay. So you're thinking March the 10th or March the 16th, right? Okay. MR. BAILEY: Right. Yeah. CHAIRMAN MORELOCK: So MR. BAUGHMAN: Yeah. I guess, I mean, we could. It's the week of the 14th. CHAIRMAN MORELOCK: Right. So it looks like our only available would we want to move it out to Thursday, March the 10th? MS. JEFFERSON: What is the 8th? MS. BENNETT: The 8th, which is Tuesday, the 8th. And that's one of the reasons why	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: I've just got wrote down in here that's the ASME code week, so that was going down and I MS. JEFFERSON: Okay. Well, since Mr. Bailey MR. BAILEY: Yeah, Mr. Chairman, I mean, you all can meet CHAIRMAN MORELOCK: Okay. Well MR. BAILEY: without me being here. CHAIRMAN MORELOCK: we want to try to accommodate, though. We don't want to MR. BAILEY: I was just pointing it out. CHAIRMAN MORELOCK: Let's see. MS. BENNETT: How about March the 2nd? CHAIRMAN MORELOCK: Now, I think ASME the ASME Boiler and Pressure Vessel Committee meeting is in February; it's not March, so MR. FINKS: Carlene, are you sure that the Elevator meeting is not March the not

	Page 109			Page 111
1.	MS. BENNETT: It's	1.	no other conflicts.	rage III
2.	MR. FINKS: week in March.	2.	CHAIRMAN MORELOCK: Okay.	
3.	MR. BAILEY: I got it marked as March	3.	MS. JEFFERSON: Those days are great.	
4.	the 1st.	4.	CHAIRMAN MORELOCK: Okay. All rig	ht.
5.	MR. FINKS: That's what Anita had	5.	So that'll be our tentative dates for 2016. All	,
6.	told me.	6.	right. I think we've got a little bit of time.	
7.	MS. BENNETT: I can double check.	7.	So at the beginning of the meeting, I	
8.	It's at my desk, but I'm pretty sure it's the 8th.	8.	did add a discussion item for Mr. Neil Jackson.	
9.	We looked at it yesterday.	9.	So Neil, if you would like to come up and discuss	
10.	CHAIRMAN MORELOCK: Okay.	10.	your item concerning boiler blowdowns, we'll hear	
11.	MR. FINKS: We	11.	it.	
12.	CHAIRMAN MORELOCK: March the 16th as	12.	MR. JACKSON: That's the problem,	
13.	far as ASME code week is available it's	13.	boiler blowdowns. In my auditing, I use that	
14.	available.	14.	terminology of the application of the variances that	
15.	MS. BENNETT: Okay.	15.	are issued from the Board to possible candidates.	
16.	CHAIRMAN MORELOCK: Okay. So we	16.	I'm finding probably over 50 to 60	
17.	could unless there's a conflict with anybody	17.	percent of them I'm turning down, because they're	
18.	else, we could move it to the 16th. Is that okay?	18.	not following what they got in the manual. They	
19.	Is there any other is there another board meeting	19.	have somebody writing their manual for them and	
20.	that week?	20.	saying, here's your manual, and they never read	
21.	MS. JEFFERSON: No.	21.	it. And of course, we can't make anybody read	
22.	MS. BENNETT: Not that I know of.	22.	anything if they don't want to. But I'm finding	
23.	CHAIRMAN MORELOCK: Okay. So we want	23.	they don't even know what's in their manual as far	
24.	to go with March 16th?	24.	as a	
25.	MS. JEFFERSON: Thank you.	25.	Main thing, and all of you have heard	
	Daga 110			Dogg 112
1	Page 110	1		Page 112
1.	CHAIRMAN MORELOCK: Okay. So we'll	1.	me say it many times, is the trip identifications.	Page 112
2.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going	2.	me say it many times, is the trip identifications. The manuals have a terminology in them that says,	Page 112
1	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th.	2. 3.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers	Page 112
2. 3.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler	2. 3. 4.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean,	Page 112
2. 3. 4.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th.	2. 3.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true.	Page 112
2. 3. 4. 5.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to	2. 3. 4. 5.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean,	Page 112
2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th.	2. 3. 4. 5. 6.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't	Page 112
2. 3. 4. 5. 6. 7.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I	2. 3. 4. 5. 6. 7.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is.	Page 112
2. 3. 4. 5. 6. 7. 8.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you.	2. 3. 4. 5. 6. 7. 8.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them,	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th?	2. 3. 4. 5. 6. 7. 8. 9. 10.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it.	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth. MS. JEFFERSON: There are no other	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the organizational chart? Because they have the	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth. MS. JEFFERSON: There are no other conflicts with Elevator.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the organizational chart? Because they have the thing.	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth. MS. JEFFERSON: There are no other conflicts with Elevator. MR. BAUGHMAN: And September 21st?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the organizational chart? Because they have the thing. A particular one I was just at that	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth. MS. JEFFERSON: There are no other conflicts with Elevator. MR. BAUGHMAN: And September 21st? MR. ROBINSON: Yes.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the organizational chart? Because they have the thing. A particular one I was just at that the technician was there, and it was from IBM and	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth. MS. JEFFERSON: There are no other conflicts with Elevator. MR. BAUGHMAN: And September 21st? MR. ROBINSON: Yes. CHAIRMAN MORELOCK: So is that good	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the organizational chart? Because they have the thing. A particular one I was just at that the technician was there, and it was from IBM and he had the password and the company did not have	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth. MS. JEFFERSON: There are no other conflicts with Elevator. MR. BAUGHMAN: And September 21st? MR. ROBINSON: Yes. CHAIRMAN MORELOCK: So is that good with everybody? March 16th, June 15th,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the organizational chart? Because they have the thing. A particular one I was just at that the technician was there, and it was from IBM and he had the password and the company did not have the password. So I don't know what we can do	Page 112
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: Okay. So we'll go March 16th. And then June the 15th, we're going to move that from June the 8th to June the 15th. And then to coincide with the tentative Boiler Conference, we would move the Board meeting to September the 21st and then December the 14th. DR. JOHNSON: What was the June I didn't hear you. CHAIRMAN MORELOCK: The June DR. JOHNSON: The June from the 8th to the 15th? MR. BAUGHMAN: Uh-huh. CHAIRMAN MORELOCK: Yeah. That was a request from the Boiler Unit. Okay? MR. ROBINSON: And December what? CHAIRMAN MORELOCK: Fourteenth. MR. CHAPMAN: Fourteenth. MS. JEFFERSON: There are no other conflicts with Elevator. MR. BAUGHMAN: And September 21st? MR. ROBINSON: Yes. CHAIRMAN MORELOCK: So is that good	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	me say it many times, is the trip identifications. The manuals have a terminology in them that says, all items identified or all trip numbers identified in subsequent paragraph I mean, Section C will trip the boiler. That's not true. I ask them if they know what it is and they don't even know what it is. Normally and it brings up to me. Normally, it's a Foster Wheeler situation. Foster Wheeler installs these units and system for them, and when I ask them about the item in the check list, about who has the password protection authorization, password protection, nobody at the location has that; it's Foster Wheeler that has it. And that brings up my question. So in this situation, should Foster Wheeler be on the organizational chart? Because they have the thing. A particular one I was just at that the technician was there, and it was from IBM and he had the password and the company did not have	Page 112

	Page	113	Page 115
1.	attention and to also Sam's is that I have had	113 1	
2.	several I'm going to say five or six different	2	
3.	locations of variances. Mainly hospitals, rest	3	
4.	homes, large utilities or what have you that they	4	
5.	only have one boiler.	5	•
6.	Everybody's expecting a bad winter,	6	
7.	and the facilities that they are having the	7	
8.	variance question presented to me is, do we have	8	-
9.	to blow it down every time the shift changes?	9	•
10.	Because if we do, what happens if the boiler	10	
11.	doesn't come back up and we have to have a	11	
12.	technician come in? And most of them are probably	12	
13.	an hour and a half to two hours away from a boiler	13	_
14.	facility to come and to correct them. In the	14	. the variance program.
15.	meantime, they're without heat, they're without	15	* *
16.	steam, they're without power and the situation of	16	
17.	where they need the boilers.	17	out of date, then they ought to go up
18.	What they're requesting or asking:	18	automatically to the 20 minute rule and submit
19.	Is there a way that they can waive I won't say	19	. resubmit to the Board.
20.	extend or what have you waive the request for	20	. So with that, like I said, I got on
21.	blowing down the boiler in inclement weather or in	21	. my soap box and I believe the variance program
22.	the middle of the night where it's real cold and	22	. needs some work.
23.	all like that to where they can delay it shall	23	. CHAIRMAN MORELOCK: In the
24.	I use that terminology delay it till there's a	24	. enforcement.
25.	proper time where they could notify a repair	25	. MR. JACKSON: In enforcement, yes.
	Page	114	Page 116
1.	Page company to come in?	114	-
1. 2.	_		. CHAIRMAN MORELOCK: Okay.
1	company to come in?	1	. CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct.
2.	company to come in? So that's mainly what they're asking.	1 2	. CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well,
2. 3.	company to come in? So that's mainly what they're asking. And if it is a if the Board is in agreement	1 2 3	. CHAIRMAN MORELOCK: Okay MR. JACKSON: Correct CHAIRMAN MORELOCK: All right. Well, . I guess my thoughts well, Mr. Jackson and I have
2. 3. 4.	company to come in? So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs	1 2 3 4	. CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that.
2. 3. 4. 5. 6. 7.	company to come in? So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or	1 2 3 4 5	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting
2. 3. 4. 5. 6.	company to come in? So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said,	1 2 3 4 5 6	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law
2. 3. 4. 5. 6. 7.	company to come in? So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd	1 2 3 4 5 6	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law
2. 3. 4. 5. 6. 7. 8. 9.	company to come in? So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance	1 2 3 4 5 6 7 8 9	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that.
2. 3. 4. 5. 6. 7. 8. 9. 10.	company to come in? So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in	1 2 3 4 5 6 7 8 9 10	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions	1 2 3 4 5 6 7 8 9 10 11 12	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after	1 2 3 4 5 6 7 8 9 10 11 12 13	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the	1 2 3 4 5 6 7 8 9 10 11 12 13 14	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent	1 2 3 4 5 6 7 8 9 10 11 12 13 14	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the variance program is lacking greatly in enforcement,	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if these variance holders have a hardship, they
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the variance program is lacking greatly in enforcement, shall I say.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if these variance holders have a hardship, they should submit that with documentation to the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the variance program is lacking greatly in enforcement, shall I say. I've talked with the Chairman,	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if these variance holders have a hardship, they should submit that with documentation to the Boiler Unit. And then if there's if it's a
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the variance program is lacking greatly in enforcement, shall I say. I've talked with the Chairman, Mr. Chairman, during the break, and we need some	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if these variance holders have a hardship, they should submit that with documentation to the Boiler Unit. And then if there's if it's a real hardship, then the Boiler Unit has its option
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the variance program is lacking greatly in enforcement, shall I say. I've talked with the Chairman, Mr. Chairman, during the break, and we need some teeth somewhere on these variances that are one,	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if these variance holders have a hardship, they should submit that with documentation to the Boiler Unit. And then if there's if it's a real hardship, then the Boiler Unit has its option to address it or come to the Board for technical
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23. 24.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the variance program is lacking greatly in enforcement, shall I say. I've talked with the Chairman, Mr. Chairman, during the break, and we need some teeth somewhere on these variances that are one, two, three, four, five years out of date. And	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if these variance holders have a hardship, they should submit that with documentation to the Boiler Unit. And then if there's if it's a real hardship, then the Boiler Unit has its option to address it or come to the Board for technical support to make revisions to the boiler variance
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	So that's mainly what they're asking. And if it is a if the Board is in agreement with it or understand it, I don't know if it needs to be in writing in their variance program or where, but I presented it to Sam and Sam said, well, that's something we got to talk about. CHAIRMAN MORELOCK: Okay. MR. JACKSON: And while I'm here, I'd like to express my feelings about the variance program. The Boiler Board does an excellent job in reviewing these things and presenting the questions that they do and get a good forum to it. And after that, when you accept it, the Board's out of the picture. You've done your job and done an excellent job. It then falls upon the Boiler Division to enforce. And I am finding and as I pointed out earlier when this thing going on today is that the variance program is lacking greatly in enforcement, shall I say. I've talked with the Chairman, Mr. Chairman, during the break, and we need some teeth somewhere on these variances that are one,	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	CHAIRMAN MORELOCK: Okay. MR. JACKSON: Correct. CHAIRMAN MORELOCK: All right. Well, I guess my thoughts well, Mr. Jackson and I have talked about the boiler blowdown portion of that. It's my initial comments to Mr. Jackson was, certainly, the State of Tennessee is promoting public safety; that's the primary goal of the law and the rules and the Boiler Division Boiler Unit and all that. So my first question back to Neil was: Has there been an instance where they've blown a boiler down, not being able to restart it and suffered a plant outage or hardship that caused them to lose business or have a safety problem or have damage to their equipment or something like that? And so, you know, if I think if these variance holders have a hardship, they should submit that with documentation to the Boiler Unit. And then if there's if it's a real hardship, then the Boiler Unit has its option to address it or come to the Board for technical support to make revisions to the boiler variance

	Page 117		Page 119
1.	But that's just my thoughts on that.	1.	CHAIRMAN MORELOCK: I'm just
2.	As far as people not reading the	2.	MR. JACKSON: doing it for
3.	manual, you know, the Board can't control that.	3.	Hartford, I be doing it for the State, I'd be doing
4.	MR. JACKSON: Humans are humans.	4.	it for everybody.
5.	CHAIRMAN MORELOCK: The Boiler Unit	5.	CHAIRMAN MORELOCK: But or, you
6.	can't control that. I mean	6.	know, I mean, the thing about that is, though, if we
7.	MR. JACKSON: That's right.	7.	change 68-122, we know what that's like.
8.	CHAIRMAN MORELOCK: you know, I	8.	MR. JACKSON: Uh-huh.
9.	mean, federal law mandates we have seatbelts in our	9.	CHAIRMAN MORELOCK: That takes
10.	cars; that doesn't mean that you have to wear them	10.	legislative action. What can we do even within the
11.	unless and each jurisdiction it's you know,	11.	confines of 0800-03-03 or through the variance
12.	we've got click it or ticket here in Tennessee. So	12.	itself? Because we can update the variance. That's
13.	if they catch you without it, you're going to be	13.	the easiest thing to do. But I guess we would
14.	fined. But you know, I don't know how I don't	14.	the Board would need recommendations on what
15.	know that we can force somebody to read their	15.	would you propose to fix that?
16.	variance manual	16.	MR. JACKSON: Currently, my
17.	MR. JACKSON: Well	17.	recommendation is to find out where in the state the
18.	CHAIRMAN MORELOCK: because they	18.	variances are at.
19.	came seeking it.	19.	CHAIRMAN MORELOCK: Okay.
20.	MR. JACKSON: I utilize that point	20.	MR. JACKSON: And when they were
21.	just to bring attention to the fact that our	21.	issued. And then if a letter of question
22.	variance program is a good program and the Board	22.	CHAIRMAN MORELOCK: Uh-huh.
23.	does a good job, but the enforcement of it from the	23.	MR. JACKSON: is to the fact, do
24.	variance holders themselves is very lacking.	24.	you still utilize this variance? Is it enforced?
25.	CHAIRMAN MORELOCK: Okay.	25.	And has it been accepted by an inspection and what
	Page 118		Page 120
1.	MR. JACKSON: As I told you earlier,	1.	have you within the timeframe?
2.	you go through the review of the program and you	2.	CHAIRMAN MORELOCK: Okay.
3.	accept the variance, and the individual or the	3.	MR. JACKSON: And then request a
4.	company representation, they go home and I never	4.	response, of course, and then from there, we'll find
5.	hear from them.	5.	out where they're at, what's going on with them, and
6.	CHAIRMAN MORELOCK: Yeah.	6.	then enforce.
7.	MR. JACKSON: They enforce their	7.	CHAIRMAN MORELOCK: Okay. Deborah?
8.	program, they set it up and they put it in use and a	8.	MS. RHONE: And I have a suggestion,
9.	lot of times, they use the variance program and just	9.	then. What we could do is, based on the report, the
10.	go on their merry way. Hey, I got approval from the	10.	list of active variances, we could send out a letter
11.	Board; I got a good variance program.	11.	letting them know that their variance has expired
12.	CHAIRMAN MORELOCK: Well, let me ask	12.	and if they wish for it to be renewed, then they
13.	a question. The State of Tennessee says that if you	13.	need to submit the appropriate paperwork.
14.	operate a boiler in the State of Tennessee that's	14.	MS. JEFFERSON: Okay. And just for
15.	regulated by the State of Tennessee, that boiler has	15.	clarification, I know I spoke with both Deborah and
16.	to have an internal inspection annually.	16.	Sam during the break. I was told that there is
17.	MR. JACKSON: Uh-huh.	17.	already a letter. Could you explain what's in the
18.	CHAIRMAN MORELOCK: So what if the	18.	current letter
19.	variance you had a variance audit as part of that	19.	MS. RHONE: Right.
20.	annual internal inspection of the boiler?	20.	MS. JEFFERSON: that was sent out?
21.	MR. JACKSON: Okay. I'd be doing it	21.	MS. RHONE: There is a letter that's
22.	for Travelers, I'd be doing it for	22.	sent out to each variance holder, and it does
23.	CHAIRMAN MORELOCK: I'm anxious	23.	specify that their variance is valid for three
24.	MR. JACKSON: OneBeacon. I'd	24.	years.
25.	be	25.	CHAIRMAN MORELOCK: Uh-huh.
	Drovidad by Stana 9 Cacres (, 	rt Poporting (615) 269 1244
	Provided by Stone & George C	Cou	rt Reporting (615) 268-1244

	Pag	ge 121		Page 123
1.	MS. RHONE: Within that timeframe, if	,0 121	1.	though. We'll need
2.	they prior to it expiring, they are to submit the		2.	MR. JACKSON: Yeah.
3.	appropriate paperwork to the Chief Boiler Inspector		3.	MS. JEFFERSON: to take a look at
4.	for renewal process.		4.	that
5.	CHAIRMAN MORELOCK: Uh-huh.		5.	MR. JACKSON: Uh-huh.
6.	MS. RHONE: It also states in the		6.	MS. JEFFERSON: as a unit and
7.	letter that they are subject to a surprise or		7.	decide what we'd need to do.
8.	"unannounced" is how it's in the letter. They're		8.	CHAIRMAN MORELOCK: Well, and we
9.	subject to an unannounced visit, and if there are no		9.	had you know, when the checklist was revised,
10.	infractions or violations found, then there they		10.	like I said, revision nine was issues that's been
11.	would not incur a fee. If there are violations or		11.	two, three, four years ago. I can't remember
12.	infractions, then the company would be charged a fee		12.	exactly when, but that was the desire to send the
13.	for that inspection.		13.	letter out that Deborah's talking about to let those
14.	MS. JEFFERSON: What about the		14.	variance holders know that, you know, you have a
15.	20-minute rule that you all referred to?		15.	variance and you need to take some action. And that
16.	MR. CHAPMAN: Then it reverts back to		16.	action those options are listed in that letter.
17.	the 20-minute rules if they're of noncompliance.		17.	It might not be a bad idea just to
18.	MS. JEFFERSON: Does it automatically		18.	have a current list of active variances, because
19.	revert back?		19.	you can even use it for planning of the Board
20.	MR. CHAPMAN: It's supposed to. Yes.		20.	meetings
21.	MS. JEFFERSON: Okay. So there seems		21.	MR. BAUGHMAN: Uh-huh.
22.	to be based on the way that the letter is already		22.	CHAIRMAN MORELOCK: from a
23.	constructed, it seems as if it covers those areas.		23.	standpoint of if, you know, we pass X number of
24.	However, I would suggest that we take a look at		24.	variances throughout the year this year, so in 2018,
25.	that, because that seems to be		25.	we should be seeing those renewals coming through.
	Pag	ge 122		Page 124
1.	CHAIRMAN MORELOCK: Uh-huh.		1.	You know.
2.	MS. JEFFERSON: a policy issue.		2.	MS. JEFFERSON: Exactly. That's a
3.	And I need to be involved in that any time there's a		3.	good idea.
4.	policy issue. And so we'll need to put our heads		4.	CHAIRMAN MORELOCK: So so in
5.	together to decide what we're going to do as far the		5.	MR. BAILEY: The three
6.	Boiler Unit is concerned. And then we can bring		6.	CHAIRMAN MORELOCK: Huh?
7.	that back to the Board once we've		7.	MR. JACKSON: The three or four years
8.	CHAIRMAN MORELOCK: Yeah.		8.	ago that you're pointing out that the letter was
9.	MS. JEFFERSON: discussed it as a		9.	sent, what kind of response was it?
10.	group.		10.	CHAIRMAN MORELOCK: Well, I don't
11.	CHAIRMAN MORELOCK: I agree		11.	know. I mean, we wouldn't have gotten those.
12.	wholeheartedly		12.	That
13.	MR. JACKSON: That		13.	MR. JACKSON: I know. I mean
14.	CHAIRMAN MORELOCK: with that.		14.	CHAIRMAN MORELOCK: Yeah.
15.	MR. JACKSON: letter that		15.	MR. JACKSON: the Boiler Board.
16.	Deborah's referring to is sent out after a my		16.	MR. CHAPMAN: I'm not exactly sure.
17.	inspection.		17.	MR. BAILEY: I seriously doubt that
18.	CHAIRMAN MORELOCK: Okay.		18.	it was very much. Because a lot of times, if you
19.	MR. JACKSON: It does not cover the		19.	don't send it to an individual within the company
20.	ones that are not inspected or even have a variance,		20.	if it goes to a facility manager or to an address,
21.	are in business anymore, or what have you. That		21.	that's as far as it goes. And of course, nobody can
22.	only		22.	control that. I know, but I mean
23.	MS. JEFFERSON: Well, we'll		23.	CHAIRMAN MORELOCK: Right. But your
24.	MR. JACKSON: comes out.		24.	teeth would be, unless you make more policy change,
25.	MS. JEFFERSON: That's policy,		25.	the teeth would be is if you're operating under a
	Provided by Stone & Geo	rge C	oui	rt Reporting (615) 268-1244
	·			

	Page 125		Page 1
1.	non-approved variance, you're in violation of the	1.	little training on them. And also, their training,
2.	20-minute rule.	2.	they think it's just on the variance program itself.
3.	MR. JACKSON: That's correct.	3.	MR. BAUGHMAN: Yeah.
4.	CHAIRMAN MORELOCK: And that's pretty	4.	MR. JACKSON: They all read the
5.	serious.	5.	manual and they know what the manual says. You
6.	MR. JACKSON: Yes. Yes.	6.	know, that type of thing.
7.	CHAIRMAN MORELOCK: You know, I mean,	7.	MR. BAUGHMAN: Uh-huh.
8.	so you've got teeth in place, it just has to be	8.	MR. JACKSON: Now, as far as an
9.	enforced, you know. And so	9.	incident where I had the boiler shut down or tripped
0.	MR. ROBINSON: Have you ran across	10.	because of low gas pressure and, of course, it
1.	any nonresponsive variance holders that, I guess	11.	tripped, it does what it did and it showed on the
2.	MR. JACKSON: What do you mean,	12.	monitor what it was. But when they went to come
3.	nonresponsive?	13.	back up, it wouldn't come back up, because something
4.	MR. ROBINSON: Well, just totally	14.	else was wrong with it. So they fixed that or
5.	noncompliant to the	15.	cleared that and it didn't come up again so they
6.	MR. JACKSON: Oh, yes. All	16.	found another one. And fortunately, the IBM
7.	MR. BAUGHMAN: From a	17.	technician was there and he had the password. But
18.	MR. JACKSON: the time.	18.	as far as the company was concerned, they had no
9.	MR. BAUGHMAN: From a percentage	19.	idea how to start it back up or troubleshoot it,
20.	standpoint, Neil, just kind of laying cards on the	20.	SO
21.	table, what do you feel that you see from a	21.	MR. BAUGHMAN: And I got to say, my
22.	noncompliant standpoint?	22.	experience with it is it kind of mirrors that,
23.	MR. JACKSON: I'm not following	23.	being on the getting in and out of the boiler
23. 24.		24.	rooms on the service end
2 4 . 25.	your MR. BAUGHMAN: Well, from when you're	25.	MR. JACKSON: Uh-huh.
20.	With DAOGINAM. Well, from when you're		MR. WICKSON. On hun.
	Page 126	+	Page 1
1.	out there, the number of places that you go in that	1.	MR. BAUGHMAN: we see that within
2.	have the remote variance law, how many places do you	2.	a lot of the places that we work. But I was wanting
3.	feel are not compliant when you go out to inspect	3.	your input in on it to
4.	them?	4.	MR. JACKSON: Uh-huh.
5.	MR. JACKSON: Fifty, sixty percent of	5.	MR. BAUGHMAN: to know what you
6.	them.	6.	thought with it.
7.	MR. BAUGHMAN: Okay. That's	7.	MR. JACKSON: Uh-huh.
8.	MR. JACKSON: What I do, as everybody	8.	MR. BAUGHMAN: On the blowdown end of
9.	knows, I take their manual that's been approved by	9.	it, just to address that
10.	the Board and I just start at page one and go	10.	MR. JACKSON: Uh-huh.
1.	through the last page. And if it says to do	11.	MR. BAUGHMAN: If they go and blow
12.	whatever, then they're noncompliant.	12.	the boiler down and the boiler doesn't restart, say
13.	MR. BAUGHMAN: Yeah. And I think	13.	blow it down and the low water cutoff doesn't reset.
14.	that should be a red flag	14.	MR. JACKSON: It might not reset for
15.	MR. JACKSON: And the	15.	some other reason.
15. 16.	MR. BAUGHMAN: to everybody.	16.	MR. BAUGHMAN: Well and that's a
10. 17.	MR. JACKSON: And a lot of that's in	17.	safety issue.
17. 18.		18.	MR. JACKSON: Yes.
18. 19.	training, also. I got that noted. MR. BAUGHMAN: Yeah.	18.	MR. JACKSON: Yes. MR. ROBINSON: Correct.
20.	MR. JACKSON: They say they got	20.	MR. BAUGHMAN: And really, if it goes
21.	qualified boiler operators. Well, if they're	21.	down on low water and they've tested it and it won't
22.	qualified, where is the proof?	22.	reset, the boiler doesn't need to be running.
23.	MR. BAUGHMAN: Uh-huh.	23.	DR. JOHNSON: Yeah.
24.	MR. JACKSON: And well, we had	24.	MR. BAUGHMAN: They needed to have
25.	somebody come in, and the maintenance guy done a	25.	tested it to begin with. Or if there's an issue

	Page 129			Page 131
1.	that causes the boiler to go down and not come back	1.	DR. JOHNSON: Why don't they get a	ruge 131
2.	up, that's a safety issue, in my mind.	2.	second boiler?	
3.	MR. JACKSON: Uh-huh.	3.	MR. JACKSON: Savannah or anywhere	
4.	MR. BAUGHMAN: And whether it causes	4.	else?	
5.	downtime or discomfort or what have you, it may also	5.	DR. JOHNSON: Why don't they get a	
6.	be the indicator of being able to save them of	6.	second boiler if they're that concerned? Why don't	
7.	relocating the facility. So in my mind, I would	7.	they build some redundancy into their system?	
8.	still have the low water checks in place, the	8.	MR. JACKSON: They don't	
9.	blowdowns in particular, and not discard them out of	9.	DR. JOHNSON: Seriously.	
10.	the equation.	10.	MR. JACKSON: have the money for	
11.	MR. ROBINSON: I agree.	11.	a	
12.	CHAIRMAN MORELOCK: Well, and that	12.	DR. JOHNSON: Well, I'm you know.	
13.	plays back to I mean, give us some evidence that	13.	MR. JACKSON: two or three hundred	
14.	that's been a true hardship. I don't see any	14.	thousand dollar	
15.	evidence of that right now.	15.	DR. JOHNSON: But if will they	
16.	MR. ROBINSON: And keep in mind, if	16.	have the money to do that when it fails? You know.	
17.	it's going to go down when you blow it down, it's	17.	MR. ROBINSON: And they're supposed	
18.	going to go down as it's running anyway.	18.	to have somebody to operate the boiler there, at	
19.	CHAIRMAN MORELOCK: Right.	19.	least.	
20.	MR. ROBINSON: Because it's it	20.	DR. JOHNSON: It doesn't make	
21.	needs feedwater.	21.	MR. ROBINSON: For recall.	
22.	MR. BAUGHMAN: We had an incident	22.	DR. JOHNSON: any sense to be	
23.	years ago, a long time ago, in a school where the	23.	discussing that, I don't think.	
24.	low water had failed and it was on a Friday, a late	24.	MS. JEFFERSON: Exactly.	
25.	Friday. And instead of addressing it and replacing	25.	MR. ROBINSON: Let me ask you,	
	y			
	Page 130			Page 132
1.	the part, they jumped the low water, the boiler	1.	Neil	
2.	ultimately went down over the weekend and melted and	2.	MR. JACKSON: Well, if the boiler	
3.	had to be replaced. It didn't explode, but it did	3.	goes down on low water, that's one thing, but	
4.	melt and had to be replaced. And I asked them	4.	purposely tripping it is the question. Do they have	
5.	this was all going through their insurance. But I	5.	to trip it every eight hours.	
6.	asked them, I said, so why didn't you just replace	6.	MR. ROBINSON: Well, again, I'll go	
7.	it? And he said, it was late Friday. And he said,	7.	back with what Dave said. If	
8.	I didn't think it'd go down on low water. And then	8.	MR. JACKSON: Uh-huh.	
9.	ultimately it did.	9.	MR. ROBINSON: I mean, if it if	
10.	And that's the case that you still	10.	you're going to test a boiler and it stays off, it's	
11.	got human beings involved. And if man made it,	11.	the same as basic operation. As the boiler runs	
12.	man maintains it, and it's not perfect. So the	12.	MR. JACKSON: Uh-huh.	
13.	point that I wanted to make, though, was is that,	13.	MR. ROBINSON: it's going to	
14.	if you test something and it does test bad and	14.	eventually shut off.	
15.	doesn't come back up, it needs to be addressed.	15.	MR. JACKSON: Uh-huh.	
16.	And then it's up to personnel to address it in the	16.	MR. ROBINSON: And it won't come back	
17.	right fashion.	17.	up if that's the case.	
18.	DR. JOHNSON: That's right.	18.	MR. JACKSON: Uh-huh.	
19.	MR. JACKSON: I the question that	19.	MR. ROBINSON: Now or later. It	
20.	I'm presenting that was as presented to me by the	20.	doesn't really make I mean, it's logical.	
21.	variance holders is coming from Knoxville East, and	21.	MR. JACKSON: I agree with you what	
22.	they're just, shall I use the terminology, afraid	22.	you're saying.	
23.	that if something was going to happen in the middle	23.	MR. ROBINSON: Now, if they don't	
24.	of night and they can't get somebody up into	24.	have anybody there that could	
	Kingsport or	25.	MR. JACKSON: Work on it? They got	
25.		1	, ,	
25.				

Page 1 a MR. ROBINSON: That's a manual issue. MR. JACKSON: They got a security guard that goes through and looks MR. ROBINSON: That's a manual issue. MR. JACKSON: at things and so on and so forth. MR. ROBINSON: The boiler should be shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do we say that the variance is revoked?	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Page 135 degrees outside and they're concerned it may not come back up and they're you know, they can't get ahold of their boiler repair shop or whatever to come out at my midnight and do it. Well, Eugene had us a possible solution. You can go to them and say, you come off your variance and you have somebody babysit that boiler all through the night. Every 20 minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh. DR. JOHNSON: Yeah.
MR. JACKSON: They got a security guard that goes through and looks MR. ROBINSON: That's a manual issue. MR. JACKSON: at things and so on and so forth. MR. ROBINSON: The boiler should be shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	3. 4. 5. 6. 7. 8. 9. 10. 11.	ahold of their boiler repair shop or whatever to come out at my midnight and do it. Well, Eugene had us a possible solution. You can go to them and say, you come off your variance and you have somebody babysit that boiler all through the night. Every 20 minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
guard that goes through and looks MR. ROBINSON: That's a manual issue. MR. JACKSON: at things and so on and so forth. MR. ROBINSON: The boiler should be shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	4. 5. 6. 7. 8. 9. 10. 11.	come out at my midnight and do it. Well, Eugene had us a possible solution. You can go to them and say, you come off your variance and you have somebody babysit that boiler all through the night. Every 20 minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
MR. ROBINSON: That's a manual issue. MR. JACKSON: at things and so on and so forth. MR. ROBINSON: The boiler should be shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	5. 6. 7. 8. 9. 10. 11.	us a possible solution. You can go to them and say, you come off your variance and you have somebody babysit that boiler all through the night. Every 20 minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
MR. JACKSON: at things and so on and so forth. MR. ROBINSON: The boiler should be shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	6. 7. 8. 9. 10. 11.	you come off your variance and you have somebody babysit that boiler all through the night. Every 20 minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
and so forth. MR. ROBINSON: The boiler should be shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	7. 8. 9. 10. 11. 12.	babysit that boiler all through the night. Every 20 minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
MR. ROBINSON: The boiler should be shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	8. 9. 10. 11. 12.	minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
shut down and the 20-minute rule applies. Period. That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	9. 10. 11. 12.	minutes, check it, and then at 8:00 a.m., trip it when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	10. 11. 12.	when there's people around to fix it. DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
That's the teeth. MR. JACKSON: No problem. MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	11. 12.	DR. JOHNSON: Yeah. MR. BAUGHMAN: Uh-huh.
MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	12.	
MS. JEFFERSON: Right. MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	- 1	DR. JOHNSON: Yeah.
MR. ROBINSON: The question is I guess, the big question is moreso, at what point do	13.	
guess, the big question is moreso, at what point do		CHAIRMAN MORELOCK: You know. And
	14.	then
we say that the variable is revoked:	15.	DR. JOHNSON: That's what I'd do.
CHAIRMAN MORELOCK: Well, it'll be	16.	MR. ROBINSON: That's correct.
revoked	17.	CHAIRMAN MORELOCK: Right? So, I
		mean, they can either babysit the boiler all night
		and then do a blowdown at 8:00 a.m. when they can
		get some help if it doesn't start back up.
•		DR. JOHNSON: Yeah. Yeah.
_		CHAIRMAN MORELOCK: But
		DR. JOHNSON: That's correct.
	1 -	CHAIRMAN MORELOCK: going back to
	- 1	what these guys have said, if the boiler's got a
Wik. Robinson. And see, mars me		what these guys have said, if the boller's got a
Page 1	134	Page 136
teeth. That's it right there. And perhaps maybe we	1.	problem anyway and they're babysitting it, it's
didn't really give you and I reflect back to the	2.	going to go down.
Board. Perhaps maybe we didn't give you the	3.	MR. BAUGHMAN: Uh-huh. And they're
criteria to measure a critical event or a major	4.	in the same boat.
event or a minor event, as a opposed to how to	5.	CHAIRMAN MORELOCK: It's going to die
and when to execute	6.	by natural causes instead of tripping it, so
CHAIRMAN MORELOCK: Well	7.	MR. JACKSON: Well, there again,
MR. JACKSON: I don't know when the	8.	normally, what I'm finding is it doesn't fault on
variance expires. There's no certificate. There's	9.	what I request them to do
•	10.	CHAIRMAN MORELOCK: Yeah.
somewhere, as Deborah is pointing it out, that I	11.	MR. JACKSON: it faults from
	12.	something else.
* *	13.	CHAIRMAN MORELOCK: Yeah. But it
•	1	goes back to, we need evidence that this has been a
	- 1	hardship, and I just until we have that, we don't
		know if there's a problem or not.
	- 1	MR. JACKSON: Okay. I addressed it
	- 1	to these individuals at the location. What kind of
•	- 1	evidence do you want?
	- 1	CHAIRMAN MORELOCK: Well, I mean
	- 1	MR. JACKSON: Do you want it in a
	- 1	letter or
_		CHAIRMAN MORELOCK: Show us the
_		boiler log where it went down and
		MR. JACKSON: Okay.
CHAINWAN WORLLOCK. Allu its zeio	23.	IVIK. JACKSOIV. OKAY.
t CH C E a S r i J C j S I t l r	teeth. That's it right there. And perhaps maybe we didn't really give you and I reflect back to the Board. Perhaps maybe we didn't give you the criteria to measure a critical event or a major event or a minor event, as a opposed to how to and when to execute CHAIRMAN MORELOCK: Well MR. JACKSON: I don't know when the variance expires. There's no certificate. There's nothing there may have been a letter issued somewhere, as Deborah is pointing it out, that I made my inspection. Is it three years from my inspection date? And I don't remember whether Sam Jones Donut Company I went there three years ago for two years ago or what have you, so CHAIRMAN MORELOCK: Well, but Eugene just said something that made me have a thought since we're this is a discussion item. Okay. Let's say this company doesn't want to shut their trip their boiler at midnight because they have limited people on plant site, because they're running off of a variance. MR. JACKSON: And it's a hospital, say. CHAIRMAN MORELOCK: And it's zero	CHAIRMAN MORELOCK: if they're MR. JACKSON: right there CHAIRMAN MORELOCK: violate Question. MR. ROBINSON: And see, that's the Page 134 teeth. That's it right there. And perhaps maybe we didn't really give you and I reflect back to the Board. Perhaps maybe we didn't give you the criteria to measure a critical event or a major event or a minor event, as a opposed to how to and when to execute CHAIRMAN MORELOCK: Well MR. JACKSON: I don't know when the variance expires. There's no certificate. There's nothing there may have been a letter issued somewhere, as Deborah is pointing it out, that I made my inspection. Is it three years from my inspection date? And I don't remember whether Sam Jones Donut Company I went there three years ago or two years ago or what have you, so CHAIRMAN MORELOCK: Well, but Eugene just said something that made me have a thought since we're this is a discussion item. Okay. Let's say this company doesn't want to shut their trip their boiler at midnight because they have limited people on plant site, because they're running off of a variance. MR. JACKSON: And it's a hospital, say.

	Page 137	1	Page 139
1.	CHAIRMAN MORELOCK: they couldn't	1.	MR. JACKSON: I don't
2.	get it started back up. I mean, you want	2.	DR. JOHNSON: Now
3.	MR. JACKSON: Okay.	3.	MR. JACKSON: follow that logic
4.	CHAIRMAN MORELOCK: You've got boiler	4.	DR. JOHNSON: It's a moot point.
5.	logs, you've got, I don't know, work orders or	5.	MR. JACKSON: what you're saying
6.	whatever that they needed to put into place to get	6.	that it's going to go down anyway.
7.	boiler repairs done.	7.	CHAIRMAN MORELOCK: Well, but I
8.	MR. ROBINSON: Yeah.	8.	guess what I'm thinking, and I might be thinking
9.	CHAIRMAN MORELOCK: We just need	9.	wrong
10.	you know, we need a paper trail that they went	10.	MR. JACKSON: It's not going to go
11.	MR. JACKSON: Okay.	111.	down anyway, but
12.	CHAIRMAN MORELOCK: down and	12.	CHAIRMAN MORELOCK: but if you
13.	couldn't come back up.	13.	trip that boiler for low water
14.	DR. JOHNSON: And the truth is, it's	14.	MR. ROBINSON: Right.
15.	not going to matter.	15.	MR. JACKSON: Uh-huh.
16.		1 -	
17.	CHAIRMAN MORELOCK: It's not.	16. 17.	CHAIRMAN MORELOCK: and it goes
	DR. JOHNSON: Because if it went	18.	down
18. 19.	down, it was going to go down anyway. CHAIRMAN MORELOCK: Exactly.	19.	MR. JACKSON: Uh-huh. CHAIRMAN MORELOCK: and it won't
20.	Exactly.	20.	come back up because of something else
20.	•	20.	•
1	DR. JOHNSON: And so the whole thing		MR. ROBINSON: Feed pumps, feed
22. 23.	is, you know	22. 23.	pumps, feed pumps
23.	MR. ROBINSON: It's but	$\begin{bmatrix} 23. \\ 24. \end{bmatrix}$	CHAIRMAN MORELOCK: Yeah.
1	DR. JOHNSON: not really a		MR. JACKSON: Yeah.
25.	CHAIRMAN MORELOCK: Well, I know	25.	MR. ROBINSON: Feed pumps are
-	Daga 120	+	Page 140
,	Page 138		Page 140
1.		I 1	blooked alogged doubt reconstruction Olyan Von
1 2	but	1.	blocked, clogged, don't work, whatever. Okay. You
2.	MR. JACKSON: I don't	2.	blow it down, all the water comes out of the vessel,
3.	MR. JACKSON: I don't DR. JOHNSON: for my protection.	2. 3.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or
3. 4.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner	2. 3. 4.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic
3. 4. 5.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option	2. 3. 4. 5.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh.
3. 4. 5. 6.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah.	2. 3. 4. 5. 6.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it
3. 4. 5. 6. 7.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah.	2. 3. 4. 5. 6. 7.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it
3. 4. 5. 6. 7. 8.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid	2. 3. 4. 5. 6. 7. 8.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because
3. 4. 5. 6. 7. 8. 9.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night	2. 3. 4. 5. 6. 7. 8. 9.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh.
3. 4. 5. 6. 7. 8. 9.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And	2. 3. 4. 5. 6. 7. 8. 9.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's
3. 4. 5. 6. 7. 8. 9. 10.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the	2. 3. 4. 5. 6. 7. 8. 9. 10.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning.
3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh.
3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway,
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it.
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's CHAIRMAN MORELOCK: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree with your logic.
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's CHAIRMAN MORELOCK: Right. MR. ROBINSON: It's going to fail.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree with your logic. MR. ROBINSON: It doesn't really have
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's CHAIRMAN MORELOCK: Right. MR. ROBINSON: It's going to fail. DR. JOHNSON: But that's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree with your logic. MR. ROBINSON: It doesn't really have any
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's CHAIRMAN MORELOCK: Right. MR. ROBINSON: It's going to fail. DR. JOHNSON: But that's circumstance	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree with your logic. MR. ROBINSON: It doesn't really have any MR. JACKSON: I mean, it's not for me
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's CHAIRMAN MORELOCK: Right. MR. ROBINSON: It's going to fail. DR. JOHNSON: But that's circumstance CHAIRMAN MORELOCK: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree with your logic. MR. ROBINSON: It doesn't really have any MR. JACKSON: I mean, it's not for me to say. I'm just
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's CHAIRMAN MORELOCK: Right. MR. ROBINSON: It's going to fail. DR. JOHNSON: But that's circumstance CHAIRMAN MORELOCK: Right. DR. JOHNSON: to us.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree with your logic. MR. ROBINSON: It doesn't really have any MR. JACKSON: I mean, it's not for me to say. I'm just CHAIRMAN MORELOCK: Right.
3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. JACKSON: I don't DR. JOHNSON: for my protection. MR. BAILEY: But to give the owner the option DR. JOHNSON: Yeah. MR. ROBINSON: Yeah. CHAIRMAN MORELOCK: If they're afraid to blow it down, then babysit it all night DR. JOHNSON: Yeah. And CHAIRMAN MORELOCK: on the 20-minute rule and take it down when they can. DR. JOHNSON: Yeah, yeah. CHAIRMAN MORELOCK: You know. DR. JOHNSON: I agree with that. CHAIRMAN MORELOCK: Yeah. DR. JOHNSON: But if it's going to fail, it's CHAIRMAN MORELOCK: Right. MR. ROBINSON: It's going to fail. DR. JOHNSON: But that's circumstance CHAIRMAN MORELOCK: Right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	blow it down, all the water comes out of the vessel, safety devices go off, locks the boiler out. Or automatic MR. JACKSON: Uh-huh. MR. ROBINSON: Take your pick. If it doesn't come back on because of those switches, it was going down anyway because MS. RHONE: Uh-huh. MR. ROBINSON: the boiler's burning. MS. RHONE: Uh-huh. MR. ROBINSON: It's depleting it's making steam. It's going to empty out anyway, blowing it down or not. It's going to fail. That's it. MR. JACKSON: I follow what you're saying, but I still don't follow I don't agree with your logic. MR. ROBINSON: It doesn't really have any MR. JACKSON: I mean, it's not for me to say. I'm just

		Page 141		Page 143
1.	MR. ROBINSON: It's	1 50 1 . 1	1.	entity.
2.	MR. JACKSON: what the people		2.	MR. JACKSON: Uh-huh.
3.	MR. ROBINSON: It's not about		3.	MR. ROBINSON: Because that tells me
4.	MR. JACKSON: are asking me.		4.	that someone's going to have to go out there and
5.	CHAIRMAN MORELOCK: Yeah.		5.	physically push a button to make that unit do
6.	MR. ROBINSON: It's not a point of		6.	something once it locks out.
7.	each individual failure		7.	MR. JACKSON: Yup. I agree.
8.	MR. JACKSON: Uh-huh.		8.	MR. ROBINSON: That theory, I can
9.	MR. ROBINSON: mode.		9.	I love that theory.
10.	MR. JACKSON: Uh-huh.		10.	MR. JACKSON: I just had these
11.	MR. ROBINSON: It's a point that that		11.	discussions with these locations exactly what we're
12.	particular failure is going to relate to those other		12.	talking about now. And they're just afraid of the
13.	pieces of equipment to turn on. And if it doesn't,		13.	future it's going to happen. And they're just
14.	it's not going to work.		14.	asking, is there a way that the State will let them
15.	MR. JACKSON: Yeah. True.		15.	delay that blowdown of the boiler or trip of the
16.	MR. ROBINSON: It's			boiler until the next morning or something like
1	MR. JACKSON: I agree.		16.	c c
17.	G		17.	that? They're not wanting to do away with it
18.	MR. ROBINSON: It's almost like cause		18.	completely; they just don't want to trip it in the
19.	and effect.		19.	middle of the night.
20.	MR. JACKSON: But if you don't mess		20.	MR. ROBINSON: I just thought of
21.	with that feed pump, it's going to keep going.		21.	something else Mr. Chairman had mentioned. He said
22.	MR. ROBINSON: Absolutely.		22.	it's in back to the 20 minute rule. Have them
23.	MR. JACKSON: But if you trip the		23.	revise the manual and bring it back in for review.
24.	boiler and you don't need the feed pump because I		24.	That's an option.
25.	trip it from a gas a low gas pressure, or		25.	MR. JACKSON: Do what now?
1				
		Page 142		Расе 144
1	something like that	Page 142	1	Page 144 MR_ROBINSON: Have them to revise
1.	something like that MR_ROBINSON: Gas failure?	Page 142	1.	MR. ROBINSON: Have them to revise
2.	MR. ROBINSON: Gas failure?	Page 142	2.	MR. ROBINSON: Have them to revise the manual.
2. 3.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back	Page 142	2. 3.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what?
2. 3. 4.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the	Page 142	2. 3. 4.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't
2. 3. 4. 5.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No.	Page 142	2. 3. 4. 5.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't
2. 3. 4. 5. 6.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is	Page 142	2. 3. 4. 5. 6.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it
2. 3. 4. 5. 6. 7.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using	Page 142	2. 3. 4. 5. 6. 7.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay.
2. 3. 4. 5. 6. 7. 8.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah.	Page 142	2. 3. 4. 5. 6. 7. 8.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day
2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a	Page 142	2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay.
2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a	Page 142	2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week.
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah.	Page 142	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: Yeah. MR. ROBINSON: low gas situation	Page 142	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset	Page 142	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there	Page 142	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah.	Page 142	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already say that. There's
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove	Page 142	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already says, if there's some
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point.	Page 142	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already say that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point. MR. JACKSON: That's correct.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already say that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the variance, then you've got to go back to Rule 22
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point. MR. JACKSON: That's correct. MR. ROBINSON: And you've got to push		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already say that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the variance, then you've got to go back to Rule 22 MR. JACKSON: That's correct.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point. MR. JACKSON: That's correct. MR. ROBINSON: And you've got to push the button. That's really my you know, I'm pro		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already say that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the variance, then you've got to go back to Rule 22 MR. JACKSON: That's correct. CHAIRMAN MORELOCK: anyway. So
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point. MR. JACKSON: That's correct. MR. ROBINSON: And you've got to push the button. That's really my you know, I'm pro manual, as opposed to pro computer. This		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already say that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the variance, then you've got to go back to Rule 22 MR. JACKSON: That's correct. CHAIRMAN MORELOCK: anyway. So it's already written into the manual.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point. MR. ROBINSON: That's correct. MR. ROBINSON: And you've got to push the button. That's really my you know, I'm pro manual, as opposed to pro computer. This MR. BAUGHMAN: Uh-huh.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already says that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the variance, then you've got to go back to Rule 22 MR. JACKSON: That's correct. CHAIRMAN MORELOCK: anyway. So it's already written into the manual. MR. JACKSON: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point. MR. ROBINSON: it's correct. MR. ROBINSON: And you've got to push the button. That's really my you know, I'm pro manual, as opposed to pro computer. This MR. BAUGHMAN: Uh-huh. MR. ROBINSON: The Hawk systems		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already say that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the variance, then you've got to go back to Rule 22 MR. JACKSON: That's correct. CHAIRMAN MORELOCK: anyway. So it's already written into the manual. MR. JACKSON: Yeah. CHAIRMAN MORELOCK: And, you know, if
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. ROBINSON: Gas failure? MR. JACKSON: And it don't come back up, that doesn't mean that the MR. ROBINSON: No. MR. JACKSON: situation is MR. ROBINSON: No. I was using MR. JACKSON: Yeah. MR. ROBINSON: I was using a blowdown. If it's a MR. JACKSON: Yeah. MR. ROBINSON: low gas situation or a high gas situation, you've got a manual reset lockout there MR. JACKSON: Yeah. MR. ROBINSON: it's going to prove its point. MR. ROBINSON: That's correct. MR. ROBINSON: And you've got to push the button. That's really my you know, I'm pro manual, as opposed to pro computer. This MR. BAUGHMAN: Uh-huh.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. ROBINSON: Have them to revise the manual. MR. JACKSON: To say what? MR. ROBINSON: To say that they don't want to trip the boiler at midnight or they don't want to trip it MR. JACKSON: Okay. MR. ROBINSON: but once a day MR. JACKSON: Okay. MR. ROBINSON: or once a week. CHAIRMAN MORELOCK: Well MR. JACKSON: No, they don't want that. CHAIRMAN MORELOCK: Well, but the some of the manuals already says that. There's you know, the manuals already says, if there's some reason that, you know, you can't run with the variance, then you've got to go back to Rule 22 MR. JACKSON: That's correct. CHAIRMAN MORELOCK: anyway. So it's already written into the manual. MR. JACKSON: Yeah.

Page 145		Page 14'
variance. If they want to revert back to 20-minute	1.	earlier
rule, they can. I mean, we're not going to be	2.	CHAIRMAN MORELOCK: No, it's really
•	3.	not. I mean, we're
but again, prove to us	4.	DR. JOHNSON: I think we're making
MR. JACKSON: Uh-huh.	5.	CHAIRMAN MORELOCK: All we're doing
CHAIRMAN MORELOCK: it's a	6.	is
problem. Really, I	7.	DR. JOHNSON: it a Board position.
	8.	MR. JACKSON: You agree
CHAIRMAN MORELOCK: You know, that or	9.	CHAIRMAN MORELOCK: promulgating
	10.	the rules.
20-minute rule through the night if they're afraid	11.	MR. JACKSON: that they got a
	12.	variance and
	13.	CHAIRMAN MORELOCK: Yeah.
•	14.	MR. JACKSON: it meets the
•	15.	requirement.
	16.	CHAIRMAN MORELOCK: Yeah.
	17.	MR. JACKSON: You're done.
	18.	CHAIRMAN MORELOCK: We are. We are
CHAIRMAN MORELOCK: Yeah.	19.	done.
	20.	MR. JACKSON: It falls back to Sam.
•	21.	CHAIRMAN MORELOCK: It does. But if
	1	the Boiler Unit needs technical support from the
	1	Board, we'll certainly
	1	MR. JACKSON: Oh, okay.
	1	CHAIRMAN MORELOCK: provide it.
		r
Page 146		Page 14
Before we address the State of Tennessee, we do need	1.	MR. JACKSON: I follow. Okay. Yes.
to kind of talk about this.	2.	CHAIRMAN MORELOCK: Yes. I mean,
	3.	that is our role to provide
	4.	MS. JEFFERSON: Uh-huh.
_	1	MR. JACKSON: Yes.
•	6.	CHAIRMAN MORELOCK: the technical
	7.	support. But he's the enforcer. If you need
administration wants to go in.	8.	enforcement, he's the enforcer.
MR. JACKSON: I agree.	9.	MR. JACKSON: Yes.
MS. JEFFERSON: So we need to have a	10.	MR. BAUGHMAN: I'm always in
meeting, as I said before	11.	wondering of the enforcement or the actual when
MR. JACKSON: Uh-huh.	12.	these situations come up of how many actually go and
MS. JEFFERSON: just to make sure	13.	operate under the 20-minute rule when their let's
everybody's on the same page. And then we can come	14.	say, in fact, this comes up midnight comes up and
back before the Board, if you all the would allow	15.	they say, well, we'll operate under the 20-minute
that.	16.	rule or whatever the situation may be. If our
CHAIRMAN MORELOCK: Sure. Well, we	17.	remote station's not working, how many actually put
could move this from a discussion item to an action	18.	these things in place. And I know that there's no
item for March.	19.	mechanism in place of being able to find out if this
MR. ROBINSON: Yes.	20.	is happening.
MS. JEFFERSON: Yes.	21.	But I'm curious if there's ever a way
CHAIRMAN MORELOCK: I have no problem	22.	of coming up with any kind of a verification of
with that.	23.	this. We leave it strictly up to the entities,
MR. JACKSON: Is it a Board's	24.	and I don't know. But I've got an idea that a lot
position, because as you and I talked about	25.	of them probably don't operate under the auspices
	1	
	opposed to that. And I understand their concerns, but again, prove to us MR. JACKSON: Uh-huh. CHAIRMAN MORELOCK: it's a problem. Really, I MR. JACKSON: Okay. CHAIRMAN MORELOCK: You know, that or if they're worried about that blowdown, then run on 20-minute rule through the night if they're afraid to blow it down at night or something. MR. JACKSON: Okay. CHAIRMAN MORELOCK: Because any of that would satisfy the law and the rule. I mean, nobody's going to have a problem with that. MR. JACKSON: Well, that's the way that I'll address it to these concerned CHAIRMAN MORELOCK: Yeah. MR. JACKSON: as a position of the State of Tennessee. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: Excuse me. Before MR. JACKSON: Go ahead. MS. JEFFERSON: Before yes. Page 146 Before we address the State of Tennessee, we do need to kind of talk about this. MR. JACKSON: Uh-huh. MS. JEFFERSON: And just to because I'd like to since we're addressing on behalf of the State of Tennessee, we definitely want to make sure this is the direction that the administration wants to go in. MR. JACKSON: I agree. MS. JEFFERSON: So we need to have a meeting, as I said before MR. JACKSON: Uh-huh. MS. JEFFERSON: just to make sure everybody's on the same page. And then we can come back before the Board, if you all the would allow that. CHAIRMAN MORELOCK: Sure. Well, we could move this from a discussion item to an action item for March. MR. ROBINSON: Yes. MS. JEFFERSON: Is it a Board's	opposed to that. And I understand their concerns, but again, prove to us MR. JACKSON: Uh-huh. CHAIRMAN MORELOCK: it's a problem. Really, I MR. JACKSON: Okay. CHAIRMAN MORELOCK: You know, that or if they're worried about that blowdown, then run on 20-minute rule through the night if they're afraid to blow it down at night or something. MR. JACKSON: Okay. CHAIRMAN MORELOCK: Because any of that would satisfy the law and the rule. I mean, nobody's going to have a problem with that. MR. JACKSON: Well, that's the way that I'll address it to these concerned CHAIRMAN MORELOCK: Yeah. MR. JACKSON: as a position of the State of Tennessee. CHAIRMAN MORELOCK: Yeah. MS. JEFFERSON: Excuse me. Before MR. JACKSON: Go ahead. MS. JEFFERSON: Before yes. Page 146 Before we address the State of Tennessee, we do need to kind of talk about this. MR. JACKSON: 1 agree. MS. JEFFERSON: And just to because I'd like to since we're addressing on behalf of the State of Tennessee, we definitely want to make sure this is the direction that the administration wants to go in. MR. JACKSON: I agree. MS. JEFFERSON: So we need to have a meeting, as I said before MR. JACKSON: MR. JACKSON: Uh-huh. MS. JEFFERSON: just to make sure everybody's on the same page. And then we can come back before the Board, if you all the would allow that. CHAIRMAN MORELOCK: Sure. Well, we could move this from a discussion item to an action item for March. MR. ROBINSON: Yes. MS. JEFFERSON: Yes. CHAIRMAN MORELOCK: I have no problem with that. MR. JACKSON: Is it a Board's

	Page 149	<u> </u>	Page 15
1.	of how they actually should.	1.	their manual. It is our job and enforcing the thing
2.	MR. JACKSON: Knowing human nature,	2.	to for them to be compliant.
3.	I'd agree with you.	3.	CHAIRMAN MORELOCK: Right.
4.	MR. BAUGHMAN: Just yeah.	4.	MR. JACKSON: And
5.	CHAIRMAN MORELOCK: So did we discuss	5.	CHAIRMAN MORELOCK: That's right.
6.	all your concerns? Is there anything	6.	MR. JACKSON: they don't know what
7.	MR. JACKSON: Yeah.	7.	they're supposed to be compliant to.
8.	CHAIRMAN MORELOCK: Okay.	8.	CHAIRMAN MORELOCK: Well, our
9.	MR. JACKSON: Yes. Yes.	9.	collective job is to make sure that they operate
0.	MR. BAILEY: I got one comment on	10.	that boiler safely.
0. 1.	the about the part where he was talking about the	111.	MR. JACKSON: That's correct.
2.	people getting the variances didn't the people	12.	CHAIRMAN MORELOCK: That's the
۷. 3.	that have to operate it don't know what the variance	13.	MR. JACKSON: That's the
	•	14.	
4. ~	says, basically.		CHAIRMAN MORELOCK: ultimate job.
5.	CHAIRMAN MORELOCK: Well, that's a	15.	MR. JACKSON: reason that we have
б. -	concern, but	16.	the variance manual
7.	MR. BAILEY: Well, what I was my	17.	CHAIRMAN MORELOCK: Right.
8.	comment I was thinking about is just a suggestion is	18.	MR. JACKSON: to insure that.
9.	that when variances are approved by the Board	19.	CHAIRMAN MORELOCK: Right.
0.	CHAIRMAN MORELOCK: Uh-huh.	20.	MR. JACKSON: That's all I got.
1.	MR. BAILEY: that it be	21.	CHAIRMAN MORELOCK: Okay. So
2.	conditioned upon that, you know, that they	22.	MR. BAUGHMAN: Thanks for bringing it
3.	conduct initial training and annual refresher	23.	up.
4.	training and document it.	24.	CHAIRMAN MORELOCK: So what's the
5.	CHAIRMAN MORELOCK: It's in the	25.	fast forward?
	Page 150)	Page 15
1.	manual now with the training log.	1.	MR. JACKSON: To what, sir?
2.	MR. BAILEY: Okay.	2.	CHAIRMAN MORELOCK: How we're going
3.	CHAIRMAN MORELOCK: You know. And	3.	to
4.	Neil's site inspection is an on-site inspection for	4.	MR. JACKSON: Oh.
5.	them to prove to him that their manual and their	5.	CHAIRMAN MORELOCK: discuss them
6.	process matches and they know what they're doing.	6.	under the Boiler Unit, and we're going to add an
7.	MR. BAILEY: Okay.	7.	item to the agenda for March.
8.	CHAIRMAN MORELOCK: And that's his	8.	MS. JEFFERSON: Yes.
9.	frustration.	9.	CHAIRMAN MORELOCK: Okay. And
o. 0.	MR. JACKSON: Mr. Neville does an	10.	that'll be a is it going to be a voted action or
		110.	discussion item?
1.	excellent job in writing the manual. But I don't		
2.	know if he's going to stand there and watch them	12.	MS. JEFFERSON: Let's start with a
3.	read it	13.	discussion item.
4. ~	CHAIRMAN MORELOCK: That's right.	14.	CHAIRMAN MORELOCK: Okay.
5.	MR. JACKSON: is the situation	15.	MS. JEFFERSON: As to what we talked
6.	CHAIRMAN MORELOCK: Right.	16.	about.
7.	MR. JACKSON: that we're running	17.	CHAIRMAN MORELOCK: Okay. All right.
8.	into.	18.	We'll leave it on the agenda.
9.	CHAIRMAN MORELOCK: Well, and	19.	MR. JACKSON: So what do I need to
0.	that's it's not his job to make them read it.	20.	do, Kim, for evidence?
1.	MR. JACKSON: No, that's not his job.	21.	MS. JEFFERSON: We'll talk about
2.	CHAIRMAN MORELOCK: You know. He's	22.	that
3.	providing a service to them.	23.	MR. JACKSON: Okay.
4.	MR. JACKSON: It's not, in a sense of	24.	MS. JEFFERSON: once we get
5.	the word, anybody's job to make sure they've read	25.	together as a group.
٦.	the word, anybody's job to make sure they ve read	25.	together as a group.

	Page 153
1.	MR. JACKSON: Okay.
2.	MS. JEFFERSON: Okay?
3.	MR. JACKSON: All right.
4.	CHAIRMAN MORELOCK: Okay. Very good.
5.	MR. JACKSON: Thank you.
	·
6.	CHAIRMAN MORELOCK: All right. Thank
7.	you. Good discussion. Really good discussion.
8.	Okay. Item 9. There are no rule cases or
9.	interpretations today. Item 10, the next Board of
10.	Boiler Rules meeting is now scheduled for Wednesday,
11.	March the 16th at 9 a.m. here at the Department of
12.	Labor.
13.	And Item 11 is adjournment. So
14.	unless there is any objections to adjourning, I
15.	consider this meeting adjourned, and I hope
16.	everybody has a wonderful holiday, Merry
17.	Christmas, Happy New Year and
18.	DR. JOHNSON: Merry Christmas.
19.	MR. BAUGHMAN: Merry Christmas to
20.	everyone.
21.	MS. JEFFERSON: Merry Christmas.
22.	CHAIRMAN MORELOCK: Thank you.
23.	END OF PROCEEDINGS.
23. 24.	END OF PROCEEDINGS.
25.	
	Page 154
1.	Page 154 CERTIFICATE
1. 2.	CERTIFICATE
2.	-
	CERTIFICATE STATE OF TENNESSEE)
2.	CERTIFICATE
 3. 	CERTIFICATE STATE OF TENNESSEE)
2. 3. 4.	CERTIFICATE STATE OF TENNESSEE)
 3. 4. 5. 	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON)
 2. 3. 4. 5. 6. 	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary
2. 3. 4. 5. 6. 7.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the
2. 3. 4. 5. 6. 7. 8. 9.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a
2. 3. 4. 5. 6. 7. 8. 9. 10.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the action.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the action.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the action.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the action. SIGNED this 27th day of January.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the action. SIGNED this 27th day of January.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the action. SIGNED this 27th day of January.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	CERTIFICATE STATE OF TENNESSEE) COUNTY OF WILLIAMSON) I, Dominique A. Dubois LCR# 686, Notary Public and Court Reporter, do hereby certify that I have recorded to the best of my skill and ability by machine shorthand all the proceedings in the foregoing transcript, and that said transcript is a true, accurate, and complete transcript to the best of my ability. I further certify that I am not an attorney or counsel of any of the parties, nor a relative or employee of any attorney or counsel connected with the action, nor financially interested in the action. SIGNED this 27th day of January.

	97:2 148:12 148:17	l .	92:21 92:24 93:20	announcements 5:14
A	149:1	agenda 6:5 6:6 6:9	94:9 94:25 95:6	annual 6:3 13:7 60:4
a7 83:1	add 6:18 27:12 28:7	6:11 6:12 6:18 6:21		118:20 149:23
ability 154:8 154:12		7:1 7:2 9:9 23:4	96:13 96:14 97:25	annually 30:15 60:10
able 98:21 98:22	53:10 90:17 111:8	38:17 152:7 152:18	1	118:16
104:1 107:3 116:13		agendas 5:10	102:3 102:4 102:21	another 11:8 14:21
129:6 148:19	added 28:15 51:22	agent 9:13 9:16	103:1 104:12 105:3	17:6 18:21 19:17
above 2:1 16:25	53:5 103:19	ago 17:18 18:9 51:11		81:23 91:1 102:23
25:10 64:18 70:2	adding 60:17	52:24 66:13 123:11		
70:4 70:14 71:2	addition 89:4	124:8 129:23	112:3 113:23 116:3	133:23
71:25 72:10 81:21	additional 35:6	129:23 134:14	116:10 121:15	anticipated 63:21
absolutely 66:17	40:14 98:25	134:15	125:16 127:4 130:5	anziou s 110.23
141:22	additions 6:11	agree 77:25 78:13	135:7 135:18 138:9	
abstention 59:21	address 16:20 42:1	78:19 82:9 82:13	140:2 146:15 147:5	106:7 109:17
abstentions 22:20	63:19 102:11	122:11 129:11	149:6 151:20	111:21 132:24
38:7 59:21 68:24	116:23 124:20	132:21 138:15	152:17 153:3 153:6	150:25
76:4 94:14	128:9 130:16	140:18 141:17	154:9	anymore 65:16
accept 37:18 68:8	145:18 146:1	143:7 146:9 147:8	allied 40:24 41:4	122:21
68:10 75:2 83:23	addressed 59:11	149:3	allow 37:9 79:7	anyone 6:7 22:24
83:24 93:21 114:14		agreement 114:3	146:15	99:7
118:3	136:17	ahead 71:16 145:24	allowable 71:17	anything 6:19 13:10
acceptable 71:23	addressing 129:25	ahold 135:3	72:18 78:25	15:15 33:1 37:16
accepted 11:19	146:5	ain 52:20	allowed 58:2 58:16	49:15 75:11 90:14
119:25	adjacent 14:17	alarm 29:10 35:20	almost 5:4 14:22	91:18 93:19 101:24
accident 65:17	adjourned 153:15	37:14	15:10 15:14 76:25	102:1 111:22 149:6
accommodate 22:7	adjourning 153:14	all 6:20 8:17 9:2 9:3	141:18	anyway 129:18
108:12	adjournment 153:13		alone 48:14 65:1	136:1 137:18 139:6
accordance 63:12	adjustment 88:1	13:12 14:3 14:24	along 26:25 95:7	139:11 140:8
account 100:25	administration	16:12 18:3 20:10	101:2	140:14 144:20
accurate 154:11	146:8	21:8 22:4 22:15	already 10:19 11:2	anywhere 31:20
across 125:10	administrator 3:9	22:20 24:1 25:6	17:18 57:20 107:4	131:3
act 92:24 93:11	3:10 7:20 7:22	25:8 25:10 28:23	107:6 107:12	api 18:3 19:20 20:4
action 13:19 77:1	adopt 6:8 6:11	30:12 33:18 33:20	120:17 121:22 144:15 144:16	20:4
119:10 123:15	adoption 6:5 6:20	33:21 34:15 37:3	l	appendix 27:13
123:16 146:18	advise 96:15	37:6 37:9 38:1 38:7	alrighty 76:14	28:12 31:17 36:13
152:10 154:16	advisor 8:16	38:16 38:21 39:1 43:2 43:6 43:9 46:2	~ .	36:20 36:24 40:9
154:17	advocate 142:24	50:7 51:25 55:15	alterations 74:15	applaud 30:1
actions 95:8	afraid 130:22 138:8	57:1 57:2 57:21	74:19 74:23	applicable 78:12
active 60:14 120:10	143:12 145:11	59:16 63:16 64:19	alternate 46:7	application 27:6
123:18	after 10:21 25:19	65:10 68:7 68:18	always 12:13 14:22	95:13 95:14 111:14
activities 10:22 19:2	17.20 17.23 00.10	68:19 69:10 69:17	15:10 15:14 15:15	applied 92:25
22:7 60:16 60:20	80:23 80:25 81:4	70:17 72:18 74:1	16:2 20:7 34:8	applies 133:9
61:4 61:24 62:16	81:5 81:6 81:9	75:14 75:16 75:23	59:10 148:10	apply 15:6
63:22	96:21 100:21	75:24 76:4 76:22	america 10:6	appointment 95:14
actual 21:5 70:8	106:25 114:13	77:14 77:16 80:25	amongst 99:14	appreciate 60:10
100:15 148:11	122:16	01.2 01.10 02.16	amusement 105:22	appreciation 45:16
actually 24:18 46:14		83:20 84:4 86:7	analyses 21:23	approach 11:20 12:9
46:15 54:12 58:13 74:10 76:23 79:3	23:6 26:23 39:2	88:4 89:3 90:3 90:6		appropriate 13:8
79:8 79:9 91:10	56:17 69:10 79:24	00.25 02.1 02.3	announced 39:20	100:8 120:13 121:3
17.0 17.7 71.10	127:15 132:6 136:7	· · · · · · · ·	amiounced 37.20	approval 49:7 71:2

74:20 77:3 100:20	16:7 16:10 18:24	92:9 96:21 103:5	basis 25:17 34:18	129:4 129:22
118:10	attachments 14:9	113:11 116:11	96:8	135:11 136:3
approve 20:22 21:1	attend 24:19 25:11	121:16 121:19	baughman 3:5 6:23	142:22 148:10
21:4 59:8 59:10	attendance 5:25 6:1	122:7 127:13	7:15 7:15 15:9	149:4 151:22
93:22	attendant 6:16 29:21	127:13 127:19	15:12 15:18 15:23	153:19
approved 22:21	31:20 36:23 36:24	129:1 129:13	16:3 22:17 26:9	becomes 51:7
38:10 59:22 100:2	55:14 116:25	130:15 132:7	26:14 26:22 27:4	been 10:19 11:2
100:9 125:1 126:9	attendants 24:24	132:16 134:2 135:2	27:10 28:3 28:5	19:13 29:22 40:22
149:19	32:9 40:11 40:12	135:20 135:24	28:8 28:13 28:20	41:4 41:9 44:2 49:6
approximately 11:6	55:19 55:22	136:14 137:2	28:22 28:25 29:3	50:5 50:10 51:9
11:24 24:4 24:6	attended 25:9	137:13 139:20	29:8 29:14 29:16	67:19 72:1 76:22
24:8	attending 24:18	140:7 142:3 143:22	29:23 33:22 33:25	81:1 83:10 91:8
april 39:6 49:9 69:22		143:23 144:18	34:10 34:24 35:4	96:18 98:8 99:14
area 9:23 13:1 14:17	attention 6:14 12:12	145:1 146:15	35:8 35:11 35:14	100:4 102:16
24:6 24:8 34:15	60:11 113:1 117:21	147:20	35:21 36:3 36:6	102:20 116:12
101:20	attorney 154:13	background 26:1	37:5 37:11 37:15	119:25 123:10
areas 12:17 12:24	154:15	bad 113:6 123:17	38:4 38:23 43:4	126:9 129:14
121:23	audit 118:19	130:14	45:4 45:7 46:1 46:6	134:10 136:14
around 5:25 7:3	auditing 111:13	bailey 3:11 7:23 7:23	46:13 46:16 46:20	before 1:13 2:3 5:13
135:9	auspices 148:25	65:12 65:21 65:25	46:24 47:2 47:7	6:6 18:2 22:14
ask 5:20 22:12 43:13	authorization 112:11	66:3 66:7 66:9	47:11 47:14 47:18	23:22 29:10 29:17
75:19 96:7 98:16	authorized 69:17	66:11 66:15 66:18	47:21 47:24 48:3	41:15 41:25 51:7
112:6 112:11	automatic 140:4	67:17 67:21 68:3	48:7 48:11 48:18	57:19 74:19 75:11
118:12 131:25	automatically	76:19 77:14 77:18	49:5 49:11 49:14	75:21 77:15 85:4
asked 69:19 70:12	115:18 121:18	77:21 78:4 78:21	49:19 49:23 50:3	145:23 145:25
130:4 130:6	auxilliary 48:1	80:6 81:18 82:6	50:8 50:11 50:14	146:1 146:11
asking 54:5 70:22	available 34:18	82:10 82:23 83:4	50:17 57:3 57:7	146:15
72:15 96:5 99:14	45:23 106:19	83:18 84:5 84:7	57:15 58:1 58:9	begin 76:17 77:18
113:18 114:2 141:4	109:13 109:14	84:8 84:13 84:19	58:12 58:19 58:22	128:25
143:14	aware 5:19	85:19 89:7 89:10	59:4 60:2 68:21	beginning 24:20
asme 71:20 73:24		89:14 89:17 89:20	76:2 79:24 81:11	111:7
107:20 107:21	away 24:4 24:9 34:22	90:18 93:22 104:22	81:14 84:3 91:1	behalf 69:4 146:6
107:23 108:2	66:11 113:13	104:25 105:4	91:3 91:9 91:12	behind 12:6
108:19 108:19	143:17	106:14 108:5 108:6	91:15 92:15 92:19	being 18:1 19:17
109:13	aye 6:22 6:23 6:24	108:9 108:13 109:3	92:21 93:2 93:6	29:6 45:12 45:13
assembling 63:24	22:15 22:16 22:17	124:5 124:17 138:4	93:9 93:14 93:18	45:18 45:21 48:7
assessment 61:7 65:8	22:18 38:2 38:3	149:10 149:17	94:1 94:11 94:18	48:12 53:17 59:11
66:21	30.4 30.3 37.17	149:21 150:2 150:7	94:20 94:23 95:5	66:23 95:1 95:11
assessments 21:7	59:18 59:19 59:20	balance 13:5 21:4	101:15 101:18	103:19 108:9
21:24 60:16 65:1	68:19 68:20 68:21 68:22 75:24 75:25	base 17:4	101:21 102:11	116:13 127:23
asset 14:14 64:9	76:1 76:2 94:9	based 17:3 19:13	106:16 107:20	129:6 148:19
64:11		20:13 37:21 53:1	108:1 110:12	beings 130:11
assigned 61:25 62:22	94:10 94:11 94:12	60:13 60:23 63:1	110:20 123:21	believe 29:6 39:20
assistant 3:8 3:10	<u> </u>	63:2 63:5 63:22	125:17 125:19	74:4 79:4 88:7
7:21 9:5	babysit 135:7 135:18	120:9 121:22	125:25 126:7	93:16 115:21
associate 25:7	138:9	baseline 12:12 12:17		below 16:24 61:5
associated 64:10	babysitting 136:1	12:23 13:3 13:13	126:19 126:23	63:5
assure 67:3	back 5:10 5:12 6:4	basic 132:11	127:3 127:7 127:21	bennett 3:12 7:7 7:7
asterisk 46:18	10:10 41:25 58:12	basically 10:24 14:12	128:1 128:5 128:8	68:14 75:19 97:2
attachment 14:9	69:22 82:21 84:11	64:16 67:23 149:14	128:11 128:16	97:6 97:10 97:12
attacimient 14:9	09.22 02:21 04:11		128:20 128:24	

97:15 97:17 97:20	11:19 12:12 12:19	69:3 69:9 74:18	booths 103:6	calculate 13:7
97:23 105:21 106:1	13:10 13:15 18:2	79:5 79:19 79:21	both 46:25 47:13	calculated 46:18
106:4 106:6 106:10	I	79:25 80:8 83:3	47:23 74:13 87:12	calculation 71:24
106:22 107:2 107:5		83:7 83:8 83:15	120:15	calculations 70:5
107:8 107:10	23:23 37:19 42:1	83:20 85:7 88:6	bottom 3:18 38:18	70:6 71:9 71:14
107:15 107:18	42:3 59:11 60:6	88:14 88:17 92:9	39:10 39:14 41:17	74:2 85:16 85:24
107:21 107:23	69:14 69:19 71:10	93:12 93:24 95:15	41:18 84:16 102:13	
108:16 109:1 109:7	74:19 76:18 77:3	95:21 98:4 98:13	boundary 79:10	call 5:8 33:22 34:3
109:15 109:22	77:14 77:17 83:24	99:24 99:25 102:9	box 115:21	34:4 34:6 34:16
best 87:23 154:8	93:22 95:21 96:20	102:22 103:11	boxes 51:22	35:4 37:1 43:24
154:11	98:2 99:14 104:9	103:15 103:22	break 76:10 114:22	44:1 44:1 56:12
better 66:12 73:8	104:15 105:10	105:23 108:19	120:16	68:18 73:25 75:23
96:12	105:22 105:23	110:4 110:14	brian 1:13 2:3 3:3	94:8
between 57:16 70:1	109:19 110:5	111:10 111:13	7:13 72:25 105:21	called 24:9 83:7
80:8 86:1 86:2 86:5	111:15 114:3	112:5 113:5 113:10	brief 64:13	calling 35:15
beyond 64:19	114:11 114:14	113:13 113:21	briefly 40:15	calls 105:9
biannual 47:9	115:1 115:8 115:9	114:11 114:16	bring 12:11 102:12	came 2:1 18:2 71:3
big 76:23 86:1	115:19 116:23	115:8 116:5 116:9	104:1 117:21 122:6	
133:14	117:3 117:22	116:9 116:13	143:23	campus 39:10 39:15
biggest 67:6 67:9	118:11 119:14	116:21 116:22	bringing 151:22	39:21 41:23
67:11	122:7 123:19	116:24 117:5	brings 112:8 112:16	candidate 99:11
bill 25:21	124:15 126:10	118:14 118:15	broke 52:20	candidates 98:10
billy 8:11 23:14	134:3 146:15	118:20 121:3 122:6	1	98:11 111:15
bit 5:5 10:11 10:12	146:24 147:7	124:15 126:21	brought 6:14 32:18	
12:2 12:6 15:13	147:23 149:19	127:9 127:23	82:21 103:9 112:25	cannot 34:7 44:10
44:24 55:11 70:20	153:9	128:12 128:12	build 131:7	46:5
95:3 111:6	boards 105:3	128:22 129:1 130:1	building 5:16 5:18	canonico 95:16
biweekly 66:20	boat 136:4	131:2 131:6 131:18	40:19 40:19	
black 80:8	boiler 1:3 1:11 3:8	132:2 132:10	built 63:19 64:3 71:3	
blair 3:18 8:13 39:8	3:20 5:9 6:16 6:17	132:11 133:8	71:20	capital 57:14
40:15 43:8	7:10 8:1 8:5 8:13	134:20 135:3 135:7	burden 103:12	capture 81:3 captured 62:7
blanket 93:16	9:9 9:19 23:7 23:18	135:18 135:25	103:19	_
bless 61:11	24:6 24:7 24:8	136:24 137:4 137:7	burner 57:7 57:9	cards 125:20
blocked 140:1	24:13 24:18 24:24	139:13 140:3	burning 140.11	care 45:12 97:23
blow 25:23 113:9	25:5 25:12 25:18	140:10 141:24	business 10:5 23:5	caretaker 45:14
128:11 128:13	25:20 26:2 29:9	143:15 143:16	115:5 116:15	carlene 3:12 6:4 7:7
128:11 128:13	29:11 29:21 29:21	144:5 147:22	122:21	22:12 76:18 94:14
145:12	30:2 31:20 32:6	151:10 152:6	butler 3:20 69:6 69:8	
145:12 blowdown 6:17	32:8 32:8 32:23	153:10	69:8 70:21 71:4	carpenters 40:20
25:18 116:5 128:8	33:11 33:22 35:20	boilermakers 98:4	71:7 71:12 72:3	cars 117:10
135:19 142:10	36:22 36:24 37:14	boilers 23:19 23:20	72:7 72:14 72:20	case 34:14 79:1
143:15 145:10	38:19 39:9 40:10	24:1 24:2 24:20	72:23 74:10 74:16	130:10 132:17
blowdowns 111:10	40:12 40:25 41:12	24:21 25:14 25:19	74:21 75:16 76:7	cases 153:8
	42:11 44:4 44:12	28:24 33:3 33:13	button 32:22 142:20	1 2000
111:13 129:9	45:21 45:24 46:9	37:6 37:9 39:23	143:5	catch 70:20 117:13
blowing 113:21	46:21 47:15 48:8	41:8 41:14 43:18	buy 67:17 67:25	caught 50:7 51:11
140:15	48:22 48:25 50:23	45:20 46:7 46:25		51:25 52:2
blown 116:13	51:25 52:5 53:14	47:13 48:2 48:6		cause 2:1 29:10
board 1:11 3:12 5:9	53:16 53:17 55:14	49:5 56:14 70:12	cables 57:20	141:18
6:2 7:7 7:11 7:14	55:16 55:22 56:13	77:23 78:25 79:1	calc 73:1	caused 116:15
7:15 7:17 8:4 11:18	57:20 59:1 64:2	113:17 115:13	calcs 74:4	causes 129:1 129:4

136:6	50:12 50:15 50:18	91:16 91:21 91:22	135:24 136:5	105:15
causing 45:14	50:20 50:21 51:3	91:25 92:5 92:8	136:10 136:13	chapman 3:8 7:9 7:9
cb 57:12	51:5 51:9 51:15	92:11 92:14 92:18	136:20 136:23	9:11 10:2 22:2 22:4
cbs 57:11	51:19 51:24 52:9	92:20 93:1 93:4	137:1 137:4 137:9	34:13 34:20 50:6
cell 5:21 34:15	52:14 52:18 52:21	93:7 93:10 93:15	137:12 137:16	50:19 75:6 107:22
center 3:23 9:4 24:9	53:8 53:11 53:23	93:19 94:2 94:4	137:19 137:25	110:17 121:16
24:10 24:13 38:18	54:2 54:4 54:14	94:7 94:13 94:19	138:8 138:11	121:20 124:16
40:5 40:25 57:21	54:17 54:19 54:21	94:21 94:24 95:6	138:14 138:16	charge 52:12
certainly 12:3 23:2	54:23 55:1 55:3	96:6 96:10 96:13	138:19 138:23	charged 45:12
116:7 147:23	55:5 55:9 55:13	96:18 96:24 97:1	139:7 139:12	121:12
certificate 17:13	55:20 55:23 55:25	97:5 97:9 97:11	139:16 139:19	charleston 10:18
75:14 134:9	56:4 56:7 56:11	97:14 97:16 97:19	139:23 140:24	26:13
certificates 17:18	56:15 56:22 57:1	97:25 98:24 99:1	141:5 143:21	chart 31:17 49:10
certification 61:7	59:6 59:9 59:15	99:5 99:10 99:13	144:11 144:14	112:18
102:9 102:22	59:20 59:25 60:3	99:19 100:22	144:20 144:23	chattanooga 25:9
certified 64:24 65:13	64:6 65:20 66:5	100:24 101:5 101:7	145:6 145:9 145:14	check 14:10 51:22
65:19	67:5 68:6 68:11	101:9 101:11	145:19 145:22	54:1 54:9 55:16
certify 154:7 154:13	68:13 68:15 68:23	101:13 101:24	146:17 146:22	58:17 71:25 109:7
chairman 3:3 5:2	69:2 69:7 70:17	102:2 102:5 102:8	147:2 147:5 147:9	112:11 135:8
6:10 6:25 7:13 8:17	71:5 71:13 72:5	104:11 104:24	147:13 147:16	checking 53:16
8:20 8:23 9:2 9:6	72:8 72:16 72:21	105:1 105:7 105:25		115:12
10:1 10:9 13:17	72:24 73:3 73:6	106:3 106:5 106:9	147:25 148:2 148:6	Cliccixiist 31.21 33.1
13:24 14:1 14:3	73:11 73:13 73:16	106:11 106:15	149:5 149:8 149:15	56:18 123:9
14:6 15:1 15:4 15:7	73:18 73:20 73:22	106:18 107:24	149:20 149:25	checks 129:8
15:25 16:4 16:22	74:5 74:8 74:12	108:6 108:8 108:11		chemical 24:13 24:1
17:2 17:10 17:12	74:17 74:22 75:1	108:15 108:18	150:16 150:19	24:19 25:6 25:8
17:15 17:19 17:22	75:5 75:17 75:21	109:10 109:12	150:22 151:3 151:5	25:14 30:7 30:20
18:6 18:20 18:22	76:3 76:8 76:14	109:16 109:23	151:8 151:12	30:21 31:23 32:2
19:2 19:5 19:8	76:21 77:5 79:14	110:1 110:9 110:13		32:3 32:5 32:16
19:11 19:16 19:23	79:15 79:18 79:25	110:16 110:22	151:19 151:21	35:17 35:18
20:3 20:8 20:12	80:5 80:7 80:14	111:2 111:4 114:8	151:24 152:2 152:5	chemicals 71:22
20:16 20:23 20:25	80:17 80:20 80:23	114:21 114:22	152:9 152:14	chemtreat 25:15
21:3 21:11 21:14	81:8 81:13 81:16	115:23 116:1 116:3		chief 3:8 7:9 8:7 9:9
21:21 22:8 22:11	82:8 82:11 82:13	117:5 117:8 117:18	1	9:25 42:11 60:7
22:19 22:23 26:8	82:17 82:19 84:1	117:25 118:6	challenge 67:7 67:9	74:18 85:10 121:3
26:21 27:15 27:17	84:4 84:9 84:14	118:12 118:18	chance 34:1 58:1	choose 15:16 98:10
27:21 27:24 28:11	84:16 84:22 84:24	118:23 119:1 119:5		christmas 5:4 10:21
29:4 29:12 29:19	85:6 85:12 85:14	119:9 119:19	change 41:14 41:17	10:21 153:17
29:24 31:11 31:15	85:17 85:20 85:22	119:22 120:2 120:7	1 .2.1 .2.0 .,,120	153:18 153:19
31:22 32:1 32:7	85:25 86:4 86:7 86:11 86:13 86:18	120:25 121:5 122:1 122:8 122:11		153:21
32:14 32:19 33:17	86:21 86:24 87:2	122:8 122:11 122:18	78:14 83:2 83:4	circuitized 62:18
33:20 36:8 36:12	86:21 86:24 87:2 87:6 87:9 87:18		83:23 119:7 124:24	circuits 63:6 63:24
37:3 37:16 37:20	87:22 87:24 88:2	123:8 123:22 124:4 124:6 124:10	 	64:8 64:10
37:25 38:6 38:10	88:5 88:11 88:13	124:0 124:10	changes 6:12 14:24	circumstance 138:2
38:14 38:16 38:25	88:19 88:23 89:2	124.14 124.23 125:4 125:7 129:12	14:25 39:12 39:15	citizens 105:17
39:11 42:3 42:6	89:12 89:15 89:19	129:19 133:16	57.21 11.25 12.1	claimed 12:13
42:10 42:13 42:16	89:21 89:25 90:5	133:20 133:22	42:7 53:12 83:15	clarification 13:18
42:19 42:23 42:25	90:8 90:10 90:16	133.20 133.22	83:20 83:24 90:4	120:15
43:5 46:17 46:21	90:21 90:24 91:2	134:25 135:13	90:8 90:9 90:12	clarify 15:13 18:4
49:22 50:4 50:9	91:7 91:10 91:13	135:17 135:22	105:16 113:9	21.14 22.12 56.2
	71.771.10 71.13	100.17 100.22	changing 83:9 83:11	

56:16	comment 18:22 45:4	composite 11:10	consultant 8:4	72:9
clarity 32:22	56:18 77:21 78:1	comprehensive	contact 100:10	couldn 137:1 137:13
class 25:12 25:13	78:4 78:21 81:18	65:14	contamination 78:9	counsel 3:11 7:24
102:23 102:24	81:22 83:4 89:10	compress 71:24	contents 78:8	154:14 154:15
102:24	104:10 149:10	computer 32:23	contingent 37:19	count 63:5
classified 76:5	149:18	32:25 33:2 33:7	37:21 38:11 59:10	county 9:23 9:24
classifying 55:18	commented 76:22	87:20 90:12 142:21	59:25	154:3
classroom 26:18	comments 16:5	concern 81:24	continuance 68:9	couple 5:13 11:2
clean 31:5 87:11	20:17 20:18 33:21	149:16	continue 68:4 71:1	16:5 29:25 36:9
88:15 89:8 89:17	36:9 37:4 37:19	concerned 122:6	continued 17:15 71:1	
93:23	38:1 43:6 50:19	127:18 131:6 135:1	continues 11:15	course 10:15 13:4
cleaned 81:17	53:1 57:2 59:7	145:18	60:13 60:22	66:25 74:13 97:17
cleanup 80:12 85:8	59:11 59:16 68:7	concerning 6:16	continuous 18:14	100:8 111:21 120:4
clear 44:9 75:18	70:18 71:15 74:24	111:10	contract 71:5	124:21 127:10
cleared 127:15	77:2 77:13 77:14	concerns 103:17	contracted 25:20	court 1:23 7:4 7:6
clearly 16:20	77:17 77:19 77:20	145:3 149:6	control 23:25 24:3	154:7
click 117:12	84:6 85:4 88:3	concludes 95:7	24:9 24:10 24:12	courteous 5:23
clogged 140:1	89:16 90:18 92:3	conditioned 149:22	24:17 32:24 33:4	courtesy 5:20
close 11:11 20:8 20:9	93:21 94:5 116:6	conditions 53:19	33:5 33:9 69:9	cover 6:15 14:19
36:17	commission 154:22	62:11	117:3 117:6 124:22	
closed 39:16	commissioned 60:17	conduct 11.20	controller 57:8 57:10	
closure 66:22	commissioner 1:13	149:23	57:16 58:3	covered 27:22
clover 3:18 38:18	2:3 3:3 3:4 3:5 3:7	conducting 60:15	controls 41:12	covers 121:23
39:9 39:14 41:16	commitment 12:2	conference 99:21	copy 12:8 77:11	create 79:11
41:18 102:13	12:18 commitments 65:11	99:24 99:25 99:25	91:17 93:23 93:23	criteria 134:4
co 3:20	100.20	100:16 100:18	corporate 61:9 64:25	
code 9:17 20:13 89:4	1	110:5	correct 13:19 15:3	cross 26:4 30:23
108:2 109:13	common 15:21 35:25	Commission 117.111	17:9 17:10 17:16	cs 13:1
codes 8:16	companies 45:9	confirm 17:7 18:14	18:21 19:22 29:14	cui 19:1 61:15 61:18
coil 73:23 73:24 74:2	10.10	confirmation 13:22	29:17 32:11 35:3	61:22
coincide 16:13 17:13	25:12 58:5 64:20	conflict 6:3 22:13	44:3 45:25 47:1	cuis 63:11
110:4	64:23 69:4 112:22	38:24 39:1 43:3	49:18 51:19 52:6	culture 65:3 67:8
coincides 12:4	114:1 118:4 121:12	68:14 68:16 75:20		67:9 67:15 68:2
cold 48:10 48:11	124:19 127:18	73.22 101.22	65:3 66:14 72:2	curiosity 49:2
48:15 53:19 54:8	134:14 134:19	109:17	72:22 74:16 77:4	curious 148:21
113:22	compare 81:20	conflicts 68:17 94:15		current 60:17 63:14
collect 25:24	complaint 65:17	110:19 111:1	82:22 87:10 88:8 95:2 113:14 116:2	83:14 104:19 115:6
collective 151:9	complete 11:22	conform 58:24	125:3 128:19	120:18 123:18
color 79:20 91:17	11:25 12:9 17:5	connected 154:15	135:16 135:23	currently 25:8 61:6
91:17	21:8 22:25 69:14	connection 57:16	142:18 144:19	64:23 66:23 82:25
combined 115:2	71:16 154:11	consequence 17:25	151:11	119:16
comes 67:3 122:24	completed 5:4 6:4	consider 43:13	corrected 29:22	cutoff 26:19 128:13
140:2 148:14	12:23 61:17 61:19	153:15	corrections 60:1	cycles 42:20
148:14	62:11 63:10 63:23	consideration 45:3 consistent 36:17	88:16	cycling 47:20
comfort 44:24	completely 143:18		correctly 44:20 78:6	cylinder 73:14
coming 95:11 95:22	completing 12:3	62:12 105:13 constitute 13:2	78:23	D
101:1 123:25	compliant 126:3	constraints 19:19	corrosion 13:7 16:11	
130:21 148:22	151:2 151:7	constraints 19:19 constructed 121:23	62:8 63:20 72:2	da 25:24 26:23 27:4
comma 80:1 80:7	comply 75:11	construction 19:25	corrosive 16:14 72:7	
80:10 81:4		Construction 19:25	1011001,010.11,12.7	41.14 41.13 31.3

46:24 47:2 48:12	degree 25:7 102:23	diesel 33:9	doing 9:11 11:2	113:21 116:13
daily 25:16	degrees 135:1	different 36:18 40:13	_	127:9 128:12
damage 14:15 18:15	del 3:25 8:5	45:16 93:8 102:21	102:20 104:6	128:13 128:21
21:7 60:24 61:25	delay 113:23 113:24		118:21 118:22	129:1 129:17
62:23 63:18 63:20	143:15	107:13 113:2	119:2 119:3 119:3	129:17 129:18
116:16	delinquencies 62:17		147:5 150:6	130:2 130:8 132:3
dan 3:11 7:23	delinquent 9:15 9:17		dollar 131:14	133:9 136:2 136:24
data 13:6 62:20	delton 9:22	disaster 5:15	dominique 1:22 7:5	137:12 137:18
62:21 62:22 63:4	demand 39:24 99:24		154:6 154:21	137:18 138:9
69:16	demonstrate 12:15	discomfort 129:5	don 10:23 26:24	138:12 139:6
database 11:11	department 1:2 2:4	discovered 69:13	31:19 36:18 37:12	139:11 139:17
date 50:7 50:13 83:2		discuss 10:7 111:9	47:22 49:9 49:12	140:2 140:8 140:15
95:20 100:12 107:6	1.1 1.3 0.17 73.13	149:5 152:5	52:15 52:16 52:19	145:12
107:11 114:24	departments 39:19	discussed 122:9	52:20 58:7 73:5	downtime 129:5
115:17 134:13	depending 18:17	discusses 93:5	83:11 86:14 86:23	dr 3:7 6:22 7:17
dates 104:16 104:18	18:18 53:18	discussing 102:18	89:7 90:11 92:16	15:19 16:1 20:20
104:19 105:24	depleting 140:13	131:23	93:8 95:16 99:6	20:24 21:1 22:16
106:2 111:5	deputy 37:22 59:12	discussion 6:13 6:19	00 0 00 16 104 4	37:24 38:5 59:8
dave 7:15 132:7	description 57:9	14:7 21:12 90:18	104:25 105:8	59:18 68:12 68:22
david 3:5 4:2 8:15	64:13	95:8 102:14 111:8	108:12 111:22	75:4 75:25 86:15
davidson 9:22	descriptions 40:7	134:18 146:18	111:23 112:6	86:17 86:19 86:23
day 2:2 23:19 25:13	40:9	152:11 152:13	112:23 114:4 115:6	87:1 87:3 87:8
26:10 34:9 39:24	design 62:21	153:7 153:7	117:14 117:14	87:10 87:13 87:16
100:16 105:5	designate 69:4	discussions 5:22 27:1	124:10 124:19	87:20 87:23 87:25
106:25 144:8	desire 123:12	143:11	129:14 131:1 131:5	88:9 94:6 94:12
154:18	desk 109:8	dismantle 57:22	131:6 131:8 131:23	95:16 95:19 97:13
days 23:20 34:9	destruction 27:5	disposal 22:3	132:23 134:8	110:7 110:10
34:17 39:25 105:13	45:15	distance 58:2 58:6	134:13 136:15	128:23 130:18
111:3	detail 40:8	58:13 58:16	137:5 138:2 139:1	131:1 131:5 131:9
deadline 96:1	detailed 63:16	distillation 12:23	140:1 140:18	131:12 131:15
deaerated 48:14	details 10:23 13:12	distribution 63:4	140:18 141:20	131:20 131:22
dealing 22:1	25:2 49:13	dive 76:11	141:24 142:3	135:10 135:12
death 45:14	determined 101:16	division 1:3 114:16	143:18 144:4 144:5	
deborah 3:13 8:1	development 1:2 2:4		144:12 148:24	135:23 137:14
76:18 91:23 92:1	4:1 4:4	document 12:8 14:17	148:25 149:13	137:17 137:21
102:2 104:17 115:2	developmental 3:18	14:23 14:24 16:25	150:11 151:6	137:24 138:3 138:6
120:7 120:15	38:18	149:24	done 69:21 87:17	138:10 138:13
122:16 123:13	device 105:22	documentation 74:2	94:16 114:15	138:15 138:17
134:11	devices 75:15 140:3	116:20	114:15 120:25	138:21 138:24
december 1:12 2:2	devoted 21:25	documented 61:2	137:7 147:17	139:2 139:4 147:4
18:1 39:5 97:8	diagnosed 29:11	63:2	147:19	147:7 153:18
110:6 110:15	diagrams 28:2	doesn 58:7 79:10	donut 134:14	draft 77:2 77:12 77:15 78:18 79:22
110:24	diameter 74:1	91:25 113:11	double 58:17 109:7	85:3 88:7 88:21
decide 122:5 123:7	diatherm 72:4	117:10 128:12	doubt 124:17	88:24 89:3 89:8
decrease 19:6	dictates 58:15	128:13 128:22	dower 4:3	89:18 90:3 91:11
defaults 19:20	didn 52:4 52:5 103:2	120.15 121.20	down 25:23 33:14	91:14 92:1 92:3
defined 24:7	110:8 127:15 130:3	122.20 124.10	39:17 44:4 56:14	93:21
definitely 101:22	130:6 130:8 134:2	135:20 136:8 140:7	69:20 69:23 77:10	drawing 28:5
146:6	134:3 149:12	140:20 141:13	80:25 81:12 108:2	10.10
degradation 63:1	die 136:5	142:4 144:25	108:3 111:17 113:9	drive 2:5
	uic 130.3			ullyc 2.3

11.1.1.00.7.5	22 22 22 2 22 0		41: 15.20	4 05 16 06 5
dubois 1:22 7:5	32:22 33:2 33:9	environmental 37:8	everything 15:20	extra 85:16 86:5
154:6 154:21	33:22 34:2 34:4	envision 47:22	53:24 69:18	86:22 115:12
due 9:24 95:11	35:2 43:22 48:5	equation 129:10	evidence 129:13	eyes 45:11
during 34:12 34:19	56:19	equipment 11:23	129:15 136:14	F
34:23 41:8 54:8	employee 30:11	12:24 16:23 25:23	136:19 152:20	
60:25 61:5 62:7	154:15	26:19 27:16 41:2	exactly 14:2 35:11	facilities 15:22 40:21
114:22 120:16	empty 140:14	45:11 57:9 58:15	54:11 123:12 124:2	
durm 4:1 8:18 8:18	encompassed 92:24	60:18 62:16 62:18	124:16 131:24	facility 8:15 9:5
duties 36:21 36:23	end 11:23 12:2 12:4	63:16 63:18 64:8	137:19 137:20	19:10 21:24 24:10
36:25 53:12	17:5 34:24 97:8	116:16 141:13	143:11	24:23 26:13 34:23
E	99:4 127:24 128:8	equipments 142:25	example 16:6 47:19	39:17 64:17 65:7 65:18 67:12 67:12
e110 57:11	153:23	equivalent 71:19	exceed 79:2	113:14 124:20
	energy 23:24	error 56:25	excellent 77:20	129:7
each 30:23 40:13	enforce 114:17 118:7	J	114:11 114:15	facing 19:19
41:3 62:13 63:17	120:6	esq 3:9 3:11	150:11	fact 117:21 119:23
63:18 64:9 117:11	enforced 52:23	eugene 3:4 7:11	exceptions 6:18	
120:22 141:7 earlier 96:9 114:18	119:24 125:9	55:10 134:16 135:4		148:14 factor 48:15
	enforcement 114:19	european 71:21	excuse 23:2 145:23	factors 67:10
118:1 147:1	115:24 115:25	evaluations 21:23	execute 134:6	fail 138:18 138:20
easiest 119:13	117:23 148:8	even 16:18 47:14	executed 60:25 61:5	
east 19:18 130:21	148:11	52:4 52:5 73:7	62:7	140:15 failed 129:24
ed 98:7	enforcer 148:7 148:8	75.25 102.11	executing 62:1	fails 131:16
editorial 42:6 42:7	enforcing 151:1	102:17 111:23	exempt 73:25	
78:2 78:14	eng 3:15 8:22 8:22	112:7 119:10	exemptions 91:4	failure 17:25 17:25
effect 141:19	8:24 13:17 13:20	122:20 123:19	exit 5:17	141:7 141:12 142:2
effective 60:22	13:22 13:25 14:2	event 5:15 14:16	expand 14:18 22:6	fairly 16:18
effectiveness 61:3	14:5 14:11 14:20	44:10 53:20 70:13	expecting 113:6	fall 18:11 27:17 61:8
62:3	15:3 15:6 15:11	83:14 83:19 100:3	experience 26:3 26:5	66:24 99:21
efficiency 46:22	15:14 16:21 17:1 17:9 17:11 17:14	100:11 100:21	26:6 127:22	falls 114:16 147:20
effort 68:5 76:23	17:17 17:20 18:5	101:6 134:4 134:5	experienced 30:24	families 5:6 far 24:23 25:1 27:13
95:4 95:5	18:18 18:21 19:3	134:5	30:25	
efforts 61:10 63:9		events 100:1 100:7	experiences 30:25	31:2 33:4 39:15
eight 40:22 73:7 91:3	19:22 20:2 20:7	eventually 132:14	expiration 95:19	40:10 41:17 42:7 45:13 50:12 72:1
132:5	20:11 20:15 21:13	ever 33:25 70:13	expired 51:7 120:11	74 14 02 21 100 24
either 63:2 135:18	21:15 21:20 21:22	83:10 148:21	expires 134:9 154:22	74:14 82:21 100:25
electrical 58:5	22:5 22:10 22:22	evergreen 60:16	expiring 121:2	102:14 109:13 111:23 117:2 122:5
electrician 58:4	engineer 3:7 21:18	61:24	explain 24:25 120:17	124:21 127:8
elevator 105:22	25:21 98:5	every 11:4 24:21	explode 130:3	124.21 127.8
108:23 110:19	engineering 3:16	25:11 25:25 40:22	exposed 45:13	forbion 120.17
elevators 106:25	8:10 23:13 39:3	47:9 52:22 53:16	express 38:23 114:10	fast 151:25
107:3	60:24	54:1 55:16 66:8	expression 48:12	fault 136:8
else 6:19 37:16 88:3	• 00.7	95:3 113:9 132:5	extend 11:13 113:20	foults 126:11
91:19 93:20 101:25	enhance 103:10	135:7 everybody 5:3 5:3	extension 64:1 93:12	favor 6:20 22:15 38:1
102:1 109:18	103:24	7:3 70:25 76:9	extensions 7:1	59:16 68:19 75:24
127:14 131:4	enhancement 103:21		extent 20:17 84:5	94:9
136:12 139:20	enjoy 5:5	110:23 113:6 119:4	102:22	
143:21	enjoy 5.5 entire 100:14	126:8 126:16 146:14 153:16	external 16:11 19:1	february 11:14 108:20
eluded 55:10	entities 148:23	everyone 9:7 12:7	61:15 61:17 61:21	federal 117:9
emboss 79:8	entity 143:1	96:23 153:20	62:7	fee 121:11 121:12
emergency 5:15	CHILLY 173.1	90.23 133.20	externals 63:10	

feed 28:2 48:9	64:4 77:21 77:21	franklin 1:24	gets 27:8	84:11 85:1 86:19
139:21 139:21	77:25 83:1 94:17	french 2:5	getting 5:5 26:6 27:7	94:8 96:5 98:22
139:22 139:25	95:10 97:3 105:11	frequencies 21:7	30:1 76:11 100:25	100:1 100:10 101:3
141:21 141:24	108:24 108:25	frequency 64:2 92:10	105:9 127:23	102:21 103:17
feedback 103:8	116:11	92:22	149:12	103:18 104:4 104:5
104:2	five 19:7 30:4 31:10	friday 129:24 129:25	give 25:2 45:2 60:10	104:7 104:17
feeding 26:24	62:12 69:23 73:24	130:7	64:12 70:20 95:24	105:10 105:14
feeds 46:24	77:22 77:24 113:2	friendly 76:24	106:2 129:13 134:2	105:19 106:2 108:3
feedwater 129:21	114:24 115:16	friends 5:7	134:3 138:4	110:2 113:2 114:18
feel 19:12 19:14	fix 52:20 119:15	frustration 150:9	given 6:4 25:12	117:13 120:5 122:5
125:21 126:3	135:9	full 30:11 100:18	67:18	129:17 129:18
feelings 114:10	fixed 64:9 127:14	fully 41:10	gives 44:24 45:15	130:5 130:23
feet 24:4 24:6 24:8	flag 126:14	function 90:12	57:10 57:10	132:10 132:13
58:3	flooded 48:6	furnish 39:25	giving 9:14 9:16	135:24 136:2 136:5
felt 18:25 103:21	floor 2:6 14:7 43:1	furnishing 23:20	glad 18:22	137:15 137:18
few 52:1 52:23 66:13	70:18 85:2	further 21:12 35:25	glen 3:7 7:17	138:17 138:20
field 30:22	fluid 62:10 63:2	77:9 154:13	go 7:2 11:12 16:25	139:6 139:10 140:8
fieldstone 1:23	follow 95:17 96:23	future 143:13	35:25 43:16 44:3	140:14 140:15
fifty 126:5	139:3 140:17		51:6 52:10 53:15	141:12 141:14
figure 24:5 40:3	140:18 148:1	G	58:12 71:2 71:16	141:21 141:21
figures 87:20	followed 78:13	gap 66:22	72:10 74:18 77:8	142:16 143:4
file 88:14	following 2:7 64:18	gas 37:13 127:10	77:20 80:25 83:1	143:13 145:2
fill 98:6 98:17	67:10 105:4 107:17		96:21 100:6 101:10	145:16 150:12
final 56:25 76:25	111:18 125:23	142:2 142:12	105:24 109:24	152:2 152:6 152:10
85:8 100:19	follows 60:21 61:16	142:13	110:2 115:17 118:2	golden 3:23 9:3 9:4
finally 85:7	force 117:15	gathering 67:14	118:4 118:10 126:1	gone 52:12 56:9
financially 154:16	foregoing 154:10	gauged 58:5	126:3 126:10	good 9:6 10:8 10:9
find 31:21 70:24	form 9:18 83:6	gave 16:6	128:11 129:1	10:10 18:20 19:16
100:7 101:3 119:17	format 95:2	general 14:25 22:24	129:17 129:18	19:17 21:19 21:21
120:4 148:19	formatting 81:21	generally 46:10	130:8 132:6 135:5	23:11 26:7 26:8
finding 111:16	81:22 84:19 86:2	46:11	136:2 137:18 139:6	10 0 10 10 10 00
111:22 114:17	forming 12:22	generation 13:1	139:10 140:3 143:4	
136:8	forth 52:13 133:7	generators 33:10	144:18 145:24	59:5 60:2 60:6
fine 83:12 99:7	fortunately 127:16	gentlemen 23:9 38:7	146:8 148:12	60:23 66:10 66:20
fined 117:14	forum 114:13	43:7 59:22	goal 116:8	67:5 68:6 69:7
finish 13:5	forward 10:7 38:21	george 1:23 7:6	goes 42:8 42:20	69:10 69:22 71:15
finks 3:10 7:21 7:21	151:25	get 13:13 13:14	124:20 124:21	74:7 74:8 84:9 87:7
61:13 76:22 82:5	forwarded 21:16	25:17 34:12 37:12	128:20 132:3 133:4	88:2 92:7 92:10 92:11 93:6 93:18
82:12 82:15 82:17	foster 112:9 112:9	40:25 43:17 43:22	136:14 139:16	94:16 94:18 95:5
84:10 84:15 84:18	112:14 112:17	45:13 50:7 51:11	going 5:25 10:6	96:19 97:16 98:1
84:20 84:23 88:10	found 9:17 69:25	51:25 58:10 64:3	10:22 11:13 13:4	100:22 101:13
88:12 88:18 88:20	121:10 127:16	65:12 70:14 71:2	13:11 14:17 14:18	100:22 101:13
89:1 89:6 89:9	four 9:19 14:9 24:21		16:24 17:4 17:6	102.13 104.1
89:24 90:2 90:6	52:4 53:13 53:16	94:15 95:22 96:11	18:13 19:24 20:3	110:22 114:13
90:9 90:11 90:20	54:1 55:17 114:24	98:15 100:9 102:25	23:5 27:17 30:14	117:22 117:23
90:22 95:2 108:22	115:16 123:11	103:4 103:5 103:8	35:1 35:23 39:16	117.22 117.23
109:2 109:5 109:11	124:7	104:2 114:13	43:1 43:2 43:23	153:7 153:7
fireye 24:1 57:11	fourteenth 110:16	130:24 131:1 131:5	48:4 54:9 55:5	got 5:3 14:9 23:1
firing 37:10	110:17	135:2 135:20 137:2	64:18 68:18 70:18	26:23 27:5 33:21
first 9:8 43:1 43:8	fourth 80:17	137:6 152:24	72:11 75:23 77:7	35:1 35:24 36:25
				20.1 30.2 1 30.23

	45:21 46:17 47:5	gross 3:19 8:7 8:7	113:7 142:24	holt 3:24 7:25 7:25	identification 79:3
ı	56:17 57:11 57:13	60:6 60:7 61:14	hawk 57:12 57:13	home 118:4	79:12
ı	57:20 58:24 67:22	64:7 64:15 65:23	58:14 142:23	homes 113:4	identifications 112:1
ı	71:8 76:25 77:8	66:1 66:4 66:14	hcl 13:1 13:1	honest 86:13	identified 36:7 112:3
l	77:13 78:16 81:17	66:17 66:19 67:8	header 46:4	honestly 80:11	112:4
l	87:10 89:10 89:22	67:19 67:22 68:4	heads 70:4 73:6	1 -	identify 46:5 65:2
l	90:13 91:6 93:15	69:1	122:4	hope 5:3 153:15	
l	95:10 98:15 99:19	ground 103:6	hear 102:13 110:8	hospital 134:23	implement 21:6
l	102:16 102:18	group 122:10 152:25		hospitals 113:3	implementing 67:9 74:20
l	105:13 108:1 109:3	guard 40:7 40:8	heard 111:25	hot 40:1 91:5 91:5	
l	111:6 111:18 114:7			hour 34:22 46:9	improve 68:2
l	115:1 115:20	44:12 53:21 133:4	hearing 2:2 2:5 6:20		improvements 60:18
l	117:12 118:10		20:18 68:17 93:20	hourly 53:15 53:17	inc 3:21
ı	118:11 125:8	guards 34:25 40:6	94:8	53:22 54:7 54:9	inch 73:24
l	126:18 126:20	43:12 45:8 55:16	heat 113:15	54:16 54:20	inches 70:1 70:1 70:2
l	120:18 120:20	56:3	heated 48:5 48:14	hours 23:19 24:21	73:25
l	132:25 133:3	guess 16:15 39:18	heaters 91:5	34:9 39:24 53:17	incident 127:9
	135:25 137:4 137:5	41:24 42:2 47:9	heating 23:21 40:1	54:1 55:17 113:13	129:22
	142:13 142:19	11.13 12.7 13.0	heavy 94:25	132:5	inclement 113:21
	142:13 142:19	106:16 116:4	held 26:11 26:12	house 41:1 43:20	inclined 44:25
ı	144.18 147.11	119:13 125:11	hello 69:6	how 9:11 11:20	include 6:13 17:24
l	151:20	133:14 139:8	help 66:18 90:15	13:13 20:20 21:5	39:13 61:25 71:9
l	gotcha 50:11 50:17	guests 60:7	106:10 135:20	24:10 25:1 25:17	included 18:3 70:6
l	0	guide 5:17	helpful 88:21 89:18	25:23 25:23 25:24	74:1 95:12
ı	gotten 124:11	guy 126:25	90:22 90:23	37:11 39:16 40:16	includes 32:15 60:15
ı	governor 95:25 98:9	guys 135:25	helps 62:25	41:7 41:25 42:1	including 83:2
ı	98:21 99:8	H	hereby 154:7	49:5 49:19 51:6	inclusion 103:15
l	gpa 25:10		hey 118:10	54:10 55:6 95:21	incorporated 77:15
l	graded 61:2	half 18:16 37:8	high 16:18 23:18	101:1 108:16	incorporating 37:19
l	grading 62:3	113:13	23:21 26:23 27:5	117:14 121:8 126:2	incur 121:11
l	gram 3:17 8:11 8:11	hall 67:13	39:22 39:25 47:17	127:19 134:5	indented 82:3 82:21
ı	10:8 10:10 23:14	handled 42:11 63:14	142:13	148:12 148:17	independent 15:20
l	23:14 24:25 25:3	hands 25:22 83:3	higher 75:9 75:12	149:1 152:2	indicated 79:2
l	25:5 26:12 26:16	83:5 83:9 83:12	102:23	however 55:15 81:24	indicator 129:6
l	27:3 27:9 27:11	83:15	highest 48:19 48:21	100:4 121:24	individual 118:3
l	28:19 28:21 28:23	happen 130:23	highlight 43:18	human 67:10 130:11	124:19 141:7
l	29:2 29:15 29:20	143:13	highlighted 56:19	149:2	individuals 24:12
l	30:3 30:9 30:17	happening 148:20	hindrance 103:18	humans 117:4 117:4	24:16 25:1 35:19
	30:21 31:2 31:21	happens 96:16 99:20	hired 21:17 66:9	humidification 40:2	40:17 41:7 136:18
	32:5 32:11 32:24	113:10	66:11	hundred 131:13	industrial 3:20 25:20
	33:3 33:8 33:13	happy 153:17	hires 30:15	hupf 3:25 8:5 8:5	66:16 69:3 69:9
	33:24 34:5 34:11	hard 68:16 102:5	historic 83:3 83:15	9:22	industries 103:16
	34:14 34:21 35:3	hardship 116:14	83:19	hygienist 66:16	industries 103.10 industry 23:24 103:7
	35:7 35:10 35:13	116:19 116:22	history 62:22 70:20		103:18 103:20
	35:16 36:2 36:5	129:14 136:15	hold 54:9	I	information 9:21
	36:11 36:14 37:2	hardwired 57:18	holder 120:22	ibm 112:21 127:16	21:16 27:13 28:9
	37:7 37:13 38:9	57:19 58:15	holders 116:19	id 14:14	45:13 64:1 65:11
	38:13	harold 40:5	117:24 123:14	idea 101:15 123:17	71:19 83:6 93:8
	great 56:23 68:25	hartford 119:3	125:11 130:21	124:3 127:19	96:19
	73:15 95:4 103:23	having 10:20 19:18	holiday 153:16	148:24	informative 76:24
	111:3	48:13 68:16 79:9	holidays 55:17	ideal 95:24	infractions 121:10
	greatly 114:19		nunuays 33.1/		11111 activity 121.10
ı					

121:12	instance 116:12	9:8 10:4 10:5 12:11	131:13 132:2 132:8	98:25 99:2 99:6
infrastructure 8:12	instead 79:8 107:16	13:18 14:4 18:2	132:12 132:15	99:11 99:18 106:21
23:15 30:13 34:17	129:25 136:6	22:14 23:1 23:4	132:18 132:13	107:1 107:4 107:6
initial 83:16 83:21	institute 25:9	23:6 23:10 29:9	132:25 133:3 133:6	
100:10 116:6	instituting 67:13	36:20 36:22 38:17	133:11 133:18	107:16 108:4
149:23	instructed 100:5	38:22 53:2 56:2	133:21 133:16	109:21 109:25
initially 106:1	insulation 16:11	56:18 60:4 69:3	134:8 134:23 136:7	
initiated 12:16	insurance 3:4 9:13	75:23 76:15 76:15	136:11 136:17	111:3 120:14
injury 45:15		78:3 80:21 95:8	136:21 136:25	120:20 121:14
input 104:8 128:3	9:16 69:12 130:5 insure 151:18	95:10 98:2 99:21	137:3 137:11 138:2	
inserted 90:14		102:9 104:14 111:8		122:2 122:9 122:23
	integrated 62:24	111:10 112:11	139:10 139:15	122:25 123:3 123:6
inspect 47:8 126:3	integrates 62:21	134:18 146:18	139:18 139:24	124:2 131:24
inspected 122:20	integrity 3:15 8:24	146:19 152:7	140:5 140:17	133:12 145:23
inspection 9:20 9:24	l	152:11 152:13	140:22 140:25	145:25 146:4
11:21 14:10 14:15	intend 11:20	153:8 153:9 153:13		146:10 146:13
16:8 16:10 17:13	interest 6:3 22:14	items 5:13 6:19 95:9		146:21 148:4 152:8
18:15 20:13 20:13	43:3 68:16 68:18	112:3	141:17 141:20	152:12 152:15
21:6 21:6 22:2 37:22 38:11 59:12	75:22 94:15	itself 104:1 119:12	141:23 142:3 142:6	
60:13 60:23 61:2	interested 154:16	127:2	142:8 142:11	153:2 153:21
61:4 61:14 61:15	interesting 46:6	iveycooper 70:10	142:15 142:18	jeremy 3:19 8:7 60:7
62:1 62:2 62:4 62:6	internal 14:23 16:12		143:2 143:7 143:10	
62:15 62:21 62:23	01.15 01.10 01.21	J		job 26:15 26:16 40:7
62:24 63:8 63:17	64:2 67:1 73:23	jackson 3:14 6:14	144:9 144:12	40:8 53:12 60:2
63:19 63:22 65:14	93:12 118:16	8:3 8:3 37:22 50:20		94:18 114:11
65:16 65:18 69:21	118:20	50:22 50:25 51:6	145:5 145:8 145:13	
70:11 75:14 93:12	internally 67:1	51:13 51:17 52:7	145:17 145:20	117:23 150:11
118:16 118:20	internals 63:10	52:10 52:15 52:19	145:24 146:3 146:9	
119:25 121:13	interpretations	54:6 111:8 111:12	146:12 146:24	150:25 151:1 151:9
122:17 134:12	153:9	114:9 115:25 116:2	147:8 147:11	151:14
134:13 150:4 150:4	interrupt 5:22	116:4 116:6 117:4	147:14 147:17	johnson 3:7 6:22
inspections 9:12	interval 19.13 02.12	117:7 117:17	147:20 147:24	7:17 7:17 15:19
27:19 52:3 60:15	65:24	117:20 118:1 118:7	148:1 148:5 148:9	16:1 20:20 20:24
60:25 61:17 61:18	intervals 16:9 16:10	118:17 118:21	149:2 149:7 149:9	21:1 22:16 37:24
61:18 61:19 61:21	16:12 18:15	118:24 119:2 119:8	150:10 150:15	38:5 59:8 59:18
61:22 61:23 62:8	introduce 7:3 23:9	119:16 119:20	150:17 150:21	68:12 68:22 75:4
63:1 63:11 63:13	38:21	119:23 120:3	150:24 151:4 151:6	75:25 86:15 86:17
64:2 75:11 92:16	involved 122:3	122:13 122:15	151:11 151:13	86:19 86:23 87:1
92:22	130:11	122:19 122:24	151:15 151:18	87:3 87:8 87:10
inspector 3:8 7:10	isn 29:17 104:5	123:2 123:5 124:7	151:20 152:1 152:4	87:13 87:16 87:20
7:25 8:6 8:8 9:9	issue 51:8 56:13	124:13 124:15	152:19 152:23	87:23 87:25 88:9
9:15 9:19 37:22	67:11 93:23 122:2	125:3 125:6 125:12	153:1 153:3 153:5	94:6 94:12 95:19
42:13 59:12 60:8	122:4 128:17	125:16 125:18	james 3:16 3:23 8:9	97:20 110:7 110:10
66:13 69:12 69:17	128:25 129:2 133:2	125:23 126:5 126:8	9:4 23:12 39:3	128:23 130:18
74:18 121:3	133:5	126:15 126:17	jann 4:3	131:1 131:5 131:9
inspectors 66:12	issued 17:18 111:15	126:20 126:24	january 11:13 12:4	131:12 131:15
103:7	115:3 119:21	127:4 127:8 127:25		131:20 131:22
installations 45:18	134:10		jefferson 3:9 7:19	135:10 135:12
installed 28:18 29:6	issues 123:10	128:14 128:18	7:19 80:2 96:4 96:7	
installs 112:10	italics 77:25	129:3 130:19 131:3	96:11 96:17 96:25	135:23 137:14
111564115 112.10	item 5:14 5:20 6:13	131:8 131:10	97:22 98:14 98:19	137:17 137:21

137:24 138:3 138:6	125:14 125:20	117:14 117:14	leanne 4:1 8:18	141:18 142:1
138:10 138:13	126:10 127:2 128:9	117:15 119:6 119:7	least 24:16 26:6	143:16 146:5
138:15 138:17	130:6 130:22	120:11 120:15	34:22 98:21 99:15	likelihood 17:25
138:21 138:24	134:17 136:15	123:9 123:14	131:19	likely 12:1 17:14
139:2 139:4 147:4	137:9 140:23	123:14 123:23	leave 8:21 87:18	likes 43:19
147:7 153:18	143:10 143:12	124:1 124:11	91:11 148:23	limited 134:21
join 64:22	143:13 143:18	124:13 124:22	152:18	limits 16:16
jones 134:14	143:20 144:24	125:7 125:9 127:5	left 86:15 87:10	line 53:2 71:23 80:1
jordan 40:5 57:21	146:4 146:13 149:4		1 10801 0111 7120	80:8 80:9 80:18
joshi 3:22 8:25 8:25	149:18	131:16 134:8 135:2	legislative 8:19	81:25 82:22 88:21
21:19 21:20	justification 86:25	135:13 136:16	119:10	88:24 89:3 89:18
jr 98:8	87:4 87:11	137:5 137:10	legs 76:10	90:3 90:13 91:13
jumped 130:1	justified 86:17	137:22 137:25	lengthy 63:7	93:23
june 69:11 95:14	K	138:14 142:20	less 19:14 70:7 70:24	lines 16:8 17:4
104:18 110:2 110:3		144:16 144:17	73:25 102:24	list 14:10 33:23 34:4
110:3 110:7 110:9	keep 33:8 33:11 48:5		lesser 30:25	34:16 35:5 35:9
110:10 110:23	60:16 129:16	148:18 148:24	let 7:3 18:10 39:7	36:23 40:11 44:2
jurisdiction 61:16	141:21	149:13 149:22	40:15 43:12 48:14	55:21 57:14 65:14
117:11	keeping 22:12	150:3 150:6 150:12	70:19 82:25 83:1	112:12 120:10
jurisdictional 61:19	keith 3:20 69:8	150:22 151:6	85:17 98:21 99:7	123:18
61:23 62:15 63:13	key 60:20 63:8 95:1	knowing 149:2	99:8 108:15 118:12	listed 26:25 36:19
just 5:7 5:13 5:18	95:1	knows 126:9	123:13 131:25	36:22 61:5 63:5
10:11 10:17 11:8	kill 57:22	knox 9:24	134:19 143:14	72:22 123:16
13:9 13:18 14:25	kim 3:9 7:19 152:20	knoxville 130:21	148:13 152:12	listing 16:9 36:15
15:23 16:4 16:19	kind 5:7 55:10 56:1	kordsa 69:4 70:12	letter 36:14 119:21	115:2
16:25 17:3 18:21	67:17 70:19 104:2	74:13 75:8	120:10 120:17	lists 36:14 64:9
20:1 21:15 29:20	124:9 125:20	$\overline{\mathbf{L}}$	120:18 120:21	little 5:5 12:1 12:6
29:25 32:7 32:21	127:22 136:18		121:7 121:8 121:22	
34:4 35:5 35:21	146:2 148:22	labeling 24:11	122:15 123:13	70:20 80:8 111:6
36:9 36:17 36:25	kingsport 130:25	labor 1:2 2:4 4:1 4:3	123.10 12 1.0	127:1
42:17 44:8 44:9	know 10:23 11:10	95:13 153:12	134:10 136:22	ll 6:15 6:18 7:4 17:23
45:4 49:2 49:10	16:23 30:23 35:11	lacking 98:11 102:16	letting >0.20 120.11	24:4 33:11 39:6
53:2 54:6 55:6	35:24 36:25 41:8	114:19 117:24	level 63:5 63:23	40:14 41:1 43:19
56:15 58:7 58:14	41:10 41:18 44:10	landing 2:5	72:17	44:7 56:25 58:7
58:16 58:19 67:11	44:24 49:25 52:2	lapsed 50:10	liaison 8:19	58:11 64:17 68:4
71:18 75:17 76:9	52:5 52:5 52:16	large 113:4 154:21	lifting 94:25	74:17 76:12 87:18
76:16 77:1 77:9	55:4 55:22 58:1	last 11:9 11:18 18:1	like 5:11 7:2 10:12	88:15 88:15 88:16
77:20 78:16 80:3	58:20 59:5 73:5	49:6 50:5 64:7	13:9 19:12 23:17	88:17 89:25 90:16
83:5 85:10 86:22	74:14 76:17 77:6 86:14 95:16 96:4	69:11 70:22 90:17	25:25 30:16 36:3	90:17 90:17 90:19
87:1 90:13 91:16 91:20 93:11 95:4	96:15 96:18 96:20	94:5 126:11 late 96:2 129:24	44:2 52:11 53:25	90:20 90:24 91:16
95:22 96:21 96:23	98:22 99:7 99:8	130:7	54:8 65:15 65:19	96:14 96:15 96:17
99:7 99:8 99:16		later 41:13 55:7 97:7	76:9 78:5 78:21	96:18 96:19 97:23
99:20 100:19	105:8 105:16	132:19	00.12 07.11 71.3	98:13 98:14 99:2
102:11 102:14	109:22 111:23	law 19:24 20:5 27:18	96:9 96:15 97:3	99:7 99:17 99:20 100:21 101:10
105:16 108:1	112:6 112:7 112:23		100.0 100.11	100:21 101:10
108:13 112:20	114:4 114:25 115:1	116:8 117:9 126:2	106:19 111:9	111:5 111:10 120:4
117:1 117:21 118:9		145:15	113:23 114:10	122:4 122:23 123:1
119:1 120:14	115:10 116:18	laying 125:20	115:7 115:20 116:17 116:25	132:6 133:16
123:17 125:8	117:3 117:8 117:11			145:18 147:23
125.17 125.0		101 1.22 137.0 137.2	117./ 143.10	113.10 17/.43
İ				

148:15 152:10	M	manual 13:11 16:6	148:16	153:10 153:15
152:18 152:21	machine 154:9	16:25 42:4 44:9	maybe 5:5 13:9	meetings 67:13
located 24:3 34:7	made 6:8 6:11 6:12	53:6 54:10 60:1	134:1 134:3	104:15 123:20
location 40:4 40:6	28:14 29:16 92:9	64:3 111:18 111:19	me 18:10 22:12	meets 147:14
112:14 136:18	130:11 134:12	111:20 111:23	23:12 43:13 44:24	melt 130:4
locations 67:25	134:17	117:3 117:16 126:9	64:12 70:19 78:5	melted 130:2
113:3 143:11	mail 77:19	127:5 127:5 133:2	78:21 85:11 94:15	member 7:12 7:14
lockout 142:14	mails 97:7	133:5 142:13	97:10 98:13 108:9	7:16 7:18 22:13
locks 140:3 143:6	main 111:25	142:21 143:23	108:25 109:6 112:1	members 6:2 71:11
log 106:2 136:24	mainly 39:13 113:3	144:2 144:21 150:1	112:8 113:8 118:12	96:20 99:14
150:1	114:2	150:5 150:11 151:1	130:20 131:25	memo 91:24
logic 139:3 140:19	maintain 60:19	151:16	134:17 140:22	memphis 3:19 8:8
logical 132:20	60:22 72:11	manuals 112:2	141:4 143:3 145:23	
logs 27:7 83:16 83:22	maintained 62:16	144:15 144:16	mean 31:22 54:4	66:12
137:5	maintaining 65:10	manufacturer 58:3	73:22 105:4 106:17	mentioned 15:9 20:5
long 18:25 22:25	maintaining 03.10	58:15 58:24 69:16	108:7 112:4 117:6	30:5 143:21
49:19 51:6 79:10	maintenance 40:19	72:12 72:19 79:3	117:9 117:10 119:6	
110:25 129:23	40:20 40:20 61:1	many 11:4 11:12	124:11 124:13	153:18 153:19
look 18:7 19:23 35:2	61:4 126:25	15:21 17:17 21:22	124:22 125:7	153:21
54:10 58:13 77:1	major 134:4	45:18 76:17 78:16	125:12 129:13	mess 52:16 141:20
77:24 81:22 85:3	make 5:19 15:24	112:1 126:2 148:12		method 13:23
96:22 103:5 121:24	16:19 17:20 20:10	148:17	135:18 136:20	methodology 11:19
123:3	35:5 36:17 37:21	march 11:14 96:1	137:2 140:22 142:4	13:13 17:24 18:3
looked 27:8 46:3	41:9 43:2 44:9	104:20 104:23	144:25 145:2	62:5
46:4 79:20 109:9	57:24 64:18 65:9	106:12 106:12	145:15 147:3 148:2	methods 20:14
looking 16:5 16:6	66:25 69:21 75:18	106:20 107:17	means 15:14 46:2	middle 41:19 41:21
27:6 34:25 35:23	76:24 78:2 87:25	108:16 108:20	meantime 113:15	113:22 130:23
35:24 57:13 59:2	88:16 92:22 100:10	108:23 108:24	measure 134:4	143:19
64:22 73:4 101:23	103:11 103:14	109:2 109:3 109:12	measurements 16:17	midnight 134:20
looks 78:5 78:21	105:16 111:21	109:24 110:2	mechanical 3:7 3:15	135:4 144:5 148:14
81:19 91:5 96:14	116:24 124:24	110:23 146:19	3:20 8:24 9:1 19:18	might 54:25 86:2
106:19 133:4	130:13 131:20	152:7 153:11	21:17 25:20 69:3	107:2 123:17
loop 20:9 20:10	132:20 143:5 146:7	margins 87:11	69:9	128:14 139:8
36:17	146:13 150:20	HIATK 5.10 7.21	mechanicals 71:22	mild 53:25
lose 33:4 116:15	150:25 151:9	76:20 76:21 77:23	mechanism 14:14	millimeters 70:3
lot 16:23 50:10 70:11	makes 87:14 104:8	marked 90:13 109:3	00.2.02.102.20	73:1
80:12 94:24 104:7	making 27:7 66:20	match 54:11	63:18 148:19	mind 129:2 129:7
105:12 105:15	68:1 95:3 140:14	matches 150:6	mechanisms 18:16	129:16
115:9 115:10 118:9	147:4	material 71:20	21:7 63:20	mine 25:8
124:18 126:17	man 130:11 130:12	matter 58:22 58:23	media 78:11	minimum 25:7
128:2 148:24	manage 14:24	137:15	medical 3:23 9:4	minor 134:5
love 143:9	management 15:2	maximum 58:2	medium 78:9	minute 51:18 52:11
low 26:19 47:5	62:20	58:13 58:16 72:17	meet 108:7	58:11 76:10 115:18
127:10 128:13	manager 8:12 9:5	72:17 78:25	meeting 5:9 65:6	121:15 121:17
128:21 129:8	21:17 23:15 34:6	may 13:10 13:15	66:21 71:10 96:2	125:2 133:9 138:12
129:24 130:1 130:8	34:15 40:21 69:10	15:16 32:7 36:23	96:21 104:19 105:3	143:22 145:1
132:3 139:13	124:20	36:25 41:17 41:17	105:10 105:14	145:11 148:13
141:25 142:12	mandates 117:9	54:10 78:11 86:21	107:25 108:20	148:15
lunsford 98:8	manned 40:6	86:22 106:10 129:5		minutes 76:12 135:8
	manner 104:6	134:10 135:1	110:5 111:7 146:11	mirrors 127:22

misaligned 81:19	20:12 20:16 20:23	81:13 81:16 82:8	118:6 118:12	morning 5:3 9:12
misalignment 81:23	20:25 21:3 21:11	82:11 82:13 82:19	118:18 118:23	10:8 10:9 21:19
84:12	21:14 21:21 22:8	84:1 84:4 84:9	119:1 119:5 119:9	21:21 23:11 43:9
missed 45:18	22:11 22:19 22:23	84:14 84:16 84:22	119:19 119:22	43:10 60:6 60:9
missing 77:22 77:25	26:8 26:21 27:15	84:24 85:6 85:12	120:2 120:7 120:25	69:7 143:16
mix 26:7	27:17 27:21 27:24	85:14 85:17 85:20	121:5 122:1 122:8	moss 4:2 8:15 8:15
moc 14:23 15:2	28:11 29:4 29:12	85:22 85:25 86:4	122:11 122:14	most 12:8 17:14 26:5
15:20	29:19 29:24 31:11	86:7 86:11 86:13	122:18 123:8	34:22 64:20 113:12
mode 141:9	31:15 31:22 32:1	86:18 86:21 86:24	123:22 124:4 124:6	motion 6:8 6:10 14:7
model 45:22	32:7 32:14 32:19	87:2 87:6 87:9	124:10 124:14	20:19 20:21 20:21
modification 39:4	33:17 33:20 36:8	87:18 87:22 87:24	124:23 125:4 125:7	
51:4 51:5 51:21	36:12 37:3 37:16	88:2 88:5 88:11	129:12 129:19	37:17 37:18 59:7
53:3	37:20 37:25 38:6	88:13 88:19 88:23	133:16 133:20	59:10 68:8 68:10
modify 19:4 19:14	38:10 38:14 38:16	89:2 89:12 89:15	133:22 134:7	75:2 75:6 93:20
module 62:25	38:25 39:11 42:3	89:19 89:21 89:25	134:16 134:25	move 21:1 59:8
moment 11:24	42:6 42:10 42:13	90:5 90:8 90:10	135:13 135:17	106:20 107:3
money 131:10	42:16 42:19 42:23	90:16 90:21 90:24	135:22 135:24	107:13 109:18
131:16	42:25 43:5 46:17	91:2 91:7 91:10	136:5 136:10	110:3 110:5 146:18
monitor 32:15 41:8	46:21 49:22 50:4	91:13 91:16 91:22	136:13 136:20	moved 75:4 94:1
127:12	50:9 50:12 50:15	91:25 92:5 92:8	136:23 137:1 137:4	moving 10:4 95:7
monitored 37:11	50:18 50:21 51:3	92:11 92:14 92:18	137:9 137:12	95:8 106:24
monitoring 24:21	51:5 51:9 51:15	92:20 93:1 93:4	137:16 137:19	mr 6:8 6:23 6:24 7:9
56:6 62:8 62:22	51:19 51:24 52:9	93:7 93:10 93:15	137:25 138:8	7:11 7:15 7:21 7:23
monitors 24:13	52:14 52:18 52:21	93:19 94:2 94:4	138:11 138:14	7:25 8:3 8:5 8:7 8:9
month 99:4	53:8 53:11 53:23	94:7 94:13 94:19	138:16 138:19	8:11 8:13 8:15 8:22
monthly 96:8	54:2 54:4 54:14	94:21 94:24 95:6	138:23 139:7	8:24 8:25 9:3 9:11
months 10:19 11:2	54:17 54:19 54:21	96:6 96:10 96:13	139:12 139:16	10:2 10:8 10:10
11:5 17:18 18:23	54:23 55:1 55:3	96:24 97:1 97:5	139:19 139:23	13:17 13:20 13:21
99:15	55:5 55:9 55:13	97:9 97:11 97:14	140:24 141:5	13:22 13:25 14:2
moot 138:25 139:4	55:20 55:23 55:25	97:16 97:19 97:25	144:11 144:14	14:5 14:8 14:11
more 10:11 11:12	56:4 56:7 56:11	98:24 99:1 99:5	144:20 144:23	14:12 14:20 15:3
13:15 15:13 18:9	56:15 56:22 57:1	99:10 99:13 99:19	145:6 145:9 145:14	15:6 15:8 15:9
21:25 28:9 30:23	59:6 59:9 59:15	100:22 100:24	145:19 145:22	15:11 15:12 15:14
35:18 52:1 56:6	59:20 59:25 60:3	101:5 101:7 101:9	146:17 146:22	15:18 15:23 16:3
57:3 64:5 66:15	64:6 65:20 66:5	101:11 101:13	147:2 147:5 147:9	16:21 17:1 17:9
76:24 76:24 77:2	67:5 68:6 68:11	101:24 102:2 102:5		17:11 17:14 17:17
84:7 99:15 124:24	68:13 68:15 68:23	102:8 104:11	147:18 147:21	17:20 18:5 18:18
morelock 1:13 2:3	69:2 69:7 70:17	104:24 105:1 105:7		10.21 10.22 19.3
3:3 5:2 6:10 6:25	71:5 71:13 72:5	105:25 106:3 106:5		17.0 17.7 17.12
7:13 7:13 8:17 8:20	72:8 72:16 72:21	106:9 106:11	149:20 149:25	19:22 20:2 20:7
8:23 9:2 9:6 10:1	12.27 13.3 13.0	106:15 106:18	150:3 150:8 150:14	20.11 20.13 21.10
10:9 13:17 13:24	73:11 73:13 73:16	107:24 108:8	150:16 150:19	21:13 21:15 21:19
14:1 14:3 14:6 15:1	73:18 73:20 73:22	108:11 108:15	150:22 151:3 151:5	21.20 21.20 21.22
15:4 15:7 15:25	74:5 74:8 74:12	108:18 109:10	151:8 151:12	22:2 22:4 22:5
16:4 16:22 17:2	74:17 74:22 75:1	109:12 109:16	151:14 151:17	22:10 22:17 22:18
17:10 17:12 17:15	75:5 75:17 75:21	109:23 110:1 110:9	151:19 151:21 151:24 152:2 152:5	22:22 23:11 23:14
17:19 17:22 18:6	76:3 76:8 76:14 76:21 77:5 79:15	110:13 110:16 110:22 111:2 111:4		23.17 27.23 23.3
18:20 19:2 19:5	79:18 79:25 80:5	110:22 111:2 111:4	152:9 152:14	25:4 25:5 25:21
19:8 19:11 19:16	80:7 80:14 80:17	114:8 113:23 116:1	152:17 153:4 153:0	20.7 20.12 20.14
19:23 20:3 20:8	80:20 80:23 81:8	110:3 117:3 117:8	moreso 133:14	26:16 26:22 27:3
		117.10 117.23	1101030 133.14	27:4 27:9 27:10

27:11 27:12 27:16	46:6 46:8 46:13	69:6 69:8 70:21	104:25 105:4	132:13 132:15
27:20 27:23 28:1	46:15 46:16 46:19	71:4 71:7 71:12	106:14 106:16	132:16 132:18
28:3 28:4 28:5 28:7	46:20 46:23 46:24	72:3 72:7 72:14	107:20 107:22	132:19 132:21
28:8 28:9 28:12	47:1 47:2 47:4 47:7	72:20 72:23 72:25	108:1 108:5 108:6	132:23 132:25
28:13 28:17 28:19	47:8 47:11 47:13	73:4 73:9 73:12	108:6 108:9 108:13	133:2 133:3 133:5
28:20 28:21 28:22	47:14 47:16 47:18	73:15 73:17 73:19	108:22 109:2 109:3	133:6 133:8 133:11
28:23 28:25 29:2	47:19 47:21 47:22	73:21 74:4 74:7	109:5 109:11	133:13 133:18
29:3 29:5 29:8	47:24 47:25 48:3	74:9 74:10 74:16	110:12 110:15	133:21 133:23
29:14 29:15 29:16	48:4 48:7 48:10	74:21 74:25 75:6	110:17 110:20	133:25 134:8
29:20 29:23 29:25	48:11 48:17 48:18	75:16 76:1 76:2	110:21 111:8	134:23 135:11
30:3 30:4 30:9	48:19 48:21 48:23	76:7 76:19 76:20	111:12 114:9	135:16 136:3 136:7
30:14 30:17 30:19	48:24 49:1 49:3	76:22 77:4 77:14	114:22 115:25	136:11 136:17
30:21 31:1 31:2	49:4 49:5 49:8	77:18 77:21 78:4	116:2 116:4 116:6	136:21 136:25
31:5 31:7 31:8 31:9	49:11 49:12 49:14	78:21 79:14 79:14	117:4 117:7 117:17	137:3 137:8 137:11
31:10 31:12 31:13	49:16 49:18 49:19	79:16 79:24 80:4	117:20 118:1 118:7	137:23 138:2 138:4
31:14 31:16 31:18	49:21 49:23 49:24	80:6 80:13 80:16	118:17 118:21	138:7 138:20
31:19 31:21 31:24	50:1 50:3 50:8	80:19 80:22 81:7	118:24 119:2 119:8	138:25 139:1 139:3
32:3 32:5 32:10	50:11 50:14 50:17	81:11 81:14 81:18	119:16 119:20	139:5 139:10
32:11 32:12 32:17	50:19 50:20 50:20	82:5 82:6 82:10	119:23 120:3	139:14 139:15
32:20 32:21 32:24	50:22 50:24 50:25	82:12 82:15 82:16	121:16 121:20	139:18 139:21
33:1 33:3 33:7 33:8	51:2 51:4 51:6	82:17 82:17 82:23	122:13 122:15	139:24 139:25
33:11 33:13 33:15	51:13 51:17 51:23	83:4 83:18 83:25	122:19 122:24	140:5 140:6 140:10
33:18 33:22 33:24	52:7 52:10 52:15	84:2 84:3 84:5 84:7	123:2 123:5 123:21	140:13 140:17
33:25 34:5 34:10	52:19 53:7 53:10	84:8 84:10 84:13	124:5 124:7 124:13	140:20 140:22
34:11 34:13 34:14	53:18 53:24 54:3	84:15 84:18 84:19	124:15 124:16	140:25 141:1 141:2
34:20 34:21 34:24	54:6 54:13 54:15	84:20 84:23 85:5	124:17 125:3 125:6	141:3 141:4 141:6
35:3 35:4 35:7 35:8	54:18 54:20 54:22	85:9 85:10 85:13	125:10 125:12	141:8 141:9 141:10
35:10 35:11 35:13	54:24 55:2 55:4	85:15 85:19 85:21	125:14 125:16	141:11 141:15
35:14 35:16 35:21	55:8 55:12 55:18	85:23 86:3 86:6	125:17 125:18	141:16 141:17
36:2 36:3 36:5 36:6	5 55:21 55:24 56:1	86:8 86:12 86:16	125:19 125:23	141:18 141:20
36:11 36:14 36:16	56:5 56:8 56:12	87:5 87:7 87:14	125:25 126:5 126:7	141:22 141:23
37:2 37:5 37:7	56:21 56:24 57:3	88:4 88:10 88:12	126:8 126:13	142:2 142:3 142:5
37:11 37:13 37:15	57:5 57:6 57:7	88:18 88:20 89:1	126:15 126:16	142:6 142:7 142:8
37:18 38:3 38:4	57:12 57:15 57:18	89:6 89:7 89:9	126:17 126:19	142:9 142:11
38:9 38:13 38:15	58:1 58:4 58:9	89:10 89:14 89:17	126:20 126:23	142:12 142:15
38:23 39:2 39:8	58:10 58:12 58:18	89:20 89:24 90:2	126:24 127:3 127:4	142:16 142:18
39:12 40:18 41:3	58:19 58:21 58:22	90:6 90:9 90:11	127:7 127:8 127:21	142:19 142:22
41:5 41:6 41:19	59:1 59:4 59:14	90:18 90:20 90:22	127:25 128:1 128:4	142:23 143:2 143:3
41:21 41:23 41:24	59:19 59:23 59:24	91:1 91:3 91:9	128:5 128:7 128:8	143:7 143:8 143:10
42:5 42:9 42:12	60:2 60:6 61:13	91:12 91:15 91:20	128:10 128:11	143:20 143:21
42:15 42:17 42:20	61:14 64:7 64:12	91:21 91:23 92:4	128:14 128:16	143:25 144:1 144:3
42:22 42:24 43:4	64:15 65:12 65:21	92:7 92:10 92:13	128:18 128:19	144:4 144:7 144:8
43:8 43:10 43:11	65:23 65:25 66:1	92:15 92:19 92:21	128:20 128:24	144:9 144:10
43:15 43:21 43:24	66:3 66:4 66:7 66:8		129:3 129:4 129:11	144:12 144:19
43:25 44:1 44:6	66:9 66:10 66:11	93:14 93:18 93:22	129:16 129:20	144:22 145:5 145:8
44:7 44:8 44:13	66:14 66:15 66:17	94:1 94:3 94:10	129:22 130:19	145:13 145:17
44:14 44:15 44:16	66:18 66:19 67:6	94:11 94:18 94:20	131:3 131:8 131:10	
44:17 44:19 44:22	67:8 67:16 67:17	94:23 95:2 95:5	131:13 131:17	146:3 146:9 146:12
44:23 45:1 45:2	67:19 67:21 67:22	96:18 97:20 101:15		146:20 146:24
45:4 45:6 45:7	68:3 68:4 68:10	101:18 101:21	132:2 132:6 132:8	147:8 147:11
45:25 46:1 46:3	68:20 68:21 69:1	102:11 104:22	132:9 132:12	147:14 147:17

147:20 147:24	140:12 145:23	necessarily 26:24	51:2 51:4 51:23	86:10
148:1 148:5 148:9	145:25 146:4	103:3	53:7 53:10 54:15	nontraditional 86:10
148:10 149:2 149:4		need 6:12 15:12	54:18 54:20 54:22	nor 154:14 154:16
149:7 149:9 149:10			54:24 55:4 55:12	normal 53:25
149:17 149:21	152:12 152:15	22:6 22:12 23:1	55:21 55:24 56:1	normally 100:13
150:2 150:7 150:10		35:8 35:14 41:25	56:5 56:8 56:12	112:8 112:9 136:8
150:10 150:15	153:2 153:21	47:25 52:1 56:12	56:21 56:24 57:5	north 10:6
150:17 150:21	much 22:22 36:4	70:13 75:9 75:10	59:23 150:10	notary 154:6 154:21
150:24 151:4 151:6		78:17 79:22 81:2	new 23:5 30:15 40:4	notation 29:16 92:23
151:11 151:13	multidiscipline	81:22 91:16 92:22	43:16 51:1 51:8	note 5:24 20:1 22:24
151:15 151:18	63:25	93:2 95:17 95:22	60:17 83:15 83:20	32:8
151:20 151:22	multiple 10:22 35:19		93:16 153:17	noted 93:21 126:18
152:1 152:4 152:19		98:20 98:21 105:16		
152:23 153:1 153:3		105:17 113:17	next 9:8 13:1 13:8	nothing 134:10
153:5 153:19	must 55:14	114:22 115:12	23:4 38:17 60:3	notice 17:23 26:22
ms 7:7 7:19 8:1 8:18	my 6:14 20:17 23:14		62:4 69:2 76:15	57:8
68:14 75:19 80:2	34:24 48:12 49:16	122:3 122:4 123:1	81:18 94:6 94:7	notified 50:1
94:14 96:4 96:7	57:2 71:15 72:9	123:7 123:15	94:17 98:2 99:21	notify 113:25 115:1
96:11 96:17 96:25	109:8 111:13	128:22 136:14	102:8 104:14 105:5	noting 45:22
97:2 97:6 97:10	112:16 112:25	137:9 137:10	143:16 153:9	Hoveliner 39.20
97:12 97:15 97:17	114:10 115:10	141:24 146:1	nexus 24:1 28:14	now 7:2 9:12 11:5
97:20 97:22 97:23	115:21 116:4 116:6	4 4 4 4 0 4 4 0 =	28:19	21:4 24:23 26:4
98:14 98:19 98:25	116:11 117:1	152:19	nice 66:5 87:11	30:10 35:13 39:19
99:2 99:6 99:11	119:16 122:16	needed 50:2 128:24	night 113:22 130:24	47:20 49:21 50:23
99:18 99:23 100:23			135:7 135:18 138:9	57:13 57:14 57:18
101:3 101:6 101:8	134:12 134:12	needs 6:3 42:4 53:5	143:19 145:11	31.23 01.22 01.23
101:10 101:12	135:4 138:3 142:20		145:12	84:5 85:1 85:2
101:17 101:20	149:17 154:8	115:22 129:21	nine 29:15 51:20	88:23 88:24 92:24
101:22 102:1 102:4		130:15 147:22	53:2 123:10	95:17 95:24 99:16
102:7 105:21 106:1	myself 71:24 95:11	neil 3:14 6:14 8:3	nitpicky 36:13 56:18	100:2 107:24
106:4 106:6 106:10	mysen /1.24 /3.11	37:22 50:6 111:8	nobody 112:13	100.10 127.0
106:21 106:22	N	111:9 116:11	124:21 145:16	129:15 132:19
107:1 107:2 107:4	name 21:18 23:14		nominal 70:2 70:4	132:23 139:2
107:5 107:6 107:8	41:17 42:8 115:6	never 111:20 118:4	70:7 72:1	143:12 143:25
107:9 107:10	nameplate 72:12	neville 3:16 3:16 8:9	non 15:16 16:14 72:9	150:1 153:10
107:11 107:15	72:19	8:9 8:9 23:11 23:12		
107:16 107:18	names 98:12 98:15	23:12 23:17 25:4	noncompliance	9:17 11:8 14:14
107:21 107:23	98:15 99:15 99:16	27:12 27:16 27:20	121:17	25:25 29:9 34:7
108:4 108:16 109:1	nashville 2:6 101:20		noncompliant	45:9 45:23 45:23
109:7 109:15	101:23	28:7 28:9 28:12	125:15 125:22	45:24 46:1 46:5
109:21 109:22	national 20:12 69:13		126:12	46:8 46:10 46:14
109:25 110:18	native 88:14	31:9 31:12 31:14	noncorrosive 12:14	48:25 49:1 64:23
110:25 111:3 120:8	natural 5:15 37:13	31:18 31:24 32:3	12:15 16:8 17:7	69:14 103:10
120:14 120:19	136:6	32:12 32:20 38:15	nondestructive 62:9	123:23 126:1
120:20 120:21	nature 25:18 26:20	39:2 39:3 39:3	none 6:20 20:18	numbers 112:3
121:1 121:6 121:14	149:2	39:12 41:6 41:21	22:15 93:20 94:8	numerical 82:3
121:18 121:21	nbic 19:25 20:1 20:7	44 24 42 7 42 2	nonintrusive 62:6	nx6100 28:21
122:2 122:9 122:23	78:13	42:12 42:15 42:22		0
122:25 123:3 123:6	ndt 13:14	42:24 46:19 46:23	nonresponsive 125:11 125:13	
124:2 131:24	neat 102:17	49:8 49:12 49:16		objections 153:14
133:12 140:9	1104.1/	49:21 49:24 50:24	nonstandard 77:23	observation 91:20

115 11	47.20.100.6	110 10	02.12.02.10	141 10 140 05
115:11	47:20 100:6	112:18	83:12 83:19	141:12 142:25
observed 76:13	open 13:10 13:15	original 39:4 72:12	P	parties 154:14
obtain 12:17	14:7 43:1 70:18	83:16 83:21	package 13:16 17:24	parts 39:17
obviously 76:18	85:2 95:8 105:5	originally 28:16		I to the second
occur 5:23	opens 45:10	104:15 104:21	18:7 69:15 70:6	password 112:12
october 77:12 77:19	_	107:14	71:8 71:15 71:16	112:13 112:22
off 30:15 40:16 63:1	37:9 45:20 86:1	osha 15:2 64:17	page 18:23 29:12	112:23 127:17
65:13 69:17 96:12	118:14 131:18	others 104:9	29:15 30:4 30:6	past 52:4 100:25
132:10 132:14	148:13 148:15	otherwise 99:2	30:9 31:8 36:15	pdf 88:8 88:10
134:22 135:6 140:3	1	ought 115:17	36:20 40:11 53:4	people 30:22 33:23
offer 20:14	151:9	ourselves 11:21	53:12 55:9 55:15	34:6 35:5 35:6
office 8:2 41:23	operated 23:19 39:24		55:24 56:2 64:7	35:24 36:18 36:18
66:12 92:9 95:25	49:6 70:24	26:18 30:22 34:1	77:22 77:24 78:3 78:15 78:20 80:2	76:17 94:22 94:24
98:9 98:22 99:8	operating 16:18 48:8		80:5 81:12 81:18	103:7 103:20 105:9
official 31:2 43:2	50:22 51:14 51:18	43:17 49:2 49:7	81:23 82:2 82:7	105:12 117:2
old 10:4 83:9	52:8 53:5 54:12	50:12 54:15 54:18	82:9 82:20 82:20	134:21 135:9 141:2
older 45:21	62:11 63:3 98:5	70:24 71:10 77:16	82:9 82:20 82:20 82:20 82:23 83:7 84:10	149:12 149:12
once 11:10 18:10	115:15 124:25	79:21 80:10 85:10	84:11 84:21 85:5	per 35:18 46:9 46:11
22:25 65:18 98:15	operation 17:16	87:21 88:7 90:14	85:9 85:20 85:21	60:15 61:2 62:3
122:7 143:6 144:8	24:22 70:23 71:6	90:18 91:23 97:6	91:3 92:18 92:19	62:4 98:6
144:10 152:24	75:7 75:14 132:11	98:17 101:4 103:1	126:10 126:11	perceive 88:6
one 5:11 9:23 12:16	operational 33:12	106:20 108:14	146:14	percent 11:25 22:3
12:20 12:20 12:22	83:16 83:21	114:14 114:17	paper 137:10	26:17 37:10 46:18
14:8 21:15 24:17	operations 103:11	114:24 115:17	paper 137.10 paperwork 95:23	46:20 103:19
26:1 29:8 30:8 34:7		119:17 120:5	98:18 100:9 120:13	111:17 126:5
34:22 35:16 35:18	operator 8:14 24:14	120:10 120:20	121:3	percentage 125:19
36:15 39:1 40:13	25:8 25:11 30:7	120:22 122:16	paragraph 30:5 30:7	perfect 130:12
40:22 41:3 41:16	30:20 30:21 32:4	122:24 123:13	78:4 80:14 81:24	perform 56:3
43:6 45:21 45:22	35:18 39:9 53:20	124:8 126:1 126:3	83:1 83:13 84:17	performed 31:3 62:9
46:8 51:1 51:8	56:13 57:23 102:9	127:23 129:9	04 00 05 44 05 04	63:11
52:12 53:1 56:17	operators 24:14	134:11 135:4 140:2		perhaps 10:20 11:14
57:23 59:21 62:13	24:19 25:4 25:5	140:3 140:14 143:4	93:17 112:4	73:4 134:1 134:3
64:19 65:3 66:13	25:6 26:1 26:2 30:2		paragraphs 82:4	period 12:20 44:14
67:19 69:4 81:4	32:2 32:5 32:6	outage 116:14	89:5	81:4 81:5 81:6 81:9
81:24 82:9 84:10	32:16 35:17 102:22	S	parameters 63:3	133:9
84:11 84:15 86:8	102:24 103:13	outside 30:1 51:14	pardon 23:12	periodically 96:5
88:25 91:1 91:20	126:21	135:1	parentheses 79:20	periods 81:1
97:13 99:9 100:5	opposed 6:25 22:19	outstanding 96:22	parks 5:18	permit 37:8
102:22 103:10	38:6 59:20 68:23	over 35:24 67:23	parks 3.18 parkway 1:23	permitting 6:13
103:17 105:7	76:3 94:13 134:5	77:2 111:16 130:2	parkway 1.23 part 21:5 25:14 27:1	person 35:22 36:16
106:23 112:20	142:21 145:3	overall 63:9	28:15 41:10 71:18	personal 115:11
113:5 114:23	option 19:4 35:16	overseeing 45:17	94:20 118:19 130:1	personnel 5:16 34:25
126:10 127:16	116:22 138:5	overview 10:17	149:11	40:23 45:9 52:11
132:3 149:10	143:24	10:24 11:15 43:17	participate 67:14	102:15 102:19
onebeacon 118:24	options 123:16	102:25 103:4	participate 07.14 participation 68:1	103:25 130:16
ones 26:5 26:6 30:24		own 52:2 105:19	participations	pertain 92:1
30:25 43:16 98:25	orders 137:5	owner 3:5 83:15	100:18	pertaining 98:2
122:20	org 31:17	83:17 83:20 83:22	particular 13:16	ph 3:7
ongoing 62:11	organization 65:7	138:4	[*]	pha 62:13
online 16:16 33:10	organizational 49:10	ownership 83:2 83:5	+1.2 112.20 129.9	phase 12:22 13:3

13:5	124:24	22:1 23:8 23:18	professional 25:21	90:15 98:12 98:13
phones 5:21 34:16	polysilicon 3:17 3:22		program 10:7 10:16	
photovoltaic 23:23	10:6 23:22	38:20 39:22 39:25	11:13 11:17 14:23	147:25 148:3
physically 143:5	portion 116:5	47:5 70:23 74:11	16:19 18:4 18:12	provided 17:4 78:6
pick 140:6	portions 12:18 12:25	75:9 75:12 77:23	19:18 19:20 20:1	78:11
picked 18:22	position 30:18 37:12		21:5 21:8 22:2	providing 78:5
picture 114:15	98:3 98:11 145:20	79:2 79:10 83:8	22:21 24:25 26:10	150:23
piece 21:16 45:11	146:25 147:7	108:19 127:10	26:23 30:12 41:13	psi 48:7 48:8 74:5
63:18 64:9	positions 40:13	141:25	50:5 60:5 60:9	81:5 81:5 81:6 81:6
pieces 141:13 142:25	-	pressures 72:17 75:7		81:9 81:9 81:13
placard 35:23	possibility 48:13	pretty 11:11 63:7	60:19 60:20 60:23	81:14
place 5:17 51:11 61:8	- •	76:23 109:8 125:4	61:7 61:25 62:19	psig 75:8 80:18 80:19
82:3 87:23 92:25	possible 6:17 36:4	previous 26:2 71:9	63:12 63:15 64:9	80:24 80:25
125:8 129:8 137:6	78:10 95:23 111:15	•	64:14 64:16 64:16	psm 15:15 15:16
148:18 148:19	115:7 135:5	previously 27:1	64:22 65:2 66:6	15:20 64:19 65:2
places 93:8 126:1	possibly 64:3 66:23	primary 116:8	67:3 68:9 90:12	public 116:8 154:7
126:2 128:2	post 19:25	print 91:17	102:10 103:9	154:21
plan 10:19 24:5 40:3	-	printing 56:25 87:5	103:24 114:5	pull 71:16 95:25
51:10 63:17 63:19	potable 91:4	prior 74:20 75:8	114:11 114:19	pump 48:1 48:1
66:22 66:23	potential 27:5 45:14	-	115:11 115:14	141:21 141:24
planned 60:25 61:20	1 ~	pro 142:20 142:21	115:16 115:21	pumped 74:11
104:21	pounds 46:9 46:11	probably 35:25	117:22 117:22	pumps 25:25 139:21
planner 100:1 100:3	l -	41:14 43:18 67:11	118:2 118:8 118:9	139:22 139:22
100:7 100:21 101:6		83:9 96:21 99:4	118:11 127:2	139:25
planners 100:11	72:10	111:16 113:12	programs 12:16	purposely 132:4
planning 61:10	power 33:4 33:5 33:8		103:1	pursue 64:1 77:5
123:19	103:22 113:16	problem 44:11 79:11	progress 61:10 66:20	85:8 93:24 100:6
plant 10:13 10:24	practical 98:5	83:11 111:12	104:12	pursuing 61:6
11:14 11:16 12:10	practice 15:19 15:21	116:16 133:11	prohibit 78:8	push 19:24 142:19
12:18 12:25 13:5	practices 60:24	136:1 136:16 145:7	projects 57:14	143:5
15:6 52:3 69:23	practices 60.24 prasad 3:22 8:25	145:16 146:22	promote 67:14	put 23:25 35:16 44:8
116:14 134:21	21:20	problems 12:3 44:4	promoting 116:7	44:25 51:10 70:15
plate 70:3 79:5 79:9	precautionary 78:12	1 20004	promulgating 147:9	70:21 71:6 72:13
player 95:1	predominantly 11:3		proof 126:22	75:12 88:25 89:23
plays 129:13	preferably 95:24	65:4 67:10 67:10	proper 62:1 63:20	92:17 103:9 118:8
please 5:23 5:25 53:8	1 -	proceed 100:21	75:15 113:25	122:4 137:6 148:17
82:15 82:18 98:12	present 23:9 38:22	proceedings 1:9 2:7	properly 25:23	putting 35:22 75:8
pleasure 20:18	60:9 64:4 103:14	153:23 154:9	properties 62:10	94:25 95:1 105:23
pmb 1:24	104:6	process 12:13 12:15	63:3	
point 22:12 27:6 65:5		15:1 15:4 16:7	proposal 10:12 11:18	Q Q
67:25 117:20	presented 23:22	16:17 23:21 41:11	propose 105:2	qc 9:18
130:13 133:14	69:11 69:14 113:8	61:11 62:14 62:17	119:15	qualifications 56:9
138:25 139:4 141:6		65:11 77:6 77:9	proposed 104:19	qualified 41:7 126:2
141:11 142:17		85:9 90:3 93:25	protection 61:6	126:22
pointed 85:10 114:17	presenting 39:3 7 114:12 130:20	95:3 100:2 102:17	64:13 112:12	qualify 25:1 40:17
pointing 108:13	140:25	104:5 121:4 150:6	112:13 138:3	qualifying 24:24
124:8 134:11	presently 29:1	processes 21:6	protocol 35:1	quality 69:9 69:22
points 13:6	102:20 104:3	product 77:1	prove 142:16 145:4	quantity 47:12
_		production 8:12	150:5	quarter 64:4 64:4
122:4 122:25	pressure 10:14 11:1 11:12 11:22 19:21	10:20 23:15	provide 71:14 77:2	94:17 105:19
122:4 122:23	11:12 11:22 19:21 			71.17 103.17

question 16:15 28:13	17:5 17:6 19:20	150:25	reference 24:5	82:18
32:21 36:4 41:16	22:24 23:2 23:19	reading 117:2	referred 121:15	replace 130:6
43:11 52:25 68:19	34:25 35:1 36:15	readings 12:12 12:17	referring 122:16	replaceable 43:14
72:9 75:6 75:24	39:16 39:17 39:23	12:19 12:24 13:3	refineries 64:21	replaced 43:16 130:3
79:16 92:6 94:8	45:11 45:16 50:18	13:13 13:15 18:11	refinery 3:19 8:8	130:4
112:16 113:8	51:14 52:8 53:16	18:14 53:14 53:17	60:7 60:8 60:14	replacing 129:25
116:11 118:13	53:21 54:7 54:12	53:22 54:3 54:7	60:22 62:14 67:24	report 9:10 9:25
119:21 130:19	54:21 55:13 55:15	70:8 70:9	reflect 5:7 134:2	14:10 14:13 14:18
132:4 133:13	55:18 57:13 58:3	reads 82:25	refresher 149:23	14:18 17:3 60:4
133:14 133:24	65:18 66:19 66:25	ready 5:5 65:3 66:23		60:10 68:8 68:25
questions 6:17 10:2	67:4 67:12 67:13	67:1 67:4 76:11	regarding 14:8 91:24	
13:16 30:1 33:21	70:15 70:19 72:13	real 113:22 116:22	99:23	120:9
36:9 37:4 38:1 43:6		reapply 50:2	regional 41:20 41:22	
50:19 57:4 59:7	79:19 79:23 82:22	reappointments	registered 11:7 11:8	
59:16 68:7 70:18	84:24 86:14 92:11	95:11	<u> </u>	154:7
70:22 74:23 94:5	96:5 98:22 100:1	reapproval 49:14	62:16	reporting 1:23 7:6
101:14 104:12	100:1 100:4 100:10	reason 18:1 18:8	registration 10:15	reposition 57:24
114:12	101:3 101:22 104:6	1 Cason 10.1 10.0	10:25 75:13	
quick 10:17 11:15	104:17 105:2	151:15 151:15	regulated 118:15	representation 67:23
71:24 104:6	105:14 105:15	reasonable 96:1 99:3	regulations 38:20	118:4
quickly 95:23	105:19 106:12		01.17	representative 3:4
quite 11:24 18:25	106:24 107:5	reasons 106:23	reinvent 103:3	3:6 3:7 98:4
quotation 77:22	107:12 110:2	reassessment 66:2	relate 141:12	reputable 70:10
quotation 77.22	111:17 113:15	reassigning 39:18	related 60:20	request 20:24 21:2
R	113:15 113:16	recall 131:21	relative 154:14	23:7 23:8 23:18
r1 53:13	113:18 114:2 115:5	receive 83:16 83:20	relaxation 5:6	36:13 110:14
ramp 11:15	115:16 117:13	received 40:16	relief 75:15	113:20 120:3 136:9
ran 70:1 125:10	120:5 121:8 121:17	recent 12:8 93:11	relieved 70:25	requesting 38:19
random 65:16	122:5 124:8 124:25	recently 21:17 66:15	relocating 129:7	39:23 51:1 97:7
ranges 71:23	125:1 125:25	recess 76:13	relocation 39:13	113:18
ranked 62:18	126:12 126:21	recommendation	remember 95:22	required 15:15 15:17
	130:22 131:6	14:13 18:23 18:24	123:11 134:13	62:10 63:25
ranking 63:17	131:17 132:10	27:10 119:17	remote 24:3 32:15	requirement 14:21
rarely 47:16	132:22 133:20	recommendations	36:21 39:13 39:14	147:15
rate 13:7 37:10	134:18 134:21	18:19 98:3 119:14	40:4 57:17 57:22	requirements 15:2
rated 46:9 46:10	135:1 135:2 136:1	recommended 19:13	126:2 148:17	20:4 36:21 74:14
47:2 47:15	136:3 138:8 139:5	98:7	remove 89:15	78:12
rather 13:11	140:17 143:11	reconvene 76:12	removed 78:18 79:22	requires 57:21
rating 46:14	143:12 143:13	record 6:1 18:4	80:1 80:10 81:1	research 100:7
ratings 72:12	1/3·17 1/15·2	53:14 54:3	renewal 51:1 51:3	resend 43:23
rbi 10:7 10:12 10:16	145:10 145:11	recorded 154:8	51:21 53:3 121:4	reset 128:13 128:14
11:17 11:18 11:22	146:5 147:3 147:4	recording 62:2	renewals 123:25	128:22 142:13
19:18 21:4 21:8	147:5 147:17 150:6		renewed 52:22	respective 62:3
21:23 22:21 60:5	150:17 151:7 152:2		120:12	respond 35:20
60:9 60:16 60:18	152:6	red 79:21 80:9 88:20	reorganization 76:16	response 120:4 124:9
60:19 61:3 61:24	reaction 13:1	88:24 89:3 89:18	89:4	responses 92:8 103:5
62:4 62:19 62:25	read 54:10 63:6 78:6		repair 14:22 113:25	responsibilities
63:12 63:14 64:8	78:7 78:22 78:24	90:14 91:8 91:13	135:3	39:18
rbo 18:24	93:4 111:20 111:21	93:23 126:14	repairs 14:22 14:25	responsibility 102:10
re 10:6 13:4 13:18	117:15 127:4	reduced 63:23	74:15 137:7	responsible 30:6
16:9 16:24 17:4	150:13 150:20	redundancy 131:7	repeat 82:5 82:15	30:12 36:14 36:16
	150.15 150.20		10pout 02.5 02.15	

I				
67:24	28:3 29:20 30:10	33:7 33:11 33:15	144:8 144:10	103:10 105:22
rest 113:3	32:14 33:21 38:7	33:18 37:18 38:3	146:20	116:8 116:15
restart 29:9 116:13	38:16 39:1 39:19	41:3 42:17 42:20	role 148:3	128:17 129:2 140:3
128:12	41:6 42:22 43:6	43:8 43:11 43:21	room 2:5 5:12 7:3	said 14:4 15:10 30:7
restarted 29:10	47:19 51:23 52:14	43:25 44:6 44:8	24:7 24:17 32:24	43:12 44:2 44:21
29:11	52:21 54:21 54:23	44:14 44:16 44:19	33:4 33:5 33:9	59:2 85:1 96:9
resubmit 115:19	55:1 55:21 56:4	44:23 45:2 48:19	37:14 53:14 57:21	114:6 115:20
result 21:24	57:1 57:12 57:25	48:23 49:1 49:4	rooms 127:24	123:10 130:6 130:7
results 61:1 62:2	66:3 68:7 68:18	59:14 59:19 64:12	rosa 5:18	130:7 132:7 134:17
62:23 63:9	70:17 72:5 73:8	66:8 66:10 67:6	ross 25:21	135:25 143:21
resume 95:13	73:11 74:10 74:21	67:16 68:10 68:20	rotate 34:17	146:11 154:10
retirement 9:25	75:16 75:23 76:4	72:25 73:4 73:9	route 101:12	sam 3:8 7:9 22:2
retrained 30:15	79:9 82:2 84:4 86:5	73:12 73:15 73:17	routine 61:1 62:8	50:6 113:1 114:6
returned 97:7	86:7 86:15 86:18	73:19 73:21 74:4	rule 19:24 20:5 23:8	
revalidation 62:10	87:11 87:22 87:24	74:7 74:9 74:25	38:20 51:18 52:11	134:13 147:20
reverified 70:5	89:1 89:9 89:9	76:1 76:20 77:4	58:11 76:11 76:16	same 19:19 20:4 30:8
revert 121:19 144:24	90:10 90:25 91:7	79:14 79:16 80:4	83:10 89:24 95:3	32:15 37:6 43:16
145:1	92:21 93:20 94:6	80:13 80:16 80:19	115:18 116:25	47:23 65:21 80:20
reverts 121:16	95:6 95:17 96:13	80:22 81:7 82:16	121:15 125:2 133:9	
review 9:18 60:10	97:19 97:25 98:19	83:25 84:2 85:5	138:12 143:22	92:6 105:3 132:11
60:12 77:13 118:2	98:24 99:1 99:16	85:9 85:10 85:13	144:18 145:2	136:4 146:14
143:23	99:21 102:4 104:12	85:15 85:21 85:23	145:11 145:15	samples 25:17 25:24
reviewing 61:25	106:13 106:14	86:3 86:6 86:8	148:13 148:16	satisfy 145:15
114:12	106:18 111:4 111:6	86:12 86:16 87:5	153:8	savannah 131:3
revise 143:23 144:1	116:3 117:7 120:19 124:23 129:15	87:7 87:14 88:4 91:20 91:23 92:4	rulemaking 77:6	save 129:6
revised 123:9	124:23 129:15	91:20 91:23 92:4 92:7 92:10 92:13	77:9 85:8 90:2	saw 28:3 44:20
revision 39:6 42:18	130:18 133:12	94:3 94:10 110:15	93:24	say 14:21 22:15 26:9
49:8 51:20 53:4	133:21 134:1	110:21 125:10	rules 1:11 5:9 23:8	26:17 34:3 38:1
53:4 83:18 88:24	135:17 138:19	125:14 128:19	38:12 38:20 73:24	52:11 53:15 54:6
90:17 123:10	138:23 139:14	129:11 129:16	76:23 90:7 116:9	59:16 65:4 68:19
revisions 116:24	140:24 150:14	129:11 129:10	121:17 147:10	75:24 94:9 105:18
i	ı 1⊤∪.⊿⊤ 1J∪.1≒ l	147.40 131.11		11011100111
revoked 133:15	1	131.21 131.25	153:10	112:1 113:2 113:19
revoked 133:15 133:17	150:16 151:3 151:5	131:21 131:25 132:6 132:9 132:13	run 17:6 25:24 46:10	114:20 126:20
	150:16 151:3 151:5 151:17 151:19	132:6 132:9 132:13	run 17:6 25:24 46:10 46:11 47:13 47:16	114:20 126:20 127:21 128:12
133:17	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6	132:6 132:9 132:13 132:16 132:19	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24	114:20 126:20 127:21 128:12 133:15 134:19
133:17 rewording 82:24	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5
133:17 rewording 82:24 rework 14:16	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21 121:1 121:6 140:9	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8 6:24 7:11 7:11	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6 140:10 140:13	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S sa 71:17	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22 139:5 140:18
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21 121:1 121:6 140:9 140:12	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8 6:24 7:11 7:11 13:21 14:8 14:12	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6 140:10 140:13 140:20 141:1 141:3	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S sa 71:17 safe 5:17	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22 139:5 140:18 says 35:4 54:6 57:9
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21 121:1 121:6 140:9 140:12 richard 3:15 8:22	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8 6:24 7:11 7:11 13:21 14:8 14:12 15:8 21:10 22:18	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6 140:10 140:13 140:20 141:1 141:3	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S sa 71:17 safe 5:17 safely 151:10	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22 139:5 140:18 says 35:4 54:6 57:9 78:7 78:24 91:4
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21 121:1 121:6 140:9 140:12 richard 3:15 8:22 15:10 18:2	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8 6:24 7:11 7:11 13:21 14:8 14:12 15:8 21:10 22:18 29:25 30:4 30:14	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6 140:10 140:13 140:20 141:1 141:3 141:6 141:9 141:11	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S sa 71:17 safe 5:17 safely 151:10 safety 5:14 15:2	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22 139:5 140:18 says 35:4 54:6 57:9 78:7 78:24 91:4 112:2 118:13
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21 121:1 121:6 140:9 140:12 richard 3:15 8:22 right 8:17 9:2 9:3	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8 6:24 7:11 7:11 13:21 14:8 14:12 15:8 21:10 22:18 29:25 30:4 30:14 30:19 31:1 31:5 31:8 31:10 31:13	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6 140:10 140:13 140:20 141:1 141:3 141:6 141:9 141:11 141:16 141:18 141:22 142:2 142:5	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S sa 71:17 safe 5:17 safety 151:10 safety 5:14 15:2 48:20 48:21 64:19	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22 139:5 140:18 says 35:4 54:6 57:9 78:7 78:24 91:4 112:2 118:13 126:11 127:5
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21 121:1 121:6 140:9 140:12 richard 3:15 8:22 15:10 18:2 right 8:17 9:2 9:3 10:2 12:6 14:3 22:4	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8 6:24 7:11 7:11 13:21 14:8 14:12 15:8 21:10 22:18 29:25 30:4 30:14 30:19 31:1 31:5 31:8 31:10 31:13	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6 140:10 140:13 140:20 141:1 141:3 141:6 141:9 141:11 141:16 141:18 141:22 142:2 142:5 142:7 142:9 142:12	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S sa 71:17 safe 5:17 safely 151:10 safety 5:14 15:2 48:20 48:21 64:19 65:2 65:10 65:11	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22 139:5 140:18 says 35:4 54:6 57:9 78:7 78:24 91:4 112:2 118:13 126:11 127:5 144:16 149:14
133:17 rewording 82:24 rework 14:16 rhone 3:13 8:1 8:1 91:23 99:23 100:23 101:3 101:6 101:8 101:10 101:12 101:17 101:20 101:22 102:1 102:4 102:7 104:17 120:8 120:19 120:21 121:1 121:6 140:9 140:12 richard 3:15 8:22 right 8:17 9:2 9:3	150:16 151:3 151:5 151:17 151:19 152:17 153:3 153:6 riser 79:11 risk 20:13 60:13 60:15 60:22 62:18 63:4 63:5 63:17 63:22 63:23 road 77:10 robert 98:8 robinson 3:4 6:8 6:24 7:11 7:11 13:21 14:8 14:12 15:8 21:10 22:18 29:25 30:4 30:14 30:19 31:1 31:5 31:8 31:10 31:13	132:6 132:9 132:13 132:16 132:19 132:23 133:2 133:5 133:8 133:13 133:25 135:16 137:8 137:23 138:7 138:20 138:25 139:14 139:21 139:25 140:6 140:10 140:13 140:20 141:1 141:3 141:6 141:9 141:11 141:16 141:18 141:22 142:2 142:5 142:7 142:9 142:12 142:16 142:19	run 17:6 25:24 46:10 46:11 47:13 47:16 57:20 67:3 69:24 70:13 144:17 145:10 running 47:23 53:25 128:22 129:18 134:22 150:17 runs 47:4 132:11 S sa 71:17 safe 5:17 safely 151:10 safety 5:14 15:2 48:20 48:21 64:19 65:2 65:10 65:11 66:13 99:25 99:25	114:20 126:20 127:21 128:12 133:15 134:19 134:24 135:5 140:23 144:3 144:4 144:15 148:14 148:15 saying 20:21 55:13 55:16 65:5 98:20 105:9 107:18 111:20 132:22 139:5 140:18 says 35:4 54:6 57:9 78:7 78:24 91:4 112:2 118:13 126:11 127:5

62:25 65:6	semiannual 47:9	sheet 5:25	situation 15:16 43:22	75:3 76:5
scheduled 61:1 61:10	send 45:9 71:10 85:6	shell 69:25	65:22 112:9 112:17	specialist 30:5 30:10
61:21 61:22 63:13	88:13 88:15 88:16	shift 24:20 32:16	112:25 113:16	30:17 31:4
153:10	88:17 90:19 91:17	34:7 34:8 34:12	133:19 142:6	specialty 62:9
scheduling 62:4	96:18 96:19 97:12	35:18 41:8 68:2	142:12 142:13	specific 14:16 60:24
62:24	120:10 123:12	113:9	148:16 150:15	specifications 58:25
school 129:23	124:19	shoes 35:22	situations 48:5	specify 120:23
scope 22:5	sending 45:7 102:18	shoot 65:9 94:16	148:12	spent 25:22
scrubber 13:2	senior 21:17	shop 135:3	six 73:25 80:4 80:6	spoke 120:15
seatbelts 117:9	sense 35:25 44:11	shopping 5:4	99:15 113:2	sponsorship 101:1
second 21:9 21:10	87:15 131:22	shorthand 154:9	sixty 126:5	spot 70:21
37:23 37:24 59:13	150:24	show 26:19 28:1	sized 37:5	spring 67:2
59:14 64:4 68:12	sent 40:24 43:17	31:19 31:23 32:1	skill 154:8	ss 78:17
85:15 85:23 86:9	77:16 88:7 91:23	40:3 136:23	slipped 12:1 12:6	staff 22:6 30:11
94:3 105:18 131:2	97:6 120:20 120:22	showed 127:11	soap 115:21	40:18
131:6	122:16 124:9	showing 25:16 30:24	soft 48:1	staffed 24:15
secondhand 83:8	sentence 78:17 82:24		software 18:25 19:3	stamp 69:13 78:22
secretary 3:12 7:8	82:25 85:15 85:23	shows 66:23 89:3	19:15 60:19 61:3	79:8 79:9
section 71:17 71:18	86:10	shut 33:13 44:4	62:20	stamped 78:22 79:4
78:13 79:7 79:7	separate 33:2 142:25	56:14 69:20 69:23	solar 23:23	79:12
91:4 92:16 112:5	separately 63:14	127:9 132:14 133:9		stampings 69:18
sections 67:24 89:11	september 100:15	134:19	107:12	stand 150:12
secured 79:5	100:16 104:18	sic 92:15	solution 135:5	standard 78:25 79:1
security 5:16 40:6	110:6 110:20	sick 34:1 34:12	somebody 43:23	standards 71:21
40:7 40:8 40:23	110:24	side 5:18 11:21 16:1	111:19 117:15	standpoint 45:19
40:23 40:24 43:12	serial 45:23 46:1	sides 87:12	126:25 130:24	123:23 125:20
43:13 44:12 45:9	serious 125:5	sign 5:25 30:14	131:18 135:6	125:22
53:20 55:16 56:2	seriously 124:17	signed 69:17 154:18	someone 98:6 143:4	star 65:9
102:15 102:19	131:9	silenced 5:21	something 11:11	start 7:4 23:5 126:10
133:3	serve 32:8	similar 36:22	26:25 54:8 96:2	127:19 135:20
see 14:13 18:10	service 16:14 17:8	since 49:6 49:15 53:3	104:5 114:7 116:17	
26:24 31:6 31:6	72:4 72:9 75:9	58:3 58:14 83:10	116:25 127:13	started 25:13 25:19
53:4 58:14 69:10	75:12 127:24	86:15 92:24 108:4	130:14 130:23	137:2
71:13 78:3 81:25	150:23	134:18 146:5	134:17 136:12	starting 81:12
83:1 85:17 96:14	services 70:10 70:11	sir 14:8 20:9 28:19	139:20 142:1 143:6	startup 10:18 10:22
99:20 106:8 107:3		29:2 30:1 30:18	143:16 143:21	12:5 12:5 12:7
108:15 115:7	servicing 39:16	31:9 31:12 33:24	145:12	12:20 12:21
125:21 128:1	set 17:7 77:25 100:12		sometimes 43:14	state 1:1 3:13 3:14
129:14 133:25	100:14 100:25	66:19 72:3 72:14	somewhere 114:23	3:24 3:25 4:2 7:25
seeing 22:15 79:19	104:15 118:8	72:23 82:16 84:8	134:11	9:13 9:15 10:14
100:2 105:8 105:9	seven 18:16 23:19	86:6 88:12 152:1	soon 10:20 10:21	11:1 11:7 22:1 25:9
123:25	30:6 30:9 31:8 34:9	site 12:13 14:24 24:5		27:24 38:12 42:14
seek 77:2 100:1	34:17 39:24 40:11	37:21 38:11 40:3	86:9 92:19	43:19 51:24 65:7
seeking 13:19 70:15	40:12 55:10 55:15	40:16 40:21 52:3	sounds 66:10	70:14 75:9 75:10
72:13 117:19	55:24 56:2 64:23	53:21 53:21 54:5	space 24:11 40:1	75:13 76:6 83:6
seem 68:1	several 10:19 17:18	55:15 59:11 60:1	85:16 86:1 86:5	100:2 100:9 100:20
seems 43:18 121:21	50:10 51:11 113:2	61:5 64:16 64:22	86:22	103:12 103:15
121:23 121:25	shall 79:1 83:15	106:8 134:21 150:4		115:4 116:7 118:13
select 12:17 12:17	83:20 113:23	150:4	special 69:5 70:15	118:14 118:15
12:24	114:20 130:22	sites 52:3 64:24	72:11 72:22 74:14	119:3 119:17

	Ι			_
143:14 145:21	98:9	sydney 90:17	technician 112:21	38:15 48:18 49:4
146:1 146:6 154:2	subparagraph 78:4	system 23:25 24:1	113:12 127:17	50:14 50:17 59:5
154:21	78:15 78:20 81:19	24:2 26:24 28:14	techniques 62:2 62:6	
stated 51:10 77:22	subsequent 112:4	28:15 30:9 33:6	teeth 114:23 124:24	67:16 68:15 68:24
statement 16:7 28:14		53:5 58:14 59:3	l	69:1 76:7 76:8
93:16		112:10 131:7	124:25 125:8	84:23 93:18 102:2
states 53:13 53:13	sufficient 47:12	systems 142:23	133:10 134:1	102:7 104:12
64:21 102:21 103:2	48:14 96:8	systems 142:23	telephone 34:19	109:25 153:5 153:6
	~		tell 55:6 72:2	153:22
103:4 121:6 station 24:3 35:1	suggested 82:24	table 5:10 63:6 63:7	tells 143:3	thankful 45:8 45:17
	83:18	102:12 103:9 104:1	temperature 16:16	thankfully 70:23
39:14 40:4 57:17 148:17	suggestion 120:8	102.12 103.9 104.1	temperatures recre	thanking 76:17
stations 39:14	149:18	tables 61:3 62:3	53:25 72:18	thanks 31:16 151:22
status 10:18 60:9	suite 1:24	tag 47:5	template 14:10	their 5:4 10:7 20:22
	summary 14:15	take 6:5 17:4 17:6	ten 40:22	21:2 23:7 24:21
95:16	53:11 60:12 64:7	18:13 25:16 26:18	tennessee 1:1 1:24	25:2 39:15 39:17
stay 22:24 23:3 79:13	1	36:3 53:21 61:7	2:3 2:6 3:13 3:14	40:7 40:8 41:8
144:25	super 26:14 93:9	76:11 76:23 90:17	3:24 3:25 4:1 4:2	11 10 11 15 15 0
stays 132:10	supervisor 8:2 8:14	90:18 96:22 97:23	4:3 5:8 10:14 10:18	45:11 56:8 68:9
steam 23:21 39:25	8:16 24:14 31:25	121:24 123:3	11:1 11:7 19:24	68:9 69:5 69:12
46:4 98:5 113:16	34:8 34:8 39:9	123:15 126:9	20:5 22:1 27:18	69:23 70:5 103:8
140:14	56:13	138:12 140:6	38:12 41:19 41:21	107:6 107:11
stewards 105:17	supervisors 32:16	taken 18:11 53:17	42:14 69:5 72:11	111:19 111:23
still 52:1 69:22 77:8	supplemental 83:17	70:9	72:22 74:14 75:2	114:5 115:6 116:16
88:2 98:10 101:16	83:22	takes 65:13 119:9	75:13 76:5 76:6	117 15 110 7
115:4 115:5 115:13	Supplied Street	taking 16:16 18:13	98:6 100:10 103:13	117:13 118:7
119:24 129:8	supplier 59:2	45:12 54:7 67:23	104:15 105:18	120:23 126:9 127:1
130:10 140:18	supply 33:5 47:14	talk 10:12 13:10	116:7 117:12	130:5 131:7 134:19
stone 1:23 7:6	88:6	40:15 114:7 146:2	118:13 118:14	134:20 135:3 145:3
stonecrest 3:23 9:4	support 116:24	152:21	118:15 145:21	148:13 150:5 150:5
stop 32:22 33:2	147:22 148:7	talked 53:2 92:2	146:1 146:6 154:2	151:1
street 77:8	supposed 121:20	103:20 114:21	tentative 100:12	them 25:7 26:19
stress 79:11	131:17 151:7	116:5 146:25	104:16 105:23	34:15 37:8 40:22
stresses 71:18	sure 16:19 17:20	152:15	106:2 110:4 111:5	40:25 41:1 44:18
stretch 76:10	20:10 27:7 35:5	talking 82:6 95:2	tentatively 100:14	45:15 47:23 50:16
stricken 78:18 79:21		103:16 123:13	terminology 111:14	51:11 55:19 58:10
80:10 81:2	47:7 47:24 48:8	143:12 149:11	112:2 113:24	65:13 76:24 96:20
strictly 148:23	49:9 52:1 57:5	tank 12:22 25:25	130:22	98:13 98:13 98:16
strike 79:21	57:24 64:18 65:10	task 56:6	terms 12:2	111:17 111:19
strikethrough 91:8	66:25 69:21 80:3	41	test 25:16 57:24	112:2 112:6 112:10
stringent 19:14	86:16 97:15 108:22	1	78:10 130:14	112:11 113:12
struggles 67:20	109:8 124:16 146:7	64:25 65:8 67:1	130:14 132:10	112.14 115.1 115.
stuff 89:11 101:1	146:13 146:17	70:11 95:5	tested 128:21 128:25	116:15 117:10
styled 2:1	150:25 151:9	teams 67:14	testing 62:9 78:11	118:5 120:5 120:11
subject 121:7 121:9	surprise 121:7	technical 21:23 30:5	85:24	126:4 126:6 127:1
submit 13:8 42:18	surrounding 9:23	30:10 30:17 31:4		129:6 129:9 130:4
99:12 100:8 115:18		42:4 45:19 57:3	15:23 16:3 20:17	130:6 135:5 136:9
116:20 120:13	switchboard 57:22	116:23 147:22	21:13 21:14 22:8 22:11 22:22 22:23	143:14 143:22
121:2	switches 140:7	148:6		144:1 148:25 150:5
submitted 11:17	sydne 76:18 88:25	technically 12:14	30:2 33:16 33:18 38:9 38:13 38:14	150:12 150:20
13:12 95:12 95:14	95:1	cellineany 12.14	30.7 30.13 38.14	150:23 151:2 152:5

	11 11 0 11 10			
themselves 7:4		things 23:1 23:22	throughout 12:25	total 9:14 9:14 9:16
103:13 117:24	115:15 115:16	25:18 25:25 26:20	19:10 106:7 123:24	•
theoretically 51:13	115:17 116:12	30:15 53:25 105:8	thursday 105:6	town 67:13
51:15	116:19 117:13	114:12 133:6	106:20	track 90:7 90:12
theory 143:8 143:9	117:18 118:4 118:7		thus 12:16	trail 137:10
they 10:6 20:14	118:8 118:8 118:9	think 12:7 15:21	ticket 117:12	train 41:1
23:19 23:23 24:15	119:20 120:5	18:12 28:17 28:21	tie 20:1 20:10	trained 26:10 40:21
24:19 24:24 25:1	120:12 120:12	54:24 76:25 81:17	till 113:24	41:1 41:10 43:12
25:10 25:15 26:9	121:2 121:2 121:7	82:2 83:12 84:6	tim 3:24 7:25	43:19
26:18 30:8 30:22	121:8 121:10	86:23 88:9 89:7	time 5:5 6:12 6:15	training 9:22 24:25
32:8 32:8 34:11	121:17 126:12	89:22 97:3 99:3	13:8 24:17 27:6	25:11 25:22 26:4
34:12 35:1 35:1	126:20 126:20	103:8 103:23 104:4	29:5 30:11 34:19	26:10 26:15 26:17
35:9 35:11 35:12	126:21 127:2 127:4		34:23 37:6 37:8	30:2 30:6 30:12
35:14 35:24 35:25	127:5 127:12	115:12 116:18	47:23 60:11 68:17	30:23 30:24 31:3
36:25 39:16 39:16	127:14 127:15	126:13 127:2 130:8	69:19 70:22 71:8	40:14 40:15 40:25
39:22 39:25 40:16	127:18 128:11	131:23 147:4	89:22 94:6 94:7	43:17 44:23 45:5
40:16 40:21 41:7	128:21 128:24	thinking 17:23 48:15		45:10 56:10 100:13
41:9 41:9 43:15	130:1 130:22	70:19 106:12 139:8	104:8 111:6 113:9	102:9 102:15
43:17 43:19 43:24	130:24 131:1 131:5	139:8 149:18	113:25 122:3	102:17 102:19
44:1 45:8 45:11	131:6 131:7 131:8	third 80:1	125:18 129:23	103:25 126:18
45:12 45:16 50:22	131:15 131:17	thirty 85:19	timeframe 120:1	127:1 127:1 149:23
50:25 51:7 51:14	132:4 132:23	thomas 11:3	121:1	149:24 150:1
51:17 52:4 52:5	132:25 133:3	thought 104:7	timeline 11:21 12:9	transcript 1:9 154:10
52:5 52:8 52:10	133:20 134:20	108:24 128:6	times 55:15 112:1	154:10 154:11
52:15 52:16 52:16	134:21 135:1 135:2	134:17 143:20	118:9 124:18	transformers 58:6
53:21 53:21 56:6	135:2 135:18	thoughts 116:4 117:1		
56:9 56:12 59:2	135:19 136:1 136:3	thousand 131:14	10:14 10:15 10:24	treatment 25:15
59:4 65:12 65:14	137:1 137:6 137:10	three 13:5 18:23	11:10 11:16 13:18	trial 67:2
65:15 65:18 66:7	138:8 138:12	23:18 24:2 25:22	13:25 52:22 68:17	trip 112:1 112:3
66:9 66:11 67:24	143:12 143:13	28:23 33:23 34:4	70:16 77:1 77:7	112:5 132:5 134:20
69:23 70:11 70:13	143:17 143:18	35:24 37:6 37:9	114:18 153:9	135:8 139:13
70:14 70:25 71:2	144:4 144:5 144:12	49:21 49:23 52:4	together 88:25 89:23	
72:15 72:19 78:17	144:24 144:24	52:22 61:11 65:5	94:25 95:22 95:25	143:15 143:18
87:16 90:7 90:11	144:25 145:1 145:2	65:23 66:8 80:23	96:14 103:10 122:5	
93:24 95:15 96:5	145:10 145:11	81:5 85:18 98:9	152:25	tripped 127:9 127:11
96:7 97:3 98:17	147:11 148:15	100:16 114:24	told 108:25 109:6	tripping 132:4 136:6
98:17 99:2 100:8	149:1 149:22 150:6	120:23 123:11	118:1 120:16	trips 26:18
102:15 102:18	150:6 150:25 151:6	124:5 124:7 131:13		tristar 3:23 9:4
103:8 103:18	151:7 151:9	134:12 134:14	ton 94:21	
103:22 103:23	thicker 73:7	through 16:5 16:6	took 54:15 54:18	troubleshoot 127:19
107:4 107:5 111:17	thickness 16:17	42:21 43:16 53:14	took 34.13 34.18 tool 19:3 19:13 66:21	true 51:16 91:18
111:18 111:18	62:22 69:20 70:2	56:9 63:6 69:24	tools 11:19	112.0 127.11
111:20 111:22	70:7	74:18 77:8 77:20		141:15 154:11
111:23 112:6 112:6	thicknesses 17:7	79:21 80:25 89:24	top 25:10 77:12	truly 79:12
112:18 113:4 113:7		90:2 90:13 100:15	81:11 81:12 82:1	truth 137:14
113:15 113:15	72:1	100:17 102:13	82:1 82:7 82:8	try 6:15 14:18 50:7
113:16 113:17	thing 19:17 70:14	115:8 118:2 119:11	82:20 91:4	108:11
113:18 113:19	71:7 111:25 112:19	123:25 126:11	topic 10:25	trying 31:21 89:22
113:23 113:25	114:18 119:6	130:5 133:4 135:7	tosha 2:5 61:8 65:6	100:6 105:2 107:12
114:2 114:13	119:13 127:6 132:3	145:11	65:13 65:15 65:17	107:14
114:25 115:1 115:4		14J.11	67:3	tuesday 106:23

turn 141:13	understand 56:8	102:12 119:12	46:15 47:1 47:4	46:3 46:4 49:11
turnaround 61:9	74:13 103:22 114:4	I		56:17 57:13 57:20
turning 44:12 111:17	7 145:3	upon 114:16 149:22	47:19 47:22 47:25	59:1 66:9 66:11
tva 70:12	understanding 49:17		48:4 48:10 48:17	76:25 77:13 84:6
twenty 80:4 80:6	unfired 23:7 38:19	9:16 11:4 14:21	48:21 48:24 49:3	85:2 87:10 87:16
twice 11:4	uninterruptible 33:5	15:20 37:9 43:24	49:18 50:1 53:18	89:22 95:10 97:6
two 9:19 9:20 12:19	union 67:18 67:23	44:3 50:16 62:25	53:24 54:3 54:13	99:14 99:19 100:12
12:19 12:20 12:25	unique 63:19	66:23 69:15 90:15	55:2 55:8 55:18	102:15 102:18
13:3 13:6 16:7	unit 1:3 51:25 71:3	93:23 96:5 96:7	57:6 57:12 57:18	102:20 103:20
16:10 17:6 18:10	74:18 83:7 85:7	99:7 129:13 135:5	58:4 58:10 58:18	105:13 107:4 108:1
18:24 24:16 25:7	88:7 88:14 88:17	136:23 138:24	58:21 59:1 59:24	111:6 114:15
25:13 26:10 36:18	92:9 93:24 95:15	145:4	variable 86:20	114:21 116:12
36:18 37:7 39:22	95:21 98:14 110:14	usage 37:14	variance 6:16 9:19	117:12 122:7 125:8
41:3 41:14 45:21	116:9 116:21	use 35:25 46:7 58:7	23:8 23:18 27:2	128:21 137:4 137:5
47:9 57:14 65:3	116:22 117:5 122:6	69:13 90:11 111:13	29:6 36:13 36:15	142:13 142:19
66:11 77:2 78:17	123:6 143:5 147:22	1	36:16 38:11 38:19	144:18 148:24
80:15 81:4 85:19	152:6	123:19 130:22	39:4 39:5 39:13	150:25
92:21 93:8 98:11	united 64:21	used 13:14 60:19	39:23 49:6 49:20	vendor 25:15
98:23 99:15 99:16	units 42:11 61:11	70:3 70:5 78:11	50:23 51:7 52:6	venue 101:16
113:13 114:24	62:14 112:10	user 3:5 76:24	52:8 53:16 59:22	verification 115:13
123:11 131:13	unless 34:12 109:17	using 19:20 70:7	64:1 92:23 92:25	148:22
134:15	117:11 124:24	142:7 142:9	113:8 114:5 114:10	
type 14:15 14:16	153:14	ut 16:17 16:23 17:7	114:19 115:11	vessel 10:14 11:22
14:22 57:7 57:10	until 29:21 33:9	18:11 70:8 70:9	115:14 115:16	16:13 22:1 23:8
57:16 127:6	51:20 71:2 71:6	utilities 113:4	115:21 116:19	27:18 38:20 69:12
types 61:15	94:6 94:7 136:15	utilize 117:20 119:24	116:24 117:16	69:20 70:23 71:20
typically 16:24 24:16	143:16	utilized 66:22	117:22 117:24	71:25 71:25 72:13
45:20	up 11:15 13:11 16:8	utilizing 60:23	118:3 118:9 118:11	''.= ''.' ''.' ''.'
typo 78:16	18:22 31:6 50:7	T 7	118:19 118:19	78:8 78:10 79:12
	51:12 52:1 52:2	V	119:11 119:12	83:8 108:19 140:2
	64:17 70:20 71:23	vacancy 9:24 98:7	119:24 120:11	vessels 11:1 11:6
ultimate 151:14	81:17 87:19 88:15	vacant 98:3	120:22 120:23	11:12 12:4 19:21
ultimately 130:2	95:17 96:23 99:15	vacation 5:6 34:2	122:20 123:14	69:5 77:24
130:9	101:1 105:12	valero 3:19 8:8 60:4	123:15 125:1 125:11 126:2 127:2	viable 103:14
ultrasonic 85:24	105:19 111:9 112:8	60:8 60:14 60:21	130:21 133:15	103.10
unannounced 121:8		63:24 64:20 64:24	134:9 134:22 135:6	violate 133:22
121:9	115:17 118:8	68:8	144:18 144:25	violation 123.1
uncorrected 9:18	127:13 127:13	valid 120:23	145:1 147:12	violations 9:17
under 6:18 14:20	127:15 127:19	validations 62:13	149:13 151:16	121:10 121:11
16:11 27:18 27:24	129:2 130:15	value 48:22	variances 50:7 52:22	visit 54:5 60:1 121:9
29:8 36:21 51:18	130:16 130:24	valve 48:20	93:5 93:13 111:14	Visiting 11.4
52:8 53:12 53:13	132:17 135:2	vance 98:7	113:3 114:23 115:3	visitors 5:10
53:15 55:14 57:8	135:20 137:2	vanstone 3:18 8:13	119:18 120:10	VISITS 100.7
71:3 75:7 81:14	137:13 139:20	8:13 39:8 39:8	123:18 123:24	visual 16:11 16:12
81:15 92:16 92:24	142:4 148:12	40:18 41:5 41:19	149:12 149:19	62:21
115:5 115:13	148:14 148:14	41:23 43:10 43:15	various 103:2	voluntary 61:6 64:13
115:15 124:25	148:22 148:23	43:24 44:1 44:7	ve 14:9 23:1 26:23	vote 22:14 42:4
148:13 148:15	151:23 update 9:21 11:10	44:13 44:15 44:17	26:25 35:1 35:24	75:22 77:7 85:4
148:25 152:6	95:20 99:22 99:24	44:22 45:1 45:6	36:25 39:16 40:21	voted 13:19 18:8
undersized 48:13	75.20 77.22 77.24	45:25 46:3 46:8	44:2 45:8 45:20	95:7 152:10

voting 7:1 11:18	132:3 139:13 140:2	I		
22:20 38:7 59:21	way 54:11 80:21	112:11 114:14	30:18 31:14 33:8	workforce 1:2 2:4
68:24 76:4 94:14	80:24 93:7 94:18	114:18 119:20	33:13 34:8 37:9	4:1 4:4
vpp 64:15 64:24	106:6 113:19	123:9 123:12	37:14 39:17 40:4	working 44:20 64:3
64:25 65:12 65:18	118:10 121:22	125:25 126:3	40:5 41:13 41:15	67:12 72:17 78:25
	143:14 145:17	127:12 129:17	43:16 43:17 44:4	104:16 148:17
	148:21	131:16 134:6 134:8		works 39:19 57:25
wacker 3:15 3:17	wear 117:10	135:9 135:19	61:7 65:1 65:9 67:2	30.23
I	weather 53:19 53:20		71:1 76:5 77:20	worried 145:10
10:18 21:9 21:24	54:8 113:21	148:13 149:19	79:7 79:13 88:6	wouldn 5:21 48:8
23:6 23:16 23:21	web 83:7	whenever 105:24	88:13 89:21 94:16	65:14 124:11
25:9 34:15	website 105:24	where 2:6 10:12	95:20 101:8 101:18	127:13
waiting 100:19	wednesday 105:11	10:13 10:13 10:15	103:10 103:11	wow 44:21
waive 113:19 113:20	105:19 106:24	10:24 11:16 12:8	106:11 112:5	wpna 8:24
walk 53:14	153:10	13:25 14:13 26:10	131:15 143:14	wrc 3:10
walked 52:3	week 11:4 11:4 11:9		william 3:17	writing 111:19 114:
wall 32:23	23:20 34:9 34:17	57:23 65:14 66:1	williamson 154:3	150:11
want 5:2 5:8 5:18	39:25 97:4 100:14	69:18 80:9 87:21	window 12:21 17:21	written 83:11 144:2
6:13 9:7 12:11	105:3 105:5 106:17		winter 46:12 113:6	wrong 73:5 105:13
12:14 15:23 20:6	107:13 107:17	101:18 103:12	wire 58:6	127:14 139:9
20:9 21:15 22:25	107:17 107:19	104:2 113:17	wish 120:12	wrote 29:5 108:1
32:7 35:5 36:23	107:20 107:23	113:22 113:23	wit 2:7	
37:1 48:8 52:16	107:25 108:2	113:25 114:6	within 12:19 12:20	Y
54:10 54:11 66:25	108:24 109:2	115:11 116:12	17:21 50:5 61:3	yeah 17:14 28:17
72:10 76:16 96:21	109:13 109:20	119:17 120:5	62:24 64:21 64:23	29:7 31:11 31:15
98:16 106:19	144:10	126:22 127:9	71:23 103:2 103:7	32:10 32:14 32:19
108:11 108:12	weekend 130:2	129:23 136:24	103:11 103:12	34:24 35:7 42:19
109:23 111:22	weekends 55:17	149:11 whereas 42:17	103:13 115:4	42:23 42:25 44:15
134:19 136:19	weekly 34:18		119:10 120:1 121:1	==
136:21 137:2	weeks 25:22 99:20	whether 98:22	124:19 128:1	54:19 55:2 55:3
143:18 144:5 144:6		100:20 115:4 115:5	***************************************	56:24 58:21 59:4
144:12 144:24	22:24 23:3 43:9	129:4 134:13 who 35:14 38:18	won 63:6 94:14	65:20 65:25 67:21
145:1 146:6	50:18 84:25	76:17 106:7 112:12	113:19 128:21	68:3 68:15 73:16
wanted 18:4 41:9	went 49:7 127:12	whole 45:15 102:17	132.10 137.17	73:18 73:20 74:12
56:16 75:17 102:25	150.2 15		wonderful 153:16	74:12 80:13 80:16
103:4 130:13	136:24 137:10	103:3 104:5 137:21	wondering 148:11	81:16 82:9 82:10
wanting 128:2	137:17	wholeheartedly 122:12	word 20:20 78:5	82:22 86:9 87:2
143:17	weren 50:1		78:22 79:5 79:13	87:8 87:8 87:13
wants 98:9 146:8	whatever 65:6 106:4		79:17 83:5 88:14	89:14 89:20 91:12
ward 36:16		why 25:17 106:23 130:6 131:1 131:5	150:25	93:10 94:23 96:6
ware 25:12 26:10	140:1 148:16		wording 29:8 51:10	99:10 101:22
wasn 44:16 44:20	wheel 103:3	131:6 wide 15:6 105:5	83:14	106:14 106:16
51:20	wheeler 112:9		words 83:9 103:6	107:8 107:10
watch 150:12	112:10 112:14	will 5:16 5:24 6:5 11:13 11:22 12:1	work 21:5 22:6 51:25	
water 26:19 28:2	112:17	14:6 14:23 15:15	58:5 58:7 58:10	110:13 118:6 122: 123:2 124:14
40:1 48:2 48:10	when 2:6 19:12	17:12 18:11 18:14	59:3 89:25 96:14	
48:11 48:14 48:14	19:23 45:12 54:5	19:14 21:8 23:5	102:6 115:22 128:2	Ť
48:15 91:5 128:13	57:19 62:9 67:3	23:25 24:2 24:3	132:25 137:5 140:1	135:10 135:12
128:21 129:8	69:20 69:23 72:25	24:15 24:15 24:16	141:14	135:21 135:21
129:24 130:1 130:8	78:8 78:9 78:24	27.13 27.13 27.10	worked 50:6 94:22	133.21 133.21

		I		Tuge 17)
136:10 136:13		2	3	7800 57:10
137:8 138:6 138:7	1	20 11:8 11:9 36:20	30 47:3 81:6 81:9	7840l 57:11
138:10 138:13	10 9:18 16:12 18:12	51:18 52:11 58:11	l	7c 82:24 83:13
138:13 138:16	18:16 18:25 19:6	76:15 78:15 115:18		
139:23 139:24	44:2 47:5 70:3 73:1	I	32 85:5 85:9 85:20	8
141:5 141:15 142:8	73:3 73:10 76:9	125:2 133:9 135:7	85:21	80 26:17 46:18 46:20
142:11 142:15	76:10 76:12 76:12	138:12 143:22	33 82:23	800 76:11
144:22 145:19	77:15 153:9	145:1 145:11	34 70:3	810 9:13
145:22 147:13	100 22:3 37:10 48:8	148:13 148:15	35 9:18	89 63:10
147:16 149:4 149:7	81:13 81:14 103:19		350 16:24	8e 78:4 78:7
year 5:7 10:11 11:18	105 70:1	2006 71:3	37069 1:24	8th 106:21 106:22
11:23 12:2 12:19	1089 1:25	2007 39:5	39 63:23	106:23 109:8 110:
12:20 13:8 16:12	10th 105:6 106:12	2009 39:6 49:7 49:9	394 73:15	110:10
18:1 18:9 18:10	106:20	49:15 49:24 71:6	3a 85:21 85:22	
25:7 62:12 63:11	11 61:22 153:13	2015 1:12 2:2 60:12	3a 83:21 83:22	9
63:23 65:23 69:11	110 93:5	60:21 61:5 61:14	4	900 1:24
69:23 94:17 95:15	111 93.3	61:17 63:9 77:12	40 56:18	92 61:22
106:7 123:24	11a 78:15	77:15	41 46:14 47:15	9th 104:20 104:23
123:24 153:17	12 73:2 92:15 92:19	2016 17:5 61:8 61:11		106:24 107:17
years 17:6 18:12	120 18:23	61:20 64:5 66:24	419 70:1	
18:16 18:16 18:25	120 10.23 122 93:5 119:7	95:11 95:20 99:23	450 11:6	
19:7 19:7 40:22	125 49:3	104:14 104:20	4500 74:5	
41:15 44:3 47:10	14 18:2 76:9 78:3	111:5	4a 80:22 81:1 81:6	
49:21 49:23 50:6	14th 106:17 110:6	2018 123:24 154:22	4b 81:1 81:8	
51:11 52:4 52:22	110:24	2020 1:23		
52:23 57:14 66:8	15 10:5 11:8 11:9	20th 100:16	5	
66:13 114:24	23:6 38:17 60:4	21st 110:6 110:20	50 46:11 46:14 46:15	
115:16 120:24 123:11 124:7	69:3 70:14 70:24	110:24	111:16	
129:23 134:12	71:2 72:10 75:7	22 23:8 38:20 144:18		
134:14 134:15	76:15 80:23 81:5	220 2:5	47:15	
yesterday 11:9 92:2	81:6 81:9	221 1:25	510 19:21 20:4 20:4	
109:9	150 48:22	22nd 100:17	562 9:16	
yours 97:18	152 61:20	234 1:24	580 18:3	
yourselves 23:9	155 48:24	23rd 100:15	5a 86:9	
38:22	15th 110:2 110:3	24 23:19 24:15 34:9		
yup 143:7	110:11 110:23	39:24	6	
	16 1:12 23:6 67:2	25 46:9 76:12	60 111:16	
Z	160 80:18 81:5	250 61:19	615 1:25	
zero 62:17 134:25	165 61:21	26 78:20 80:5	662 71:17 71:19	
	16th 2:2 105:5	260 48:7	67 61:17 63:9	
0	106:12 109:12	27 77:12 77:15	68 93:5 119:7	
00 135:8 135:19	109:18 109:24	27th 154:18	686 1:22 154:6	
000 24:4 24:6 24:8	110:2 110:23	289 61:18	154:21	
46:9 46:11 58:3	153:11	29 81:19 84:10 84:11	7	
02 10:5	17 18:2 38:17	84:21		
03 76:11 76:11 76:16		291 9:16	70 11:25	
76:16 119:11	19 69:3	29th 77:19	729 9:15	
119:11	19th 100:14 100:15	2a 71:17	75 26:17	
05 71:6	1st 2:5 109:4	2nd 108:17	7600 57:13	
0800 76:16 119:11			77 61:18 63:11	
L				